

13-Year-Old Michigan Boy Dies 3 Days After Second Dose of Pfizer Vaccine, Aunt Says ‘Moral, Ethical, Health’ Questions Need Answers

By [Megan Redshaw](#)

Global Research, June 25, 2021

[Children's Health Defense](#) 24 June 2021

Region: [USA](#)

Theme: [Science and Medicine](#)

All Global Research articles can be read in 51 languages by activating the “Translate Website” drop down menu on the top banner of our home page (Desktop version).

Visit and follow us on Instagram at [@crg_globalresearch](#).


Initial autopsy results showed the previously healthy boy suffered from myocarditis, an inflammatory heart condition CDC officials have acknowledged is “likely” linked to mRNA COVID vaccines.

A 13-year-old Michigan boy [died June 16](#), three days after he received his second dose of Pfizer’s COVID vaccine.

Preliminary autopsy results indicated that [following his vaccination](#), Jacob Clynick’s heart became enlarged and was surrounded by fluid — symptoms similar to those documented in [other teen boys](#) who experienced [myocarditis](#) following COVID vaccination.

On June 20, Clynick’s aunt, [Tami Burages](#), posted a tweet with a photo of her nephew’s vaccination card and this statement, though she has since removed this tweet:

“A week ago today my brother’s 13-year-old son had his 2nd covid shot. Less than 3 days later he died. The initial autopsy results (done Friday) were that his heart was enlarged and there was some fluid surrounding it. He had no known health problems. Was on no medications.”



Tom Burages
 A week ago today my brother's 13-year-old son had his 2nd covid shot. Less than 3 days later he died.
 The initial autopsy results (done Friday) were that his heart was enlarged and there was some fluid surrounding it. He had no known health problems. Was on no medications.
 6/16/21 - Jun 16, 2021 - Twitter Web App
 8,881 Retweets · 7,981 Quote Tweets
 8,900 Likes

Burages also tweeted, which she also removed:

“Our family is devastated. I struggled with putting this out on Twitter. I am pro-vaccine. We vaccinated my own 14-year-old son as soon as it was available. I know it is *mostly safe*.”

“The @CDCgov needs to investigate this. There have been other cases of myocarditis in young men receiving their 2nd @pfizer shot. Have others died from it in the United States or is my nephew the first?”

“Should any innocent child be a sacrificial lamb in this endeavor? There are moral, ethical and health questions that need to be answered. If Jacob had not received the 2nd shot, we believe he would be alive today.”



Tami Burages
@tburages

177

Our family is devastated.
I struggled with putting this out on
twitter. I am pro-vaccine. We
vaccinated my own 14-year-old son
as soon as it was available.
I know it is "mostly safe".
But Jacob is dead now.

6:18 PM · 8/20/21 · Twitter Web App

640 Retweets · 63 Quote Tweets · 2,573 Likes



Tami Burages @tburages · 10h

177

Replying to @tburages

The @CDCgov needs to investigate this.
There have been other cases of
myocarditis in young men receiving their
2nd @pfizer shot. Have others died from it
in the United States or is my nephew the
first?

The teen's death was [reported](#) to the Centers for Disease Control and Prevention (CDC) and is under investigation by federal health regulators to determine if there is a correlation between the death and vaccination — according to the Saginaw County Health Department — which [received notice](#) from the Saginaw Medical Examiner's office of the boy's death.

"Loss of life in an adolescent for any reason is heartbreaking," the health department [said in a statement](#). "Health officer Chris Harrington, MPH, and medical director Delicia Pruitt, MD, are mothers of children near the boy's age, so it hits close to home for them."

As of Wednesday, the CDC's Vaccine Adverse Event Reporting System ([VAERS](#)) did not include an entry for a Michigan teen who died in June. According to [various reports](#), there is a two-month data lag between reports made to VAERS and those published to the public.

FDA to add warning about heart inflammation to Pfizer and Moderna vaccines

During a [June 23 meeting](#), the CDC's Advisory Committee on Immunization Practices (ACIP) said there is a "likely association" of "mild" heart inflammation in adolescents and young adults after vaccination.

"Clinical presentation of myocarditis cases following vaccination has been distinct, occurring most often within one week after dose two, with chest pain as the most common presentation," said Dr. Grace Lee, co-chair of VaST. <https://t.co/1CYufBl3yd>

— Robert F. Kennedy Jr (@RobertKennedyJr) [June 23, 2021](#)

The U.S. Food and Drug Administration [said it will add a warning](#) to COVID vaccines produced by [Pfizer](#) and [Moderna](#) about rare cases of heart inflammation in adolescents and young adults.

During the June 23 ACIP meeting, members [acknowledged more than 1,200 cases](#) of heart inflammation in 16- to 24-year-olds, mostly occurring in men. However, they said the benefits of vaccines outweigh the risks.

Dr. Tom Shimabukuro, deputy director of the CDC's Immunization Safety Office, [said in a presentation](#) that data from one of the agency's safety monitoring systems — [Vaccine Safety Datalink](#) (VSD) — suggests a [rate of 12.6 cases per million](#) in 12- to 39-year-olds during the three weeks after the second shot.

During the meeting's [public comment session](#), commenters chastised the CDC and its advisory committee for claiming the benefits of [experimental](#) COVID vaccines outweigh the risks in teens, when teens have a relative zero risk of dying from COVID, and are at a very low risk of experiencing [adverse events](#).

[Dr. Meryl Nass](#), an internal medicine physician, pointed out several flaws in the data used during the ACIP's presentation:

"As of now, two major ways the rate of myocarditis were minimized [during the presentation] was to lump people from age 39 and down -- even though the highest rates [of myocarditis] are in the youngest kids. This waters down the rate. The other method was to only include a very narrow window of time after vaccinations started in the 12-15 age group, thus omitting the vast majority of second doses, which is when about 75% or more of the myocarditis cases occur. Also, the genders were sometimes mixed. And rates in girls are much lower than boys."

During the [presentation](#), Dr. Megan Wallance stated the overall efficacy of [Pfizer's COVID vaccine](#) in the 12 to 15 age group is 100% and Moderna's was comparable. Wallace then did a risk/benefit analysis comparing myocarditis cases versus hospitalization rates for COVID in people between the ages of 12 and 29.

“The problem with her analysis is that now the myocarditis rate used is too low. But the risk from [COVID](#) is magnified,” Nass said.

Other public commenters [accused the CDC](#) of withholding VAERS data and delaying publication of adverse event reports. Actual numbers, one commenter estimated, are three to 14 times higher than what’s been made public to date.

Physician Dr. Leslie Moore said current VAERS data is atrocious and frightening:

“All we have is the VAERS system, which is voluntary self-reporting. We know VAERS only captures 1-10% of all adverse events. Adverse events are grossly under-reported for a variety of reasons. I looked at open VAERS this morning. These products have amassed 6,000 deaths and 20,000 hospitalizations in the U.S, alone -- which is more than the other 70 vaccines for the last 30 years combined. That is with gross under-reporting and a two-month backlog. Let’s face it, these vaccines are not safe.”

The [latest data from VAERS](#) show [1,117 cases](#) of myocarditis and pericarditis (heart inflammation) in all age groups reported in the U.S. following COVID vaccination between Dec.14, 2020 and June 11, 2021. Of the 1,117 cases reported, [686 cases](#) were attributed to Pfizer, [391 cases](#) to Moderna and [36 cases](#) to Johnson & Johnson’s COVID vaccine.

Though Shimabukuro, during the June 23 ACIP meeting, cited VSD data about the rate of heart inflammation in 12- to 39-year-olds, [The Defender](#) has been unable to report on VSD data related to COVID vaccine adverse events, including heart inflammation. That’s because unlike VAERS, the VSD does not make data collected through the system readily available to the public.

The VSD is a collaborative project between the CDC and “several large health plans,” according to its [website](#). Though the public can’t access the VSD data, there is a process whereby researchers can apply to access data.

According to the VSD website:

“There are [several ways](#) interested researchers can access VSD data. In 2002, the VSD established a data sharing program at the [National Center for Health Statistics \(NCHS\) Research Data Center \(RDC\)](#) to allow external Guest Analysts to (1) [conduct](#) new vaccine safety studies using VSD data files available at CDC or (2) to [reanalyze](#) study-specific datasets from published VSD studies.”

The VSD data sharing program is a three-step process:

1. Submission of proposals to CDC’s RDC at NCHS
2. Submission of proposals to VSD site Institutional Review Boards (IRBs)
3. Use of CDC’s RDC at NCHS

*

Note to readers: Please click the share buttons above or below. Follow us on Instagram, @crg_globalresearch. Forward this article to your email lists. Crosspost on your blog site, internet forums. etc.

Megan Redshaw is a freelance reporter for *The Defender*. She has a background in

political science, a law degree and extensive training in natural health.

Featured image is from CHD

The original source of this article is [Children's Health Defense](#)
Copyright © [Megan Redshaw](#), [Children's Health Defense](#), 2021

[Comment on Global Research Articles on our Facebook page](#)

[Become a Member of Global Research](#)

Articles by: **[Megan Redshaw](#)**

Disclaimer: The contents of this article are of sole responsibility of the author(s). The Centre for Research on Globalization will not be responsible for any inaccurate or incorrect statement in this article. The Centre of Research on Globalization grants permission to cross-post Global Research articles on community internet sites as long the source and copyright are acknowledged together with a hyperlink to the original Global Research article. For publication of Global Research articles in print or other forms including commercial internet sites, contact: publications@globalresearch.ca

www.globalresearch.ca contains copyrighted material the use of which has not always been specifically authorized by the copyright owner. We are making such material available to our readers under the provisions of "fair use" in an effort to advance a better understanding of political, economic and social issues. The material on this site is distributed without profit to those who have expressed a prior interest in receiving it for research and educational purposes. If you wish to use copyrighted material for purposes other than "fair use" you must request permission from the copyright owner.

For media inquiries: publications@globalresearch.ca