

8 Fully Vaccinated Die of COVID in Maine, as States Continue to Report 'Breakthrough' Cases

Maine reports eight deaths in fully vaccinated people with COVID and the Centers for Disease Control and Prevention reports more than 3,459 breakthrough cases of COVID resulting in hospitalization or death.

By Megan Redshaw

Global Research, June 15, 2021

Children's Health Defense 14 June 2021

Region: <u>USA</u>
Theme: Science and Medicine

All Global Research articles can be read in 51 languages by activating the "Translate Website" drop down menu on the top banner of our home page (Desktop version).

Visit and follow us on Instagram at @crg_globalresearch.

Eight people in Maine <u>have died with COVID</u> after being fully vaccinated, according to the latest numbers from <u>Maine's Centers for Disease Control and Prevention</u> (CDC), which confirmed a total of <u>457 breakthrough cases</u> in the state.

Initial <u>data suggest</u> breakthrough cases in Maine are more common in older individuals and people with underlying health conditions — the same populations that, among the unvaccinated, are <u>most at risk</u> of hospitalization or death from the virus.

About half of the vaccinated people in Maine who tested positive for <u>COVID</u> had not experienced symptoms when contacted by case investigators, according to the Maine CDC.

In Maine and other states, anyone who tests positive for <u>SARS-Cov-2</u> two weeks after receiving the single-dose <u>Johnson & Johnson</u> shot or completing the two-dose <u>Moderna</u> or <u>Pfizer</u> vaccination is recorded as a breakthrough case.

The daughter of one Maine woman who died from the virus despite being vaccinated <u>said</u> she wishes there was more information available about breakthrough cases. If she had known more, she said, she would have taken more precautions despite her mother's vaccination status and been more insistent that she seek testing and treatment when she first had symptoms.

On June 3, Napa County California announced a fully vaccinated woman, who was more than a month past her second Moderna shot, died after being hospitalized with COVID. The 65-year-old woman had underlying conditions and tested positive for the Alpha variant, The New York Times reported.

"I'm very sad that she had a sufficiently severe illness that it actually led to her death," <u>said</u> <u>Dr. William Schaffner</u>, medical director of the National Foundation for Infectious Diseases and a vaccine expert at Vanderbilt University. But "we expected to have the occasional

breakthrough infection," he said.

As of June 9, there had been more than 5,723 <u>breakthrough COVID cases</u> identified in California, according to the California Department of Public Health (CDPH).

Of the 5,723 cases, at least 417 people were hospitalized and least 47 died. Approximately 48% of cases were missing hospitalization data. It is not known if the primary cause of hospitalization or death was COVID or if there were other causes.

There is little data about <u>COVID vaccines' effectiveness</u> in people with underlying health problems, especially immune impairment, because they weren't included in the vaccines' initial trials, <u>CDPH said</u>. But there is growing evidence people who are immunocompromised may not mount a strong response to the vaccine.

As <u>The Defender reported</u> last month, emerging <u>research shows</u> 15% to 80% of people with certain medical conditions aren't generating many antibodies, if any, after receiving a COVID vaccine.

According to <u>NBC News</u>, people taking medications that suppress their immune system, those on <u>medication for inflammatory disorders</u> and those with <u>blood cancers</u> showed a significantly weaker antibody response to the vaccine.

An organ transplant <u>study</u> published in JAMA found 46% of 658 transplant patients did not mount an antibody response after two doses of the <u>Pfizer-BioNTech</u> or <u>Moderna</u> vaccines. Researchers think the lack of reaction is probably a result of taking a class of immunosuppressive drugs, called <u>antimetabolites</u>.

Other states continue to report breakthrough cases, among them Texas, which recorded more than <u>768 breakthrough COVID cases</u> through June 1, with 8% (61 cases) resulting in death.

In Washington, the state's Department of Health <u>reported 1,837 cases</u> of breakthrough infection through June 9. Of those, 10% resulted in hospitalization and 31 people died from COVID-related illness. The majority of cases occurred in the 35 to 49 age group.

CDC stops counting breakthrough cases unless they result in hospitalization or death

The CDC says it is working with state and local health departments to investigate COVID vaccine breakthrough cases — yet unlike state health departments, as of May 1, the agency said it is tracking only those breakthrough cases that result in hospitalization or death.

The CDC said it made the change in how it counts breakthrough cases to "maximize the quality of the data collected on cases of greatest clinical and public health importance."

But according to <u>Dr. Robert H. Shmerling</u>, senior faculty editor of Harvard Health Publishing, there could be other reasons for the CDC's decision. "First, there's the challenge of messaging around encouraging people to get vaccinated," <u>Shmerling wrote</u>. "Focusing on breakthrough cases may send a misleading impression that the vaccines aren't effective. This might complicate efforts to battle <u>vaccine hesitancy</u>."

The change in breakthrough reporting results in a <u>lower overall number of reports</u> of breakthrough cases in the U.S.

According to <u>CDC data</u>, a total of 10,262 SARS-CoV-2 vaccine breakthrough infections had been reported from 46 U.S. states and territories as of April 30, including 995 hospitalizations and 160 deaths.

The CDC's website states actual vaccine breakthrough numbers are likely substantially higher as the surveillance system is passive and relies on voluntary reporting from state health departments and may not be complete. In addition, some breakthrough cases will not be identified due to lack of testing. This is particularly true in instances of asymptomatic or mild illness.

As of June 7, the CDC received <u>3,459 reports</u> from 47 U.S. states and territories of COVID vaccine breakthrough infection that resulted in hospitalization or death. Of the 3,459 reports, 1,691 (49%) occurred in females, 2, 642 (76%) occurred in people 65 or older, 3,275 (95%) resulted in hospitalization and 603 (17%) died.

As with previous reporting, the CDC said reported breakthrough infection was likely an undercount of all SARS-CoV-2 infections among fully vaccinated persons and was a snapshot that could be used to help identify patterns and look for signals among vaccine breakthrough cases.

People who get COVID have long-lasting natural immunity

As <u>The Defender reported</u>, a <u>new preprint study</u> by the Cleveland Clinic found people previously infected with SARS-CoV-2 were less likely to be reinfected than fully vaccinated individuals who never had the virus — suggesting the vaccine is of no benefit to people who already had COVID.

The study, available on <u>medRxiv</u>, provides insight into how the immune system protects the body once a COVID infection is confirmed.

The clinic studied 52,238 employees. Of those, 49,659 never had the virus and 2,579 had COVID and recovered. Of the 2,579 who previously were infected, 1,359, or 53%, remained unvaccinated, compared with 41%, or 22,777 who were vaccinated.

Of all <u>infections during the study period</u>, 99.3% occurred in participants who were not infected previously and remained unvaccinated. In contrast, 0.7% of infections occurred in participants who were not previously infected but were currently vaccinated. Significantly, not one of the 1,359 previously infected subjects who remained unvaccinated had a SARS-CoV-2 infection over the duration of the study.

To better <u>understand immune memory</u> of SARS-CoV-2, researchers led by Drs. Daniela Weiskopf, Alessandro Sette and Shane Crotty from the <u>La Jolla Institute for Immunology</u> analyzed immune cells and antibodies from nearly 200 people who had been exposed to COVID and recovered, <u>The Defender reported</u>.

The results, <u>published in Science</u>, showed the immune systems of more than 95% of people who recovered from COVID had durable memories of the virus up to eight months after infection. Previous studies showed that natural infection induced a strong response, but this study showed that response lasted, Weiskoph said.

Another study in <u>Nature</u> assessed the lasting immunogenic effect of T-cell reactivity to SARS and SARS-2. Data showed that natural immunity was very robust — and likely more robust than any immunity derived from a vaccine.

The <u>Defender previously reported</u> on breakthrough cases in Washington, Florida, South Carolina, Texas, New York, California, Minnesota and the <u>Island of Seychelles</u>, which has fully vaccinated more of its population against COVID than any other country in the world.

*

Note to readers: Please click the share buttons above or below. Follow us on Instagram, @crg_globalresearch. Forward this article to your email lists. Crosspost on your blog site, internet forums, etc.

Megan Redshaw is a freelance reporter for The Defender. She has a background in political science, a law degree and extensive training in natural health.

Featured image is from Children's Health Defense

The original source of this article is <u>Children's Health Defense</u> Copyright © <u>Megan Redshaw</u>, <u>Children's Health Defense</u>, 2021

Comment on Global Research Articles on our Facebook page

Become a Member of Global Research

Articles by: Megan Redshaw

Disclaimer: The contents of this article are of sole responsibility of the author(s). The Centre for Research on Globalization will not be responsible for any inaccurate or incorrect statement in this article. The Centre of Research on Globalization grants permission to cross-post Global Research articles on community internet sites as long the source and copyright are acknowledged together with a hyperlink to the original Global Research article. For publication of Global Research articles in print or other forms including commercial internet sites, contact: publications@globalresearch.ca

www.globalresearch.ca contains copyrighted material the use of which has not always been specifically authorized by the copyright owner. We are making such material available to our readers under the provisions of "fair use" in an effort to advance a better understanding of political, economic and social issues. The material on this site is distributed without profit to those who have expressed a prior interest in receiving it for research and educational purposes. If you wish to use copyrighted material for purposes other than "fair use" you must request permission from the copyright owner.

For media inquiries: publications@globalresearch.ca