

COVID-19 mRNA Vaccines Destroy Your Immune System. Cleveland Clinic Proved It, But Negative Vaccine Efficacy Was Known as Early as Dec. 2021

Nine shocking graphs prove immune system damage by mRNA!

By [Dr. William Makis](#)

Theme: [Science and Medicine](#)

Global Research, June 26, 2023

[COVID Intel](#) 25 June 2023

All Global Research articles can be read in 51 languages by activating the Translate Website button below the author's name.


To receive Global Research's Daily Newsletter (selected articles), [click here](#).

Click the share button above to email/forward this article to your friends and colleagues. Follow us on [Instagram](#) and [Twitter](#) and subscribe to our [Telegram Channel](#). Feel free to repost and share widely Global Research articles.

Risk of Coronavirus Disease 2019 (COVID-19) among Those Up-to-Date and Not Up-to-Date on COVID-19 Vaccination


 Nabin K. Shrestha, Patrick C. Burke, Amy S. Nowacki, Steven M. Gordon

doi: <https://doi.org/10.1101/2023.06.09.23290893>



[NEW STUDY \(Cleveland Clinic, Shrestha et al, June 12, 2023\)](#): “Among 48,344 working-aged Cleveland Clinic employees, those NOT ‘up-to-date’ on COVID-19 vaccination had a lower risk of COVID-19 infection than those ‘up-to-date’ (see graph above)

[OLDER STUDY \(Cleveland Clinic, Shrestha et al, Dec.19, 2022\)](#) – A study of 51,011 employees showed that the more COVID-19 vaccine doses you had, the more likely you were to get infected with COVID-19 over time (see graph below). Each additional dose damaged your immune system more.



Numbers at risk:	0	7	14	21	28	35	42	49	56	63	70	77	84	91
0 doses	6199	6173	6147	6151	6062	5998	5917							
1 dose	2359	2362	2396	2420	2408	2376	2342							
2 doses	13604	13646	13651	14142	14040	13861	13631							
3 doses	20798	21200	21832	22309	22230	22022	21693							
>3 doses	3536	3574	3647	3696	3682	3645	3572							

Both of these Cleveland Clinic studies proved that COVID-19 vaccines damage the immune systems of the vaccinated and make them more susceptible to getting infected with COVID-19 (and other viruses).

The most recent Cleveland Clinic study proved that the COVID-19 boosted and ‘uptodate’ on their vaccines had worse health outcomes than those who were not ‘uptodate’ on their vaccines.

The older Cleveland Clinic study proved that each COVID-19 vaccine damaged the vaccinated person’s immune system more, and the more doses you had, the worse off you were in terms of getting infected with COVID-19 over time.

More proof that COVID-19 mRNA vaccines damage the immune systems of the vaccinated:

[Denmark Study - Hansen](#) - Vaccine effectiveness against SARS-CoV-2 infection with Omicron or Delta variants following a two-dose or booster Pfizer or Moderna vaccination series: A Danish Cohort study




Figure Vaccine effectiveness against SARS-CoV-2 infection with the Delta and Omicron variants, shown separately for the BNT162b2 and mRNA-1273 vaccines. Vertical bars indicate 95% confidence intervals.

Explanation: these graphs show that Pfizer and Moderna mRNA vaccine effectiveness dropped below zero at 91-150 days after second dose, which is evidence of immune system damage. Even the vaccine maker Sputnik V made note of this on Twitter:




Sputnik V ✓
@sputnikvaccine



New study supports earlier findings from Denmark showing “no significant protection against #Omicron infection beyond 31 days after the second dose of BNT162b” with significant negative efficacy 91-150 days after the second #Pfizer dose.




[medrxiv.org/content/10.1101...](https://medrxiv.org/content/10.1101/2022.01.04.22010101)



1:30 AM · Jan 4, 2022

[Ontario, Canada Study - Buchan](#) - Effectiveness of COVID-19 vaccines against Omicron or Delta Infection

Figure 1. Vaccine effectiveness against infection by Omicron or Delta among adults aged ≥ 18 years by time since latest dose




Explanation: again, vaccine effectiveness dropped below zero for the entire period 60 to 240+ days after 2nd mRNA dose. Vaccine maker Sputnik V again pointed this out on Twitter:



Sputnik V @sputnikvaccine · Jan 4, 2022

...

Canadian real-world study of mRNA vaccines efficiency vs #Omicron shows negative efficacy of 2 mRNA doses and quickly waning efficiency of homologous #mRNA booster: “A third dose provides some protection in the immediate term, but substantially less than against #Delta.”



65 629 1,067 Tip



Sputnik V @sputnikvaccine · Jan 4, 2022

...

Study of mRNA vaccines real-world efficiency shows two shots are not protective against #Omicron, #mRNAs ineffective as #boosters: “Vaccine effectiveness against Omicron was 37% ≥7 days after receiving an mRNA vaccine for the 3rd dose.”

Sweden Study - Peter Nordstrom - Risk of infection, hospitalization, and deaths up to 9 months after a second dose of COVID-19 vaccine




Figure 2: Vaccine effectiveness (any vaccine) against SARS-CoV-2 infection of any severity in 842 974 vaccinated individuals matched to an equal number of unvaccinated individuals for up to 9 months of follow-up

This Swedish study of 842,974 vaccinated individuals showed that starting at about 7 months after 2nd dose, vaccine effectiveness dropped below zero, indicating immune system damage in the vaccinated.

[USA Study - Dan-Yu Lin](#) - Effects of COVID-19 vaccination and previous SARS-CoV-2 infection on omicron infection and severe outcomes in children under 12 years of age in the USA




Figure 1: Effectiveness of two doses of an mRNA vaccine, compared with no vaccination, against omicron infection and severe outcomes in children 5-11 years of age

(A) Vaccine effectiveness against infection. (B) Vaccine effectiveness against infection by date of first dose. Each curve starts at the median date of the first dose for the children in that cohort. (C) Vaccine effectiveness against infection by previous infection status. Effectiveness was calculated for vaccination alone given the status of previous infection. Estimates of effectiveness are shown by solid curves, and 95% CIs are shown by shaded bands. (D) Vaccine effectiveness against severe infection resulting in hospitalisation or death.

Table S4. Estimates (95% CI) for the Effectiveness of Two Doses of an mRNA Vaccine, Compared with No Vaccination, against Hospitalization and Death, as a Function of Time Since First Dose, in Children 5 to 11 Years of Age


Months	Overall Est. (95% CI)
0	0.0% (0.0, 0.0)
1	73.3% (8.3, 92.3)
2	48.1% (-5.5, 74.5)
3	39.3% (-11.5, 67.0)
4	29.0% (-19.8, 57.9)
5	17.0% (-32.0, 47.8)
6	2.9% (-50.8, 37.4)

In this study, mRNA vaccine effectiveness for children ages 5-11 against hospitalization and death dropped to negative starting at two months after jab.

The mRNA jabs were harming the immune systems of children 5-11 years old within 2 months, and these kids were doing worse than unvaccinated children!

[New York - Dorabawila](#) - Effectiveness of Pfizer vaccine among children 5-11 and 12-17 years in New York after the emergence of the Omicron variant

Figure 2: Incidence rate ratios, comparing cases during January 3 - January 30, 2022 for unvaccinated versus children newly fully-vaccinated December 13, 2021-January 2, 2022, by Time Since Full Vaccination




This study showed negative vaccine effectiveness in children 5-11 years old in New York, proving immune system damage in mRNA vaccinated kids.

Posting this study and warning against vaccinating children 5-11 years old got my Twitter account suspended permanently for 11 months from March 5, 2022 until Feb. 6, 2023.

CDC ACIP Meeting preliminary unpublished data June 14, 2022 ([click here](#))

ICATT: Pfizer-BioNTech 2-dose VE against symptomatic infection by variant and time since 2nd dose receipt, adults ages ≥18 years, Dec 10, 2021–Jan 1, 2022




*Vaccination dose dates are collected as month and year. Month 0 represents tests in the same month as 2nd dose (at least 2 weeks after 2nd dose). For all months greater than or equal to 1 the value represents the difference between calendar month of test and calendar month of 2nd dose receipt (at least 2 weeks after 2nd dose).
 Accorsi EK, Britton A, Fleming-Dutra KE, et al. Association Between 3 Doses of mRNA COVID-19 Vaccine and Symptomatic Infection Caused by the SARS-CoV-2 Omicron and Delta Variants. JAMA. 2022;327(7):639–651. doi:10.1001/jama.2022.0470

CDC's own preliminary data showed that Pfizer's COVID-19 mRNA vaccine had a "vaccine effectiveness" that dropped below zero as early as 3 months after the 2nd dose, consistent with immune system damage.

CDC ACIP Meeting Preliminary unpublished data Sep.1, 2022 ([click here](#))

ICATT: mRNA 3 vs. 2-dose relative VE against symptomatic infection during BA.4/BA.5, ages 5+ years



*Vaccination dose dates are collected as month and year. Month 0 represents tests in the same month as last dose (at least 2 weeks after last dose). For all months greater than or equal to 1 the value represents the difference between calendar month of test and calendar month of last dose receipt (at least 2 weeks after last dose).

CDC preliminary unpublished data. Prior infection excluded, other methods based on: Fleming-Dutra KE, Britton A, Shang N, et al. Association of Prior BNT162b2 COVID-19 Vaccination With Symptomatic SARS-CoV-2 Infection in Children and Adolescents During Omicron Predominance. *JAMA*. Published online May 13, 2022. doi:10.1001/jama.2022.7493

CDC's own preliminary data again showed that COVID-19 mRNA vaccines have a "vaccine effectiveness" that drops below zero starting a few months after vaccination.

The damage to the immune system caused by mRNA occurs in all age groups!

My Take...

Two recent Cleveland Clinic studies proved that COVID-19 mRNA vaccines damage the immune systems of the vaccinated, who then have worse health outcomes than the unvaccinated.

However, "negative vaccine effectiveness" has been known since December 2021 when the Denmark study was released.

If a COVID-19 vaccine was useless, vaccine effectiveness would simply go to zero.

However, when a COVID-19 vaccine causes immune system damage, that's when vaccine effectiveness goes BELOW ZERO.

A COVID-19 vaccine effectiveness below zero means you are more likely to get COVID-19 infected after taking the vaccines, than if you remained unvaccinated.

And that is only possible with significant immune system damage.

They all knew. CDC's own internal documents and "preliminary unpublished data" confirmed it.


But they pushed on with immune system destroying COVID-19 vaccines anyways.

*

Note to readers: Please click the share button above. Follow us on Instagram and Twitter and subscribe to our Telegram Channel. Feel free to repost and share widely Global Research articles.

Dr. William Makis is a Canadian physician with expertise in Radiology, Oncology and Immunology. Governor General's Medal, University of Toronto Scholar. Author of 100+ peer-reviewed medical publications.

Featured image is from Children's Health Defense



The Worldwide Corona Crisis, Global Coup d'Etat Against Humanity

by Michel Chossudovsky

Michel Chossudovsky reviews in detail how this insidious project “destroys people’s lives”. He provides a comprehensive analysis of everything you need to know about the “pandemic” — from the medical dimensions to the economic and social repercussions, political underpinnings, and mental and psychological impacts.

“My objective as an author is to inform people worldwide and refute the official narrative which has been used as a justification to destabilize the economic and social fabric of entire countries, followed by the imposition of the “deadly” COVID-19 “vaccine”. This crisis affects humanity in its entirety: almost 8 billion people. We stand in solidarity with our fellow human beings and our children worldwide. Truth is a powerful instrument.”

ISBN: 978-0-9879389-3-0, **Year:** 2022, PDF Ebook, **Pages:** 164, 15 Chapters

We encourage you to support the eBook project by making a donation through Global Research's [DonorBox “Worldwide Corona Crisis” Campaign Page](#).

The original source of this article is [COVID Intel](#)
Copyright © [Dr. William Makis](#), [COVID Intel](#), 2023

[Comment on Global Research Articles on our Facebook page](#)

[Become a Member of Global Research](#)

Articles by: [Dr. William Makis](#)

Disclaimer: The contents of this article are of sole responsibility of the author(s). The Centre for Research on Globalization will not be responsible for any inaccurate or incorrect statement in this article. The Centre of Research on Globalization grants permission to cross-post Global Research articles on community internet sites as long the source and copyright are acknowledged together with a hyperlink to the original Global Research article. For publication of Global Research articles in print or other forms including commercial internet sites, contact: publications@globalresearch.ca

www.globalresearch.ca contains copyrighted material the use of which has not always been specifically authorized by the copyright owner. We are making such material available to our readers under the provisions of "fair use" in an effort to advance a better understanding of political, economic and social issues. The material on this site is distributed without profit to those who have expressed a prior interest in receiving it for research and educational purposes. If you wish to use copyrighted material for purposes other than "fair use" you must request permission from the copyright owner.

For media inquiries: publications@globalresearch.ca