

Criminal Investigation for Excess Deaths Due to Covid-19 Remdesivir Medication

By Dr. Joseph Mercola

Global Research, March 10, 2023

Mercola

Region: <u>USA</u>

Theme: Law and Justice, Science and

Medicine

All Global Research articles can be read in 51 languages by activating the **Translate Website** button below the author's name (desktop version)

To receive Global Research's Daily Newsletter (selected articles), click here.

Follow us on <u>Instagram</u> and <u>Twitter</u> and subscribe to our <u>Telegram Channel</u>. Feel free to repost and share widely Global Research articles.

The antiviral drug remdesivir, brand name Veklury, is approved for use against COVID-19 despite research showing it lacks effectiveness and can cause high rates of organ failure

John Beaudoin is calling for a criminal investigation into remdesivir, citing data that it may have killed 100,000 people in the U.S.

Beaudoin received all the death certificates in Massachusetts from 2015 to 2022, finding 1,840 excess deaths from acute renal failure from January 1, 2021, to November 30, 2022, which he believes may be due to remdesivir

A study published in The Lancet found "no clinical benefit" from the use of remdesivir in hospitalized patients

The U.S. government pays hospitals a 20% upcharge on the entire hospital bill when remdesivir is used

*

The U.S. Food and Drug Administration authorized the experimental antiviral drug remdesivir, brand name Veklury, for emergency use against COVID-19 in May 2020.¹ By October 2020, it had received full approval.² It remains a primary treatment for COVID-19 in hospitals, despite research showing it lacks effectiveness³ and can cause high rates of organ failure.⁴


On Twitter, John Beaudoin is calling for a criminal investigation into the drug, citing data that it may have killed 100,000 people in the U.S. "They know," he says, "or they willfully refuse to know. Either way, it's homicide." 5

Using drugs that cause organ failure, like remdesivir, isn't in the best interest of public health. The fact that U.S. health authorities have focused on this and similarly harmful drugs to the exclusion of all others, including older drugs with high rates of effectiveness and superior safety profiles, sends a very disturbing message.

Did Remdesivir Kill Thousands in Massachusetts?

Beaudoin has filed a lawsuit in U.S. District Court and believes a spike in deaths from acute renal failure (ARF) in Massachusetts is due to remdesivir, which is produced by Gilead Sciences. Using a Freedom of Information Act (FOIA) request, Beaudoin received all the death certificates in Massachusetts from 2015 to 2022.

He then graphed the FOIA data, finding 1,840 excess deaths from acute renal failure from January 1, 2021 to November 30, 2022. Beaudoin also revealed an increase in deaths from acute rental failure in every age group over 15 years old, from 2015 to 2022. "Thousands dead in Massachusetts ARF likely due to Remdesivir. This requires CRIMINAL investigation," he tweeted.



2015 2016 2017 2018 2019 2020 2021 2022 Data Source: Massachusetts Department of Public Health -VITAL system of Death Certificates dated January 2023

~ 1,840 Excess Acute renal failure deaths from January 1, 2021 to November 30, 2022 in Massachusetts alone 54% Excess in 2021 100% Excess in 2022

Deaths, Kidney Injury Common With Remdesivir

Remdesivir use didn't become widespread until 2020. From that time until October 2021, at least 7,491 adverse drug reactions were reported to the World Health Organization's (WHO) VigiAccess, including 560 deaths, 550 serious cardiac disorders and 475 acute kidney injuries.⁸

For comparison, only 5,674 adverse drug reactions were reported for ivermectin from 1992 to October 13, 2021. Despite its strong safety profile and efficacy, ivermectin was widely vilified during the pandemic. Not to mention, remdesivir costs between \$2,340 and \$3,120, while the average treatment cost for ivermectin is \$58. Do you think this has anything to do with remdesivir's promotion and ivermectin's vilification?

While WHO updated its guidance in April 2022 to recommend the use of remdesivir in "mild or moderate COVID-19 patients who are at high risk of hospitalization," ¹² a study published in The Lancet found "no clinical benefit" from the use of remdesivir in hospitalized patients. ¹³ Further, the investigators believed three deaths during the study were related to remdesivir. ¹⁴

Gilead's Political Ties Questioned as Remdesivir Use Persists

Still, the question remains why remdesivir continues to be used at all. In November 2020, WHO issued a bulletin recommending against the use of remdesivir in COVID-19 patients, stating, "There is currently no evidence that remdesivir improves survival and other outcomes in these patients." ¹⁵

Is it possible that Gilead's strong political connections have influenced the government's approvals and recommendations? It's worth noting that Donald Rumsfeld was the chairman of Gilead from 1997 until he joined the Bush administration in 2001. Rumsfeld had previously served as secretary of defense under President Gerald Ford from 1975 to 1977, and again under President George W. Bush from 2001 to 2006.

FDA Even Approved Remdesivir for Children

In late April 2022, the FDA even approved remdesivir as the first and only COVID-19 treatment for children under 12, including babies as young as 28 days, ¹⁶ an approval that boggles the mind, considering COVID-19 is rarely serious in children while remdesivir is ineffective and carries a risk of serious, and deadly, side effects.

What's worse, the drug is also approved for outpatient use in children, which is a first. Dr. Meryl Nass expressed her concerns about the FDA's approval of remdesivir for outpatient use in babies, stating:¹⁷

"The FDA just licensed Remdesivir for children as young as one month old. Both hospitalized children and outpatients may receive it. The drug might work in outpatients, but the vast majority of children have a very low risk of dying from COVID.

If 7 deaths per 1,000 result from the drug, as ... European investigators thought¹⁸ ... it is possible it will harm or kill more children than it saves.

Shouldn't the FDA have waited longer to see what early outpatient treatment did for older ages? Or studied a much larger group of children? Very little has been published on children and remdesivir ...

When we look at the press release issued by Gilead,¹⁹ we learn the approval was based on an open label, single arm trial in 53 children, 3 of whom died (6% of these children died); 72% had an adverse event, and 21% had a serious adverse event."

More Lawsuits Filed Against Remdesivir

Two women are suing Kaiser Permanente and Redlands Community Hospital in California for giving remdesivir to their husbands without consent. Both men died from kidney and organ failure after being administered remdesivir. "The day he was admitted on August 12 they

started the remdesivir and on [August 17] is when they were done," Christina Briones told CBS News. "Five doses. [On] the 17th his kidneys started to fail."²⁰

In California, lawsuits have been filed on behalf of at least 14 families against medical providers for prescribing remdesivir without providing necessary information about it, leading to the patients' deaths.²¹ Another wrongful death suit was filed in Nevada, after a patient died of kidney failure and respiratory failure a week after being given remdesivir.²²

Safety Signal Revealed for Remdesivir and Kidney Failure

Meanwhile, a study published in Clinical Pharmacology and Therapeutics in April 2021 detected a potential safety signal for remdesivir and acute renal failure:²³

"The combination of the terms 'acute renal failure' and 'remdesivir' yielded a statistically significant disproportionality signal with 138 observed cases instead of the nine expected. ROR [reporting odds ratio] of ARF with remdesivir was 20-fold that of comparative drugs.

Based on ARF cases reported in VigiBase, and despite the caveats inherent to COVID-19 circumstances, we detected a statistically significant pharmacovigilance signal of nephrotoxicity associated with remdesivir, deserving a thorough qualitative assessment of all available data."

In May 2021, another pharmacovigilance analysis revealed red flags against remdesivir. "Compared with the use of chloroquine, hydroxychloroquine, dexamethasone, sarilumab, or tocilizumab, the use of remdesivir was associated with an increased reporting of kidney disorders," the study found.²⁴ It concluded:²⁵

"Our findings, based on postmarketing real-life data from >5000 COVID-19 patients, support that kidney disorders, almost exclusively AKI [acute kidney injury], represent a serious, early, and potentially fatal adverse drug reaction of remdesivir. These results are consistent with findings from another group. Physicians should be aware of this potential risk and perform close kidney monitoring when prescribing remdesivir."

In March 2022, yet another pharmacovigilance analysis warned of a significant association between remdesivir and acute kidney injury, especially in male patients and those over the age of 65 years. "Although causality was not confirmed," they noted, "the association between remdesivir and AKI should not be ignored, especially in the older, male COVID-19 inpatients."²⁶

US Government Pays Hospitals to Use Remdesivir

Remdesivir was developed as an antiviral drug and tested during the Ebola breakout in 2014. The drug was found to have a very high death rate and was not pursued further. In the early months of 2020, however, the drug was entered into COVID trials.²⁷ Those trials were also beyond disappointing.^{28,29,30}

Not only was the drug ineffective against the infection but it also had significant and life-

threatening side effects, including kidney failure and liver damage.³¹ Dr. Paul Marik, a pulmonary and critical care specialist and founding member of the Front Line COVID-19 Critical Care Alliance (FLCCC), explained that during the pandemic the only drug he was allowed to prescribe was remdesivir.

When he refused to follow the remdesivir protocol, he was subjected to a "sham review," an unofficial but well-known process in which a "troublesome" doctor is accused of wrongdoing and basically railroaded out of practice. In the end, he was fired and reported to the National Practitioner Databank and the Board of Medicine.

The financial motivations to report doctors going against the grain run deep. According to Marik, the U.S. government pays hospitals a 20% upcharge on the entire hospital bill when remdesivir is used.³² Citizens Journal also reported that the U.S. government pays hospitals a "bonus" on the entire hospital bill if they use remdesivir.³³ It described this practice as a bounty placed on your life, with payouts tied to declining health instead of recovery:³⁴

"For remdesivir, studies show that 71% to 75% of patients suffer an adverse effect, and the drug often had to be stopped after five to 10 days because of these effects, such as kidney and liver damage, and death.

Remdesivir trials during the 2018 West African Ebola outbreak had to be discontinued because death rate exceeded 50%. Yet, in 2020, Anthony Fauci directed that remdesivir was to be the drug hospitals use to treat COVID-19, even when the COVID clinical trials of remdesivir showed similar adverse effects.

... We now see government-dictated medical care at its worst in our history since the federal government mandated these ineffective and dangerous treatments for COVID-19, and then created financial incentives for hospitals and doctors to use only those 'approved' (and paid for) approaches. Our formerly trusted medical community of hospitals and hospital-employed medical staff have effectively become 'bounty hunters' for your life."

Officials Push Expensive, Risky Treatments

In addition to remdesivir, Pfizer's Paxlovid was granted emergency use authorization to treat mild to moderate COVID-19 in December 2021.³⁵ The drug consists of nirmatrelvir tablets — the antiviral component — and ritonavir tablets, which are intended to slow the breakdown of nirmatrelvir.³⁶

But like remdesivir, there are many problems with Paxlovid. In this case, the U.S. Centers for Disease Control and Prevention issued a warning to health care providers and public health departments about the potential for COVID-19 rebound after Paxlovid treatment.³⁷ Further, Pfizer stopped a large trial of Paxlovid in standard-risk patients because it didn't show significant protection against hospitalization or death in this group.³⁸

Paxlovid costs \$529 per five-day treatment³⁹ and has cost U.S. taxpayers \$5.29 billion,⁴⁰ while safe and less expensive options exist. An investigation by Cornell University, posted on the University's preprint server January 20, 2022, found ivermectin outperformed 10

other drugs against COVID-19.41

Since the FDA and CDC cannot be trusted, and even physicians' hands are often tied by regulatory red tape, it's imperative to take responsibility for your own health. In the case of COVID-19, seek <u>early treatment using an effective and safe protocol</u> — not one that puts profits over patients.

*

Note to readers: Please click the share buttons above. Follow us on Instagram and Twitter and subscribe to our Telegram Channel. Feel free to repost and share widely Global Research articles.

Notes

```
<sup>1</sup> FDA, May 1, 2020
```

² FDA, October 22, 2020

³ The New England Journal of Medicine February 11, 2021

^{4, 23} Clin Pharmacol Ther. 2021 Apr;109(4):1021-1024

⁵ Twitter, John Beaudoin, Sr. February 12, 2023

⁶ Twitter, John Beaudoin, Sr. February 12, 2023, 4

⁷ Twitter, John Beaudoin, Sr. February 12, 2023, Graph

^{8, 9} Nebraska AG Opinion October 14, 2021, page 11

¹⁰ AJMC June 29, 2020

¹¹ JAMA 2022;327(6):584-587

^{12, 15} WHO November 20, 2020

¹³ The Lancet September 14, 2021, Interpretation


¹⁴ The Lancet September 14, 2021, Findings

¹⁶ FDA April 25, 2022

¹⁷ MerylnassMD.com April 30, 2022

¹⁸ The Lancet September 14, 2021

- ¹⁹ Gilead Press Release April 25, 2022
- ²⁰ CBS News October 24, 2022
- ²¹ Ehline Law Firm November 8, 2022
- ²² The Nevada Globe November 25, 2022
- ^{24, 25} Kidney Int. 2021 May; 99(5): 1235-1236
- ²⁶ Front. Pharmacol., 25 March 2022
- ²⁷ BMJ, 2020;371:m4457
- ²⁸ New England Journal of Medicine, 2021;384:497
- ²⁹ Scientific Freedom, June 1, 2020
- ³⁰ The Lancet, 2020;395(10236):P1569
- ³¹ International Journal of Infectious Diseases, 2020; doi.org/10.1016/j.ijid.2020.06.093
- ³² JDsupra.com November 6, 2020
- 33, 34 Citizens Journal December 20, 2021
- ³⁵ U.S. FDA December 22, 2021
- ^{36, 38} Science June 29, 2022
- ³⁷ U.S. CDC May 24, 2022
- ³⁹ Precision Vaccinations, November 19, 2021
- ⁴⁰ Reuters November 18, 2021
- ⁴¹ Cornell University, January 20, 2022



The Worldwide Corona Crisis, Global Coup d'Etat

Against Humanity

by Michel Chossudovsky

Michel Chossudovsky reviews in detail how this insidious project "destroys people's lives". He provides a comprehensive analysis of everything you need to know about the "pandemic" — from the medical dimensions to the economic and social repercussions, political underpinnings, and mental and psychological impacts.

"My objective as an author is to inform people worldwide and refute the official narrative which has been used as a justification to destabilize the economic and social fabric of entire countries, followed by the imposition of the "deadly" COVID-19 "vaccine". This crisis affects humanity in its entirety: almost 8 billion people. We stand in solidarity with our fellow human beings and our children worldwide. Truth is a powerful instrument."

Conservative Risk Benefit Analyses Decide Against COVID-19 Vaccination

ISBN: 978-0-9879389-3-0, **Year:** 2022, PDF Ebook, **Pages**: 164, 15 Chapters

Price: \$11.50 Get yours for FREE! Click here to download.

We encourage you to support the eBook project by making a donation through Global Research's **DonorBox "Worldwide Corona Crisis" Campaign Page.**

The original source of this article is <u>Mercola</u> Copyright © <u>Dr. Joseph Mercola</u>, <u>Mercola</u>, 2023

Comment on Global Research Articles on our Facebook page

Become a Member of Global Research

Articles by: **Dr. Joseph**

Mercola

Disclaimer: The contents of this article are of sole responsibility of the author(s). The Centre for Research on Globalization will

not be responsible for any inaccurate or incorrect statement in this article. The Centre of Research on Globalization grants permission to cross-post Global Research articles on community internet sites as long the source and copyright are acknowledged together with a hyperlink to the original Global Research article. For publication of Global Research articles in print or other forms including commercial internet sites, contact: publications@globalresearch.ca

www.globalresearch.ca contains copyrighted material the use of which has not always been specifically authorized by the copyright owner. We are making such material available to our readers under the provisions of "fair use" in an effort to advance a better understanding of political, economic and social issues. The material on this site is distributed without profit to those who have expressed a prior interest in receiving it for research and educational purposes. If you wish to use copyrighted material for purposes other than "fair use" you must request permission from the copyright owner.

For media inquiries: publications@globalresearch.ca