

Number of Deaths Reported After COVID Vaccines Jumps by More Than 2,000 in 1 Week, According to VAERS

By [Megan Redshaw](#)

Global Research, July 12, 2021

[Children's Health Defense](#) 9 July 2021

Region: [USA](#)

Theme: [Science and Medicine](#)

All Global Research articles can be read in 51 languages by activating the “Translate Website” drop down menu on the top banner of our home page (Desktop version).

Visit and follow us on Instagram at [@crg_globalresearch](#).

VAERS data released today by the CDC showed a total of 438,441 reports of adverse events from all age groups following COVID vaccines, including 9,048 deaths and 41,015 serious injuries between Dec. 14, 2020 and July 2, 2021.

Data released today by the Centers for Disease Control and Prevention (CDC) included 9,049 reports of deaths, across all age groups, following COVID vaccines — an increase of more than 2,000 compared with the previous week. The data comes directly from reports submitted to the [Vaccine Adverse Event Reporting System](#) (VAERS).

[VAERS](#) is the primary government-funded system for reporting adverse vaccine reactions in the U.S. Reports submitted to VAERS require further investigation before a causal relationship can be confirmed.

Every Friday, [VAERS](#) makes public all vaccine injury reports received as of a specified date, usually about a week prior to the release date.

Data released today show that between Dec. 14, 2020 and July 2, 2021, a total of [438,441 total adverse events](#) were reported to VAERS, including [9,048 deaths](#) — an increase of 2,063 over the previous week. There were [41,015 serious injury reported](#) during the same time period — up 6,950 compared with last week.



Search Results

From the 7/2/2021 release of VAERS data:

Found 438,441 cases where Vaccine is COVID19

Table

↓	↑ ↓	
Event Outcome	Count	Percent
Death	9,048	2.06%
Permanent Disability	7,463	1.7%
Office Visit	68,268	15.34%
Emergency Room	58	0.01%
Emergency Doctor/Room	58,915	12.98%
Hospitalized	28,764	6.5%
Hospitalized, Prolonged	64	0.01%
Recovered	157,868	35.99%
Birth Defect	258	0.05%
Life Threatening	7,822	1.78%
Not Serious	174,238	39.74%
TOTAL	† 520,747	† 118.77%

† Because some cases have multiple vaccinations and symptoms, a single case can account for multiple entries in the table. This is the reason why the Total Count is greater than 438,441 (the number of cases found), and the Total Percentage is greater than 100.

In the U.S, [328.9 million](#) COVID vaccine doses had been administered as of July 2. This [includes](#): 134 million doses of [Moderna's](#) vaccine, 182 million doses of [Pfizer](#) and 13 million doses of the [Johnson & Johnson](#) (J&J) COVID vaccine.

Of the 9,048 deaths reported as of July 2, [22% occurred](#) within 48 hours of vaccination, [15% occurred](#) within 24 hours and [37% occurred](#) in people who became ill within 48 hours of being vaccinated.

This week's data for 12- to 17-year-olds show:

- [13,385](#) total adverse events, including [801 rated as serious](#) and [14 reported deaths](#) among 12- to 17-year-olds. Two of the nine deaths were suicides.
- The most recent reported death includes a 13-year-old boy (VAERS I.D. [1431289](#)) with a previous history of COVID who suffered cardiac arrest and died 17 days after vaccination with Pfizer. Other reports include a [13-year-old boy](#) (VAERS I.D. [1406840](#)) who died two days after receiving a Pfizer vaccine, three 15-year-olds (VAERS I.D. [1187918](#), [1382906](#) and [1242573](#)), four 16-year-olds (VAERS I.D. [1420630](#), [1426828](#), [1225942](#) and [1386841](#)) and three 17-year-olds (VAERS I.D. [1199455](#), [1388042](#) and [1420762](#)).
- [1,934 reports](#) of anaphylaxis among 12- to 17-year-olds with 99% of cases attributed to [Pfizer's vaccine](#), 1.1% to [Moderna](#) and 0.2% (or four cases) to [J&J](#).
- [347 reports](#) of myocarditis and pericarditis (heart inflammation) with [343](#) attributed to Pfizer's vaccine.
- [57 reports](#) of blood clotting disorders, [56 attributed to Pfizer](#) and [1 attributed to Moderna](#).

This week's total VAERS data, from Dec. 14, 2020 to July 2, 2021, for all age groups show:

- 22% of deaths were related to cardiac disorders.
- 50% of those who died were male, 45% were female and the remaining death reports did not include gender of the deceased.
- The [average age](#) of death was 74.7.
- As of July 2, [2,678 pregnant women](#) reported adverse events related to COVID vaccines, including 994 reports of [miscarriage or premature birth](#).
- Of the [4,456 cases of Bell's Palsy reported](#), 59% were attributed to Pfizer vaccinations, 39% to Moderna vaccine and 7% to J&J.
- 398 reports of [Guillain-Barré Syndrome](#), with 47% of cases attributed to Pfizer, 40% to Moderna and 19% to J&J.
- [121,092 reports of anaphylaxis](#) with 46% of cases attributed to [Pfizer's vaccine](#), 46% to [Moderna](#) and 7% to [J&J](#).
- [8,256 reports](#) of blood clotting disorders. Of those, [3,959 reports](#) were attributed to Pfizer, [2,699 reports](#) to Moderna and [1,552 reports](#) to J&J.
- [1,796 cases](#) of myocarditis and pericarditis with [1,177 cases](#) attributed to Pfizer, [563 cases](#) to Moderna and [52 cases](#) to J&J's COVID vaccine.

Pfizer says boosters needed, U.S. federal health agencies, scientists disagree

As [The Defender reported](#) today, U.S. federal health agencies and the maker of one of the most popular COVID vaccines are publicly at odds over if or when fully vaccinated people will need a third "booster" dose.

Pfizer [announced](#) Thursday it will seek [Emergency Use Authorization](#) from the FDA in August for a third dose of its COVID vaccine. The drugmaker predicted those who have been fully vaccinated will need a booster shot within six to 12 months of receiving their second dose of the Pfizer vaccine.

But the U.S. Department of Health and Human Services (HHS) hours later issued a [joint statement](#) by the FDA and Centers for Disease and Control and Prevention (CDC) saying, "Americans who have been fully vaccinated do not need a booster shot at this time."

The HHS statement did not explicitly [mention Pfizer](#), but said "a science-based, rigorous process" headed by the CDC, FDA and the National Institutes of Health would determine when or whether boosters were necessary.

Pfizer's [assertions](#) about the need for boosters contradict other research, and several experts pushed back against the claim.

"There's really no indication for a third booster or a third dose of an mRNA vaccine, given the variants that we have circulating at this time," [Dr. Céline Gounder](#), an infectious disease specialist at Bellevue Hospital Center in New York, [told the New York Times](#). "In fact, many of us question whether you will ever need boosters."

[John P. Moore](#), professor of microbiology and immunology at Weill Cornell Medicine, [told the Washington Post](#):

"No one is saying we'll never need a booster, but to say we need it now and give the public the impression the vaccines are failing and something needs to be done as a matter of

urgency. ... The time isn't now. The decisions that are going to be made will be made by federal agencies."

Pfizer and BioNTech are developing a version of their COVID vaccine that targets the [Delta variant](#), [The New York Times reported](#) this week. The companies expect to begin clinical trials of the vaccine in August.

Pfizer and BioNTech reported — based on their own studies that have not been published, nor peer-reviewed, according to the Times — that a booster given six months after the second dose of vaccine increased the potency of antibodies against the original virus and the Beta variant by five- to tenfold.

Vaccine efficacy may decline six months after immunization, the companies said in a [news release](#), and booster doses may be needed to fend off virus variants. The vaccine makers said they will submit their findings to the FDA in the coming weeks, a step toward gaining authorization for booster shots.

17-year-old student required to get vaccinated suffers heart condition

Concerns around COVID vaccines and [heart inflammation](#), especially in young males, continue to circulate. But according to an [update](#) posted today on the CDC website, the agency's researchers have concluded the benefits of the vaccine outweigh the risks of myocarditis after vaccination.

European drug regulators today [announced](#) they also have found a "possible link" between a "very rare heart inflammation" and the Pfizer and Moderna vaccines, but sided with U.S. regulators, saying they also believe the benefits of the shots outweighed any risks.

Meanwhile, [The Defender](#) continues to report on teens who have experienced heart issues after taking the vaccines — including a [17-year-old student](#) who developed symptoms of a heart condition about one week after his first dose of Pfizer's COVID and subsequently was diagnosed with a heart condition.

The teen's father, Fabio Berlingieri, [told "Fox & Friends"](#) his son had COVID and recovered, but was required to get the vaccine in order to play soccer.

[Fox News medical contributor](#) Dr. Nicole Saphier, who appeared in the interview with Berlingieri, said the way the New York Times and the CDC are presenting the data regarding the adverse effects of vaccines in adolescents is "irresponsible."

"They cherry-pick the way they present the data. It's an all or none approach. They say either adolescents are fully vaccinated or every single one of them is going to get [COVID-19](#). That's the way they are balancing it right now," Saphier said.

Saphier said more weight should be given to potential adverse effects, like [myocarditis](#) and other [heart inflammation](#) issues, when deciding who should be vaccinated. She also encouraged the FDA to [look closer at vaccines](#) before recommending a universal policy.

Hundreds injured by COVID vaccines turn to GoFundMe for help

As reports of adverse events to COVID vaccines continue to grow in number, those injured by the vaccines are struggling to pay their medical bills.

As [The Defender reported](#) July 8, more than 180 people injured by COVID vaccines have had to turn to GoFundMe for help with large medical bills and other expenses, including [Emma Burkey](#) — the high school senior who underwent three brain surgeries due to blood clots after receiving J&J's COVID vaccine.

People facing huge medical bills after being injured by COVID vaccines have few options, beyond what their own health insurance covers. That's because under federal law, vaccine makers are shielded from liability.

Those injured by COVID vaccines can only file a claim for compensation through the [Countermeasures Injury Compensation Program](#) (CICP), run by HHS.

Since June 1, the CICP reported 869 pending cases but offered no further information. Since the program's inception in 2010, [only 29 claims](#) have been paid, with an average payout of around \$200,000. The other 452 claims (91.4%) were denied. Ten claims won approval but were deemed ineligible for compensation.

Biden plans to deploy federal teams in door-to-door COVID vaccine campaign

Making no mention of any safety concerns related to the vaccines, President Joe Biden this week [announced](#) plans to ramp up the federal government's efforts to get more Americans vaccinated under a new "door-to-door" program.

As [The Defender reported](#) this week, under Biden's program, the White House will deploy teams of officials from the CDC, Federal Emergency Management Administration and other federal health agencies. Biden suggested the unique door-knocking approach was needed now that "we are continuing to wind down the mass vaccination sites that did so much in the spring."

Biden said the administration will also "step up efforts to get vaccines to doctors who serve younger people so that [adolescents ages 12 to 18](#) can get vaccinated and — as they go for back-to-school check-ups or getting ready for their physicals they need for fall sports."

Biden cited concerns over the COVID [Delta variant](#), which he said is more transmissible and has forced some European countries to return to lockdowns. He did not mention any of the safety concerns previously noted by the CDC and FDA, including [blood clots](#) and [heart inflammation](#), associated with the vaccines.

Number of cases among fully vaccinated continue to climb

Reports of COVID breakthrough cases among fully vaccinated people continue to rise, as [The Defender reported](#) earlier this week. As of June 28, the [CDC reported](#) 4,686 breakthrough cases resulting in death and hospitalization.

Nearly 30 people in Louisiana who were [fully vaccinated](#) against [COVID](#) died from the virus, according to the Louisiana Department of Health (LDH). Dr. Joseph Kanter, LDH state health officer and medical director, said 27 people between the ages of 28 and 93 have died with COVID more than two weeks after being fully vaccinated.

According to the [San Francisco Examiner](#), more than 7,550 breakthrough cases have been reported, through June 23, in Californians who were fully vaccinated. Most cases were minor, but 62 people died from COVID, according to the California Department of Public Health.

California's public health agency reported 584 fully vaccinated people had been hospitalized with COVID infection, but hospitalization status wasn't available for 46% of post-vaccination cases. On July 7, state health officials reported 2,013 new infections among all Californians, including 24 deaths.

According to a [report](#) by the Tennessee Department of Health (TDH), breakthrough cases have resulted in 140 hospitalizations and 20 deaths in the state. As of May 1, TDH has not counted all breakthrough cases as the CDC "asked that only severe outcomes (hospitalization or death) be reported."

123 days and counting, CDC ignores The Defender's inquiries

According to the [CDC website](#), "the CDC follows up on any report of death to request additional information and learn more about what occurred and to determine whether the death was a result of the vaccine or unrelated."

On March 8, [The Defender](#) contacted the CDC with a [written list of questions](#) about reported deaths and injuries related to COVID vaccines. After repeated attempts, by phone and email, to obtain a response to our questions, a health communications specialist from the CDC's Vaccine Task Force contacted us on March 29 — three weeks after our initial inquiry.

The individual received our request for information from VAERS, but said she had never received our list of questions, even though employees we talked to several times said CDC press officers were working through the questions and confirmed the representative had received them. We provided the list of questions again along with a new deadline, but never received a response.

On May 19, a CDC employee said our questions had been reviewed and our inquiry was pending in their system, but would not provide us with a copy of the response. We were told we would be contacted by phone or email with the response.

We have contacted the CDC numerous times since and were told nobody knew the specialist from the agency's Vaccine Task Force who contacted us in March, and our request was still pending in the system. It has been 123 days since we sent our first email inquiring into VAERS data and reports and we have yet to receive a response.

*

Note to readers: Please click the share buttons above or below. Follow us on Instagram, [@crg_globalresearch](#). Forward this article to your email lists. Crosspost on your blog site, internet forums. etc.

Megan Redshaw is a freelance reporter for *The Defender*. She has a background in political science, a law degree and extensive training in natural health.

Featured image is from CHD

The original source of this article is [Children's Health Defense](#)
Copyright © [Megan Redshaw](#), [Children's Health Defense](#), 2021

[Comment on Global Research Articles on our Facebook page](#)

[Become a Member of Global Research](#)

Articles by: [Megan Redshaw](#)

Disclaimer: The contents of this article are of sole responsibility of the author(s). The Centre for Research on Globalization will not be responsible for any inaccurate or incorrect statement in this article. The Centre of Research on Globalization grants permission to cross-post Global Research articles on community internet sites as long the source and copyright are acknowledged together with a hyperlink to the original Global Research article. For publication of Global Research articles in print or other forms including commercial internet sites, contact: publications@globalresearch.ca

www.globalresearch.ca contains copyrighted material the use of which has not always been specifically authorized by the copyright owner. We are making such material available to our readers under the provisions of "fair use" in an effort to advance a better understanding of political, economic and social issues. The material on this site is distributed without profit to those who have expressed a prior interest in receiving it for research and educational purposes. If you wish to use copyrighted material for purposes other than "fair use" you must request permission from the copyright owner.

For media inquiries: publications@globalresearch.ca