

The Detectives: Hunting Toxic Chemicals in the Arctic

What researchers are learning about the fate of chemicals in the Arctic, and how what they're learning is changing international law and providing life-saving advice.

By [Nancy Bazilchuk](#)

Global Research, April 05, 2022

[Norwegian SciTech News](#) 31 March 2022

Region: [Europe](#)

Theme: [Environment](#)

All Global Research articles can be read in 51 languages by activating the "Translate Website" drop down menu on the top banner of our home page (Desktop version).

To receive Global Research's Daily Newsletter (selected articles), [click here](#).

Visit and follow us on [Instagram](#), [Twitter](#) and [Facebook](#). Feel free to repost and share widely Global Research articles.

At first, it was a simple question: what exactly did oil pollution do to grey seals off the coast of Norway?

It was the early 1980s, and a young Norwegian ecotoxicologist, Bjørn Munroe Jenssen, was asked by Conoco Philips to find the answer.

The oil company was just beginning to look for oil in an area of the North Sea called the Halten Bank, off the coast of mid-Norway.

Jenssen and his colleagues knew that oil spills could contaminate seal fur, especially the pups.

"And actually more than 50% of them were polluted by these small tar balls, when they lie and rest, their fur gets contaminated. But we don't think there are any large effects of that because it's external contamination," Jenssen said in the newest episode of 63 Degrees North, NTNU's English-language podcast.

But Jenssen and his colleagues wondered if there were other contaminants getting into the bodies of the animals. So they did some blood tests. And what they found shocked them.

The poison book

Humans have been making and using chemicals for millennia, but their production skyrocketed in the 20th century. One chemical in particular, DDT, was discovered to be a potent insecticide by a Swiss chemist, Paul Herman Müller, in 1939. Its use during the Second World War saved many lives, by killing insects that carried malaria and typhus.

Muller won the Nobel Prize in 1948 for his discovery.

But as the use of these and other chemicals increased, biologists began to see that they could have unintended and potentially Earth-shattering consequences.

In September, 1962, an American marine biologist and author Rachel Carson published a book documenting just how damaging pesticides were to the environment. She privately called it "the Poison Book." This work would help spawn the environmental movement across the Western world. It was called *Silent Spring*.

In spite of Carson's work, chemical use continued to grow. They were used for everything from controlling insects and weeds to making materials fire-resistant. DDT had been banned, but many other chemicals were in widespread use.

'*Silent Spring*' Is Now Noisy Summer

Pesticides Industry Up in Arms Over a New Book

By JOHN M. LEE

The \$300,000,000 pesticides industry has been highly irritated by a quiet woman author whose previous works on science have been praised for the beauty and precision of the writing.

The author is Rachel Carson, whose "The Sea Around Us" and "The Edge of the Sea" were best sellers in 1951 and 1955. Miss Carson, trained as a marine biologist, wrote gracefully of sea and shore life.

In her latest work, however, Miss Carson is not so gentle.



Rachel Carson Stirs Conflict—Producers Are Crying 'Foul'

fending the use of their products. Meetings have been held in Washington and New York. Statements are being drafted and counter-attacks plotted.

A drowsy midsummer has suddenly been enlivened by the greatest uproar in the pesticides industry since the cranberry scare of 1959.

Miss Carson's new book is entitled "*Silent Spring*." The title is derived from an idealized situation in which Miss Carson envisions an imaginary town where chemical pollution has silenced "the voices of spring."

Rachel Carson's book made national news. This clip is from *The New York Times* from 22 July 1962, page 86.

Blood and blubber

The blood and tissue tests that Jenssen and his colleagues did contained an alphabet soup of substances.

We found that there were associations between blood levels of contaminants and levels of thyroid hormones, which are hormones that are very important for growth, for thermal regulation, for producing energy, and so on.

"We started to look for other contaminants like the PCBs, polychlorinated biphenols, and pesticides, like the old DDT, which was used a lot, and they were regulated in Norway at that time, but not globally," he said. "And we found actually quite high concentrations of these compounds in the seals.... in their blood or in their blubber we examined. We even

found levels in the brains of these small newborn pups.”

Then it was just a question of determining if the chemicals were affecting the contaminated animals.

The answer turned out to be: Yes.

“We found that there were associations between blood levels of contaminants and levels of thyroid hormones, which are hormones that are very important for growth, for thermal regulation, for producing energy, and so on,” Jenssen said. “So we thought that that might be a very important effect that could affect the survival or the health of the pups.”

Riding the wind

Jenssen didn’t just find these chemicals in seal pups. When he subsequently did tests on animals in arctic Norway, he found a huge spectrum of chemicals in them too — in everything from polar bear milk to Greenland shark blood.

But were all these chemicals coming from? They weren’t being generated in the Arctic, because there’s almost no industrial activity there.

What researchers gradually came to understand was that many of these pollutants can ride the wind or travel in ocean currents. If they are spilled or released somehow, some can vaporize and get carried into the atmosphere, where they ride the prevailing winds north. They might condense on their journey, and get deposited on the ground again, only to be vaporized when it’s warm enough.

And once they arrive in the Arctic, they tend to stay there, trapped in the snow, or as we now know, contained in the fat or blubber of the animals that live there.

And as Jenssen and other researchers have found, they have significant effects on the hormones of the animals that are contaminated.

Native populations and health problems

Jon Øyvind Odland is a gynaecologist and global health researcher at NTNU and at UiT — the Arctic University of Norway.

As Bjørn Munroe Jenssen was documenting the kinds of chemicals that were accumulating in animals, particularly in the Arctic, Odland thought he would look at what was happening with native peoples in the far north.

Native people living in the far north who eat a traditional diet typically eat foods that are high in fat. And many of these substances concentrate in fats.

So when Odland studied native peoples in Chukotka, in eastern Russia, he found that they too, had high levels of contaminants in their blood. What’s more, they found a clear association between these high levels of contaminants and the effectiveness of childhood vaccines.

This posed a difficult challenge: Traditional diets are in many ways much healthier for people living in these most northerly areas. If native people switch to a more Western diet,

they can develop other health problems, such as type II diabetes and heart disease.

“It’s the Arctic dilemma,” Odland said in the podcast. “The pollutants follow the food, the best nutrition you can get.”

Zooplankton on painkillers

Ida Beathe Øverjordet was one of Jenssen’s graduate students, studying mercury in the Arctic. Now she’s working at SINTEF, Scandinavia’s largest independent research institute, and continuing her work on pollutants in the Arctic.



Ida Beathe Øverjordet takes samples as part of her work studying where and how pharmaceuticals are found in the Arctic. Photo: Lacie Setsaas, SINTEF Ocean

Recently, she and her colleagues decided to see if they might find pharmaceuticals in arctic creatures like tiny zooplankton in samples they took in Svalbard, the Norwegian archipelago at 79 degrees North latitude.

It’s well known that pharmaceuticals find their way into rivers, streams and lakes from treated wastewater in industrialized countries, but Øverjordet wondered if pharmaceuticals might somehow have also found a way to hitchhike to the north.

And they found them.

“We found quite high levels actually of painkillers, like ibuprofen and diclofenac. And also antibiotics and antidepressants we found in these tiny creatures living in the Arctic,” she

said.

Listen to [63 Degrees North](#) to learn more about the fate of these chemicals — and how science is helping policymakers do the right thing.

*

Note to readers: Please click the share buttons above or below. Follow us on Instagram, Twitter and Facebook. Feel free to repost and share widely Global Research articles.

Sources

Bourgeon, Sophie; Riemer, Astrid Kolind; Tartu, Sabrina; Aars, Jon; Polder, Anuschka; Jenssen, Bjørn Munro; Routti, Heli Anna Irmeli. (2017) [Potentiation of ecological factors on the disruption of thyroid hormones by organo-halogenated contaminants in female polar bears \(Ursus maritimus\) from the Barents Sea. Environmental Research.](#) vol. 15

Ciesielski, Tomasz Maciej; Hansen, Ingunn Tjelta; Bytingsvik, Jenny; Hansen, Martin; Lie, Elisabeth; Aars, Jon; Jenssen, Bjørn Munro; Styrishave, Bjarne. (2017) [Relationships between POPs, biometrics and circulating steroids in male polar bears \(Ursus maritimus\) from Svalbard. Environmental Pollution \(1987\).](#) vol. 230.

Nuijten, RJM; Hendriks, AJ; Jenssen, Bjørn Munro; Schipper, AM. (2016) [Circumpolar contaminant concentrations in polar bears \(Ursus maritimus\) and potential population-level effects. Environmental Research.](#) vol. 151.

Treskina, Natalia Albertovna; Postoev, Vitaly; Usynina, Anna A.; Grjibovski, Andrej; Odland, Jon Øyvind. (2021) [Sociodemographic factors influencing the health of pregnant women: Changes in the arctic countries over the past decades. Akusherstvo i Ginekologiya.](#) vol. 2021 (6).

Chashchin, Valery; Kovshov, Aleksandr A.; Thomassen, Yngvar; Sorokina, Tatiana; Gorbanev, Sergey A.; Morgunov, Boris; Gudkov, Andrey B.; Chashchin, Maxim; Sturlis, Natalia V.; Trofimova, Anna; Odland, Jon Øyvind; Nieboer, Evert. (2020) [Health risk modifiers of exposure to persistent pollutants among indigenous peoples of Chukotka. International Journal of Environmental Research and Public Health \(IJERPH\).](#) vol. 17 (1).

Featured image: Bjørn Munro Jenssen nets a grey seal pup. Photo: Private

The original source of this article is [Norwegian SciTech News](#)
Copyright © [Nancy Bazilchuk, Norwegian SciTech News](#), 2022

[Comment on Global Research Articles on our Facebook page](#)

[Become a Member of Global Research](#)

Articles by: [Nancy Bazilchuk](#)

Disclaimer: The contents of this article are of sole responsibility of the author(s). The Centre for Research on Globalization will not be responsible for any inaccurate or incorrect statement in this article. The Centre of Research on Globalization grants permission to cross-post Global Research articles on community internet sites as long the source and copyright are acknowledged together with a hyperlink to the original Global Research article. For publication of Global Research articles in print or other forms including commercial internet sites, contact: publications@globalresearch.ca

www.globalresearch.ca contains copyrighted material the use of which has not always been specifically authorized by the copyright owner. We are making such material available to our readers under the provisions of "fair use" in an effort to advance a better understanding of political, economic and social issues. The material on this site is distributed without profit to those who have expressed a prior interest in receiving it for research and educational purposes. If you wish to use copyrighted material for purposes other than "fair use" you must request permission from the copyright owner.

For media inquiries: publications@globalresearch.ca