

The Dose Makes the Poison

By Alex Berenson

Global Research, April 22, 2022

Unreported Truths 19 April 2022

Region: <u>USA</u>

Theme: Science and Medicine

All Global Research articles can be read in 51 languages by activating the "Translate Website" drop down menu on the top banner of our home page (Desktop version).

To receive Global Research's Daily Newsletter (selected articles), click here.

Visit and follow us on <u>Instagram</u>, <u>Twitter</u> and <u>Facebook</u>. Feel free to repost and share widely Global Research articles.

A major new study adds more evidence that Moderna's high-dose mRNA shots are more dangerous than Pfizer's smaller jabs; will public health bureaucrats acknowledge reality as they push more boosters?

A huge new study shows mRNA shots sharply raised the risk of dangerous heart damage in Scandinavians who received them last year, and that Moderna's 100-microgram shot was significantly more dangerous than Pfizer's 30-microgram dose.

For young men, who are at particularly high risk of post-jab heart inflammation, the gap was especially significant.

Data from the study, published in a peer-reviewed journal called *JAMA Cardiology*, show that giving 1 million men aged 16-24 two doses of Moderna's vaccine would lead to almost 300 hospitalizations for myocarditis and a related illness called pericarditis. Most would come after the second dose. Using Pfizer's shot instead would lead to about 100 hospitalizations. SOURCE

An appendix in the paper also showed a trend towards deadlier outcomes in myocarditis patients who had received Moderna's shot as opposed to Pfizer's jab or no vaccination, though the trend was not statistically significant.

Almost 5 percent of people who were hospitalized for myocarditis after receiving Moderna's shot died, compared to under 1 percent who received Pfizer's shot or were unvaccinated. (SEE ETABLE 11)

Sweden, Norway, and Finland halted the use of the Moderna shots in people under 30 last October. The United States has no similar restrictions, though regulators have so far refused to approve Moderna's jab for people under 18.

The higher risk of Moderna's shots found in the paper add to growing evidence that the

dangers of mRNA rise with dosing. Moderna scientists themselves acknowledged the potential problem in a paper the company posted last month.

In turn, that evidence raises the question of whether pushing people to take additional "booster" doses to shore up the vaccines' failing protection may bring new risks. Because so few clinical or safety studies have been conducted on boosters, at this point regulators and scientists are essentially guessing about the dangers of repeated dosing.

But that lack of knowledge has not stopped a relentless push for the boosters, which temporarily raise antibodies to the coronavirus before their protection again fades.

In the new paper, published Wednesday, researchers drew on exceptionally thorough health and vaccination records from Denmark, Finland, Norway, and Sweden. They examined thousands of myocarditis and pericarditis cases in the four Scandinavian countries from late December 2020 to early October 2021, checking them against vaccination dates.

Myocarditis is an inflammation of the heart muscle itself, while pericarditis results from the inflammation of the sac around the heart. They generally resolve with rest and anti-inflammatory treatment, but in some cases they can lead to permanent heart damage or even be fatal.

Original Investigation

April 20, 2022

SARS-CoV-2 Vaccination and Myocarditis in a Nordic Cohort Study of 23 Million Residents

Øystein Karlstad, MScPharm, PhD¹; Petteri Hovi, MD, PhD²; Anders Husby, MD, PhD^{3,4}; et al

*

Note to readers: Please click the share buttons above or below. Follow us on Instagram, Twitter and Facebook. Feel free to repost and share widely Global Research articles.

Featured image is from Children's Health Defense

Comment on Global Research Articles on our Facebook page

Become a Member of Global Research

Articles by: Alex Berenson

Disclaimer: The contents of this article are of sole responsibility of the author(s). The Centre for Research on Globalization will not be responsible for any inaccurate or incorrect statement in this article. The Centre of Research on Globalization grants permission to cross-post Global Research articles on community internet sites as long the source and copyright are acknowledged together with a hyperlink to the original Global Research article. For publication of Global Research articles in print or other forms including commercial internet sites, contact: publications@globalresearch.ca

www.globalresearch.ca contains copyrighted material the use of which has not always been specifically authorized by the copyright owner. We are making such material available to our readers under the provisions of "fair use" in an effort to advance a better understanding of political, economic and social issues. The material on this site is distributed without profit to those who have expressed a prior interest in receiving it for research and educational purposes. If you wish to use copyrighted material for purposes other than "fair use" you must request permission from the copyright owner.

For media inquiries: publications@globalresearch.ca