

EU Regulators Call on Pfizer, Moderna, AstraZeneca for More Data on Heart Inflammation, Guillain-Barré Syndrome

The European Medicines Agency also wants Pfizer and Johnson & Johnson to update warnings and lists of side effects relating to face swelling (Pfizer) and blood clots (J&J).

By [Megan Redshaw](#)

Global Research, May 11, 2021

[Children's Health Defense](#) 10 May 2021

Region: [Europe](#)

Theme: [Science and Medicine](#)

All Global Research articles can be read in 51 languages by activating the “Translate Website” drop down menu on the top banner of our home page (Desktop version).

Visit and follow us on Instagram at [@crg_globalresearch](#).

EU regulators Friday called on Pfizer and Moderna to provide additional data related to the companies' COVID vaccines and a potential link to heart inflammation, after the agency completed a safety review of all four [COVID](#) vaccines authorized for emergency use in the EU.

The European Medicines Agency's safety committee, ([PRAC](#)), also asked AstraZeneca for data related to reports of Guillain-Barré syndrome in people who received the [AstraZeneca](#) vaccine, and they recommended Pfizer and Johnson & Johnson (J&J) update their labels with side effect warnings.

In a [report](#) issued May 7, PRAC disclosed its members were aware of cases of [myocarditis](#) and pericarditis following Pfizer vaccination. Regulators said they didn't see an indication the vaccine caused these cases, but as a prevention, PRAC [requested](#) Pfizer provide further data, including an analysis of events according to age and gender in its next pandemic summary safety report and will consider if any other regulatory action is needed.

Because [Moderna](#) and Pfizer use the same [mRNA technology](#) for their vaccines, the [committee asked](#) Moderna to monitor for similar cases of heart inflammation.

[Myocarditis](#), or inflammation of the heart muscle, can lead to cardiac arrhythmia and death. [Pericarditis](#) is inflammation of the membrane around the heart.

A search in the CDC's [Vaccine Adverse Events Reporting System](#) (VAERS) revealed [213 cases](#) of pericarditis and myocarditis reported in the U.S following COVID vaccination. Of the 213 cases reported, [105 cases](#) were attributed to Pfizer, [93 cases](#) to Moderna and [15 cases](#) to Johnson & Johnson's (J&J) COVID vaccine.

On April 27, Reuters [reported](#) the U.S. Department of Defense was investigating [14 cases of heart inflammation](#) among people who were vaccinated through the military's health services.

Of the 14 cases, one patient developed myocarditis after their first dose of vaccine. The remaining 13 patients developed myocarditis after their second vaccine doses. Eleven received the Moderna vaccine and three received Pfizer.

Israel's Health Ministry is also [examining](#) cases of heart inflammation in people who received Pfizer's COVID vaccine. As The Defender [reported](#) April 26, a [preliminary report](#) by the committee tasked with monitoring vaccine side effects in Israel identified 62 cases of myocarditis, including two deaths, after recent vaccination with Pfizer. Fifty-five of the cases occurred in men — most between ages 18 and 30.

In the case of AstraZeneca, PRAC said it is [examining reports](#) of Guillain-Barré syndrome and asked for more detailed data and an analysis of all reported Guillain-Barré syndrome cases.

Guillain-Barré syndrome is a rare [immune disorder](#) in which the body's immune system attacks the nerves resulting in paralysis. It had been previously [identified by regulators](#) as a potential adverse side effect that required monitoring following AstraZeneca's shot.

EMA recommends updates to labels, lists of side effects

The EMA's May 7 report also included the [recommendation](#) that Pfizer add a new side effect to its product information for people with dermal fillers — soft, gel-like substances injected under the skin.

After reviewing all available evidence, including cases reported to the European [database](#) for suspected side effects and data from scientific literature, [PRAC](#) said there is at least a "reasonable possibility of a causal association between the vaccine and the reported cases of facial swelling in people with a history of injections with dermal fillers."

The safety committee [also said](#) it would update its warning for J&J's COVID vaccine after EU regulators in April identified a link between the shot and blood clots.

Though PRAC said the benefits of the vaccine outweigh the risks, the label will now include advice that patients diagnosed with [thrombocytopenia](#) within three weeks of vaccination be actively investigated for signs of [thrombosis](#) and that patients who present with [thromboembolism](#) within three weeks be evaluated for thrombocytopenia.

Thrombosis with thrombocytopenia syndrome will also be added as an "important identified risk" in the [risk management plan](#) for J&J's vaccine. The committee asked the company to provide a plan to further study the possible underlying mechanisms for these events.

Additionally, PRAC looked at clotting risks with Pfizer and Moderna vaccines. Though several cases of low blood platelets and blood clots were identified, the committee concluded that for the moment there does not seem to be any evidence of a safety signal for the mRNA shots.

Utilizing a search criteria that included reports of blood clots associated with blood clotting

disorders, [VAERS](#) yielded a total of [2,808 reports](#) in the U.S for all three vaccines from Dec. 14, 2020, through April 30. Of the 2,808 cases reported, there were [1,043 reports](#) of blood clotting disorders attributed to Pfizer.

As The Defender [reported](#) Monday, a Utah teen remains hospitalized with [three blood clots](#) in and near his brain that developed after he received the first dose of Pfizer's COVID vaccine.

On May 7, Pfizer became the first COVID vaccine producer to [request full approval](#) by the U.S Food and Drug Administration for ages 16 and up. Pfizer requested priority review, which asks the FDA to take action within six months, compared to 10 months designated under standard review.

The FDA is [expected](#) to amend Pfizer's [Emergency Use Authorization](#) (EUA) this week to authorize use of the vaccine in adolescents aged 12 to 15. The company announced plans to further expand EUA for its vaccine for children ages 2 to 11 in September.

If approved, Pfizer will be the first experimental vaccine to receive full approval by the FDA.

*

Note to readers: Please click the share buttons above or below. Follow us on Instagram, @crg_globalresearch. Forward this article to your email lists. Crosspost on your blog site, internet forums. etc.

Megan Redshaw is a freelance reporter for The Defender. She has a background in political science, a law degree and extensive training in natural health.

Featured image is from Children's Health Defense

The original source of this article is [Children's Health Defense](#)
Copyright © [Megan Redshaw](#), [Children's Health Defense](#), 2021

[Comment on Global Research Articles on our Facebook page](#)

[Become a Member of Global Research](#)

Articles by: [Megan Redshaw](#)

Disclaimer: The contents of this article are of sole responsibility of the author(s). The Centre for Research on Globalization will not be responsible for any inaccurate or incorrect statement in this article. The Centre of Research on Globalization grants permission to cross-post Global Research articles on community internet sites as long the source and copyright are acknowledged together with a hyperlink to the original Global Research article. For publication of Global Research articles in print or other forms including commercial internet sites, contact: publications@globalresearch.ca

www.globalresearch.ca contains copyrighted material the use of which has not always been specifically authorized by the copyright owner. We are making such material available to our readers under the provisions of "fair use" in an effort to advance a better understanding of political, economic and social issues. The material on this site is distributed without profit to those who have expressed a prior interest in receiving it for research and educational purposes. If you wish to use copyrighted material for purposes other than "fair use" you must request permission from the copyright owner.

For media inquiries: publications@globalresearch.ca