

FDA Advisers Vote to Replace Original COVID Vaccine with Bivalent Boosters Despite Lack of Clinical Trial Data

By [Dr. Brenda Baletti](#)

Global Research, January 30, 2023

[Children's Health Defense](#) 27 January 2023

Region: [USA](#)

Theme: [Science and Medicine](#)

All Global Research articles can be read in 51 languages by activating the Translate Website button below the author's name.

To receive Global Research's Daily Newsletter (selected articles), [click here](#).

Follow us on [Instagram](#) and [Twitter](#) and subscribe to our [Telegram Channel](#). Feel free to repost and share widely Global Research articles.

Advisers to the U.S. Food and Drug Administration (FDA) on Thursday [voted unanimously](#) to replace the original Pfizer and Moderna primary series mRNA COVID-19 vaccines with the bivalent boosters designed to target Omicron variants.

The bivalent mRNA boosters — authorized in September with [no human clinical trials](#) — contain components of the original [COVID-19](#) ancestral strain plus the BA.4 and BA.5 Omicron subvariants. They are currently available for children as young as 6 months old.

The recommendation by the 21-member Vaccines and Related Biological Products Advisory Committee (VRBPAC) moves the FDA one step closer to its goal, [announced Monday](#), of creating a [single annual COVID-19 shot](#).

If the FDA accepts the committee's recommendation, the U.S. "would likely phase out" the companies' original vaccines, developed in 2020, that target the Wuhan strain, [CNBC reported](#).

The move aims to "simplify the approach to vaccination in order to facilitate the process of optimally vaccinating and protecting the entire population moving forward," said [Dr. Peter Marks, Ph.D.](#), director of the FDA's Center for Biologics Evaluation and Research, in his opening remarks.

"I think anything we can do to ease up on confusion and simplify things is going to be a good thing," said [Dr. Archana Chatterjee Ph.D.](#), committee member and dean of the Chicago Medical School and vice president for medical affairs at Rosalind Franklin University.

However, a series of [recent studies](#) demonstrating problems with the [safety](#) and [efficacy](#) of the [bivalent boosters for adults](#) and [children](#) have [raised concerns about the shots](#).

The FDA's [own briefing document](#) released prior to Thursday's meeting conceded that interpreting the data from studies on immune system response to the bivalent boosters, "is complicated because of the limited sample size, the variability in the assays used and the status of assay qualification, the populations tested, and the intervals between vaccination and serum collection."

Still, the [FDA's Jerry Weir, Ph.D.](#), said there is "remarkable" real-world data showing the efficacy of the bivalent boosters.

[Vinay Prasad, M.D., M.P.H.](#), disagreed, tweeting:

Another lie. They commissioned a project called RCT duplicate, it failed to establish the value of observational studies. Easy to say a observational study is right when you don't have a randomized trial. <https://t.co/ygBKv3vAon>

— Vinay Prasad MD MPH (@VPrasadMDMPH) [January 26, 2023](#)

Committee members raised questions about the lack of data on vaccine durability and about dosage, safety and efficacy data for children, but those concerns did not affect their vote.

"Having managed to fill the meeting with no relevant data, the committee voted unanimously, 21 of 21, to promote bivalent boosters in the future for initial series and later boosters," [Dr. Meryl Nass](#), internist, epidemiologist and member of the Children's Health Defense scientific advisory committee, told [The Defender](#) in an email following the meeting.

'COVID is not the flu'

Monday's FDA briefing document outlined a proposal for new vaccination protocols — a single annual dose of the vaccine for most people and two doses for very young children, the elderly and immunocompromised people.

The panel discussed the proposal but did not vote on it.

Thanks [@WSJ](#) for taking vaccine makers + federal agencies to task for pushing the bivalent COVID-19 boosters without having any data to demonstrate that they are either safe or effective. <https://t.co/cwPhbyXafd>

— Robert F. Kennedy Jr (@RobertKennedyJr) [January 23, 2023](#)

Moderna, Pfizer, Novavax, the FDA and the Centers for Disease Control and Prevention (CDC) gave presentations on the viability of annual boosters but presented only limited data on the duration of protection offered by the vaccines.

"They assiduously avoided discussion of how long a shot might offer protection — instead the briefers cited [studies of efficacy for only 2-3 months](#) after receiving a vaccine," Nass said. She added:

"If it gives three months of protection, what happens after that? They failed to show the graphs, which have been made by CDC, showing negative efficacy after about six

months.”

The FDA said it expects to assess the evolution of COVID-19 annually to determine which strains to vaccinate for, a process they likened to the one followed for the [flu vaccine](#).

But several committee members repeatedly noted, agreeing with committee member [Dr. Pamela McInnes](#), that “COVID is not the flu.”

Vaccine makers would update the annual shot through a process that would begin each spring to try to match the vaccine as closely as possible to whatever variant is predicted to be dominant in the coming winter, according to a framework proposed at the [April 6, 2022, VRBPAC meeting](#).

Pfizer confirmed the vaccines would take 100 days to produce after the variant had been determined, but [Novavax](#) said it would take up to six months for its vaccine.

Weir told VRBPAC members on Wednesday that a late Spring/early Summer recommendation is “reasonable and practical,” based on the 2022 bivalent experience.

As with the bivalent booster, clinical trial data for updated bivalent vaccines will not be required for authorization and licensure.

Instead, manufacturers will submit chemistry, manufacturing and control data and pre-clinical evidence to support the efficacy of updated vaccines.

[Dr. John Beigel](#), associate director for clinical research at the National Institute of Allergy and Infectious Diseases’ Division of Microbiology and Infectious Diseases, showed the committee a slide demonstrating that “next generation of SARS-CoV-2 Vaccines” will need to provide “enhanced breadth of protection (variant proof), improved durability, and enhanced ability to block infection/transmission.” He did not elaborate on how those goals might be achieved.

What about COVID shots and strokes?

[Dr. Nicola Klein, Ph.D.](#), director of the Kaiser Permanente Vaccine Study Center, presented data on strokes among recipients of COVID-19 vaccines.

The CDC on Jan. 13 announced it had identified a [preliminary safety signal for the bivalent boosters](#). The signal, identified through [the CDC’s Vaccine Safety Datalink](#) analysis, was an increased risk of [ischemic stroke](#) in bivalent booster recipients ages 65 and older.

The analysis also found the risk was present in the Pfizer formulation but not in Moderna’s, and that the signal was raised because of increased stroke risk in the 21 days following inoculation compared to the risk on days 22-42.

The signal did not change the CDC’s recommendations for either bivalent booster.

In her presentation, Klein noted that the CDC first identified the safety signal in November 2022, and it had been consistent since then, although the rate ratio has attenuated over time. In the last week, the rate diminished such that it no longer met the signal threshold, Klein said.

The CDC and FDA suggested that instances of stroke following receipt of Pfizer's new booster in the elderly may be connected to the flu vaccine.

Later in the meeting, when asked if it would be prudent to separate the flu and COVID-19 vaccines for elderly people, the CDC's [Dr. Tom Shimabukuro](#), responded:

"The evidence is not sufficient to conclude there is an association there. And given that, I think talking about spacing the vaccine is premature and I'll just reinforce that the CDC's recommendation for COVID vaccination and for flu vaccination have not changed."

Commenting on Klein's presentation, Nass said, "The FDA briefers produced only confusion about strokes."

Prasad: Safety systems 'so antiquated' that finding safety issues 'is hopeless'

Klein told the committee the ischemic stroke signal "doesn't stand out as extremely striking, unlike some other signals which we have seen, for example, [myocarditis](#) — it's an extremely strong signal that you can see without doing statistics."

In a tweet, [Prasad said](#) adverse events like vaccine-induced immune thrombotic [Thrombocytopenia](#) and myocarditis were detected only because they have a "massive elevation" from baseline.

"Current safety systems are so antiquated," he added, "that finding safety signals for common events "is hopeless."

Myocarditis was mentioned several times during the meeting, but most other adverse events came up only during public comment.

Charging the FDA and Pfizer with failing to mention the lack of evidence supporting the bivalent vaccines, particularly for young men who are most at risk of myocarditis, Prasad tweeted:

Strange that neither FDA nor Pfizer is not saying:

"We have no randomized evidence that bivalent boosters lower severe disease at any age, and the upper bound absolute risk reduction in young men will surely be smaller than their absolute risk of myocarditis" [#VRBPAC pic.twitter.com/mY0I6J4tkF](#)

— Vinay Prasad MD MPH (@VPrasadMDMPH) [January 26, 2023](#)

Increasing numbers of physicians, including [Dr. Paul Offit](#), an FDA committee adviser and director of the Vaccine Education Center at the Children's Hospital of Philadelphia, [discouraged bivalent boosters](#) for young and healthy people.

Several members of the advisory committee also raised concerns about recommending annual bivalent boosters for children given the lack of data.

Chatterjee said:

“As we look at this question [simplifying the vaccination schedule] for young children, the data is just too few for us to really make scientifically sound decisions regarding this question. The trial data need to be much more robust than we have seen in the past.”

[Dr. Rituparna Das, Ph.D.](#), Moderna’s vice president of COVID-19 clinical development, told the committee the vaccine maker has a study called “BabyCOV” where they are testing the bivalent vaccines on 3 to 5-month-old babies at eight-week intervals with no placebo group.

CDC’s Shimabukuro suggests most vaccine injury claims unrelated to vaccines

During Thursday’s Q&A session, [Dr. Hayley Gans](#) pointed out that the [rapid-cycle Vaccine Safety Datalink analysis](#) conducted by the CDC and FDA, which found the stroke signal, looked only for particular predetermined safety signals.

“How, overall, are we also handling other potential ways that these vaccines are impacting our population?” Gans asked the committee. “Obviously we’ve heard some reports and there is some data out there. How are we addressing potential autoimmune and other entities that aren’t amenable to the rapid cycle?” she asked.

The CDC’s Shimabukuro responded, “You’re correct, in the Vaccines Safety Datalink analysis our outcomes are prespecified.” However, he added, there are “other systems to monitor outcomes beyond the rapid-cycle analysis outcomes,” such as the Vaccine Adverse Events Reporting System ([VAERS](#)).

He continued:

“We take vaccine safety very seriously. With respect to reports of people experiencing debilitating illnesses. We are aware of these reports of long-lasting health problems following COVID vaccination.

“In some cases the clinical presentation of people suffering these health problems is variable and no specific medical cause for the symptoms have been found. We understand that illness is disruptive and stressful, especially under those circumstances.

“We acknowledge these health problems have substantially impacted the quality of life for people and have also affected those around them, and we hope for improvement and recovery, and we will continue to monitor the safety of these vaccines and work with our partners to better understand these types of adverse events.”

Vaccine-injured speak out during public comment session

Several [vaccine-injured people](#) shared their personal experiences and made pleas to the advisory council to halt the vaccine rollout during the public comment session.

Only 2 of 16 commentators said they supported the FDA’s proposal.

Nurses, physicians and others shared their vaccine injury struggles. They spoke of strokes, [tinnitus](#), gastrointestinal disorders, [tachycardia](#), [neuropathies](#), [blood clots](#), [transverse](#)

[myelitis](#), [loss of function](#) of limbs and hands, [POTS](#), [severe systemic pain](#), and numerous other injuries associated with COVID-19 vaccines.

They expressed outrage at the lack of response by regulatory agencies and frustration that “the government doesn’t compensate for vaccine damages or fund studies to treat them,” as [Justin Prince](#) commented.

A vaccine-injured ER nurse collaborated with [Josh Guetzkow, Ph.D.](#), on a presentation showing the extensive injury signals identified but ignored by the FDA and CDC, and unaddressed in any of the discussions.

The presentation included a wide range of safety signals, including a number of cardiovascular, thrombosis, neurological, menstrual hemorrhagic signals and pediatric signals and deaths.

[Dustin Bryce](#), with the [Interest of Justice](#) nonprofit, argued the FDA has no choice but to revoke the Emergency Use Authorization and stop the experimental shots today.

He pointed out that the FDA asked for [75 years to hide trial data](#) which showed 1,223 confidential and proprietary deaths in the first three months.

Bryce said:

“The whole thing is not allowed under the WHO [World Health Organization] ethical framework which guides FDA. On a strictly exceptional basis, it may be ethically permissible to use an unproven treatment outside of clinical trials but only if the monitored emergency use meets the rigorous ethical criteria spelled out by the WHO — which the COVID-19 regimen does not.

“The FDA is not considering community engagement with experts who dissent.”

He said the FDA’s failure to inform the public about the scientific community’s uncertainty about the risk-benefit analysis threatens the validity of informed consent.

“Community engagement is essential to establish and maintain trust and preserve the social order,” he concluded.

The advisory panel, in their subsequent discussions, largely ignored concerns raised during the public comment session, with the exception of Gans’ question about adverse events not captured in the Vaccine Safety Datalink analysis.


Watch Thursday’s VRBPAC meeting here:

*

Note to readers: Please click the share buttons above. Follow us on Instagram and Twitter and subscribe to our Telegram Channel. Feel free to repost and share widely Global Research articles.

Brenda Baletti, Ph.D. is a reporter at The Defender.

Featured image is from CHD



The Worldwide Corona Crisis, Global Coup d'Etat Against Humanity

by Michel Chossudovsky

Michel Chossudovsky reviews in detail how this insidious project “destroys people’s lives”. He provides a comprehensive analysis of everything you need to know about the “pandemic” — from the medical dimensions to the economic and social repercussions, political underpinnings, and mental and psychological impacts.

“My objective as an author is to inform people worldwide and refute the official narrative which has been used as a justification to destabilize the economic and social fabric of entire countries, followed by the imposition of the “deadly” COVID-19 “vaccine”. This crisis affects humanity in its entirety: almost 8 billion people. We stand in solidarity with our fellow human beings and our children worldwide. Truth is a powerful instrument.”

ISBN: 978-0-9879389-3-0, Year: 2022, PDF Ebook, Pages: 164, 15 Chapters

Price: ~~\$11.50~~ Get yours for FREE! [Click here to download.](#)

We encourage you to support the eBook project by making a donation through Global Research’s [DonorBox “Worldwide Corona Crisis” Campaign Page.](#)

The original source of this article is [Children's Health Defense](#)
Copyright © [Dr. Brenda Baletti](#), [Children's Health Defense](#), 2023

[Comment on Global Research Articles on our Facebook page](#)

[Become a Member of Global Research](#)

Articles by: [Dr. Brenda Baletti](#)

Disclaimer: The contents of this article are of sole responsibility of the author(s). The Centre for Research on Globalization will not be responsible for any inaccurate or incorrect statement in this article. The Centre of Research on Globalization grants

permission to cross-post Global Research articles on community internet sites as long the source and copyright are acknowledged together with a hyperlink to the original Global Research article. For publication of Global Research articles in print or other forms including commercial internet sites, contact: publications@globalresearch.ca

www.globalresearch.ca contains copyrighted material the use of which has not always been specifically authorized by the copyright owner. We are making such material available to our readers under the provisions of "fair use" in an effort to advance a better understanding of political, economic and social issues. The material on this site is distributed without profit to those who have expressed a prior interest in receiving it for research and educational purposes. If you wish to use copyrighted material for purposes other than "fair use" you must request permission from the copyright owner.

For media inquiries: publications@globalresearch.ca