

Health Risks Associated with 5G Exposure, Small Cell Densification and New Wireless Networks

By [Environmental Health Trust](#)

Global Research, October 11, 2022

[Environmental Health Trust](#) 6 October 2022

Region: [Europe](#)

Theme: [Science and Medicine](#)

All Global Research articles can be read in 51 languages by activating the **Translate This Article** button below the author's name.

To receive Global Research's Daily Newsletter (selected articles), [click here](#).

Follow us on [Instagram](#) and [Twitter](#) and subscribe to our [Telegram Channel](#). Feel free to repost and share widely Global Research articles.

The European Parliament requested a research report ["Health Impact of 5G"](#) which was released in July 2021 and concluded that commonly used RFR frequencies (450 to 6000 MHz) are probably carcinogenic for humans and clearly affect male fertility with possible adverse effects on the development of embryos, fetuses and newborns.

Cell towers, 5G Networks and 4G Small Cells Emit Radiofrequency (RF) Radiation

Studies find RF exposure elevated in buildings located close to cell antennas.

[Baltrėnas et al 2012](#) investigated RF power density levels from cell phone antennas located 35 meters away from a 10-story apartment building. The transmitting antennas were approximately at the same height as the 6th floor of the building. The researchers found the highest RF at floors 5-7. The RF at the 6th floor balcony was three times higher than the 3rd floor balcony. The RF power density at the 6th floor was about 15 times the RF measures at the first floor.

The study "Radiofrequency radiation from nearby mobile phone base stations-a case comparison of one low and one high exposure apartment " published in *Oncology Letters* ([Koppel et al 2019](#)) found that the apartment with high RF exposure had outdoor areas as close as 6 meters (about 19.6 feet) from the cell antenna array. In contrast, the low exposure apartment's balcony had cell antennas at 40 meters (about 131 feet) away. The researchers also found that both apartments had good mobile phone reception and "Therefore, installation of base stations to risky places cannot be justified using the good reception requirement argument."

A 2017 [case report of RF levels](#) in an apartment close to two groups of rooftop cellular antennas used an exposimeter to measure levels of different types of RF in the apartment and balconies including TV, FM, TETRA emergency services, 2G GSM, 3G UMTS, 4G LTE,

DECT cordless, Wi-Fi 2.4 GHz and 5 GHz and WiMAX. The closest transmitting antennas were at a base station 6 meters from the balcony. The researchers documented a number of important findings. First, 97.9% of the mean RF radiation was caused by downlink from the 2G, 3G and 4G base stations. (Downlink means frequencies emitted “down” from the base station cellular antennas.) The researchers found that if the base station RF emissions were excluded, the RF radiation in the children’s bedrooms was reduced ~99%. The researchers conclude that, “due to the current high RF radiation, the apartment is not suitable for long-term living, particularly for children who may be more sensitive than adults.”

Outdoor levels of RF are increasing from the densification of wireless networks

A [study](#) measuring RF EMF exposure in the European cities of Basel, Ghent and Brussels found total RF exposure levels in all investigated outdoor locations had increased up to 57.1% in one year (April 2011 to March 2012). The RF increase was most notably observed in outdoor locations due to mobile phone base stations. [Urbiniello et al., 2014](#)

A [2018 study](#) published in Oncology Letters documented measurements of “unnecessarily high” radiofrequency (RF) radiation levels in several locations in Stockholm, Sweden. The authors conclude “Using high-power levels causes an excess health risk to many people. Even higher RF radiation is expected when 5G is implemented.”

A [2018 study by Hardell et al](#) published in the World Academy of Sciences Journal found the RF levels at Järntorget square in Stockholm Old Town Sweden (measured in April, 2016) were only one order of magnitude lower than the RF levels associated with an increased incidence of tumors in the Ramazzini radiofrequency animal study ([Falcioni et al 2018](#)) which exposed rats to a lifetime of RF mimicking cell tower base station exposures. The authors concluded that, “These results indicate that an increased cancer risk may be the situation for individuals staying at the square, primarily for those working in shops and cafés around the square. We have not measured RF radiation emissions in apartments around the square. It cannot be excluded that at certain places, the radiation may even be higher...”

A [2017 study](#) of Royal Castle, Supreme Court, three major squares and the Swedish Parliament found despite the hidden architecturally camouflaged antennas, the passive exposure to RF radiation from cell antennas can be higher than RF levels associated with non thermal biological effects. Some of the highest levels were from antennas closer to the ground and targeted towards the square. The researchers note that the heaviest RF load falls on people working or living near hotspots, compared to people that are walking by and briefly exposed. RF measurements from earlier published studies were compared to the 2017 measurements indicating that “it is clear from our present and previous studies that the level of ambient RF radiation exposure is increasing.”

A [2016 study](#) at Stockholm Central Railway Station in Sweden documented higher RF levels in areas where base station antennas were located closest to people. Importantly, the RF from the downlink of UMTS, LTE, GSM base station antennas contributed to most of the radiation levels.

A 2022 study [“Very high radiofrequency radiation at Skeppsbron in Stockholm, Sweden from mobile phone base station antennas positioned close to pedestrians’ heads”](#) created an RF heat map of RF measurements finding that the highest RF measurements were in areas of

close proximity to the base station antennas. The researchers concluded with recommendations to reduce close proximity placements such as positioning antennas “as far as possible from the general public” like in high elevation locations or remote areas.

A 2022 [study in the World Academy of Sciences Journal](#) measured levels of radiofrequency radiation (RFR), from wireless networks including 5G, in the city of Columbia, South Carolina and found the highest RFR levels in areas where the cell phone base station antennas were placed on top of utility poles, street lamps, traffic lights or other posts near to the street. When the scientists compared their [2022 findings](#) to a [2019 published review](#) on the mean outdoor exposure level of European cities, they found the Columbia, South Carolina measurements to be the highest. The Columbia, S.C. study concluded that the highest exposure areas were due to two reasons: cell phone base antennas on top of high-rise buildings provide “good cell coverage reaching far away, but creating elevated exposure to the radiofrequency electromagnetic fields at the immediate vicinity; and cell phone base station antennas installed on top of utility poles have placed the radiation source closer to humans walking on street level.”



Figure 7. Gervais Street: Cell phone base station antenna placed close to street level and causing high exposure to pedestrians and nearby café visitors (exposure scenario illustration). The antenna appears camouflaged and seemingly part of a utility pole. The measurer only discovered the antenna due to the high radiofrequency levels in the vicinity.

Image from Koppel T and Koppel T: Measurements of radiofrequency electromagnetic fields, including 5G, in the city of Columbia, SC, USA. World Acad Sci J 4: 22, 2022

Published Reviews That Recommend Cell Towers Be Distanced Away From Homes and Schools

- A review paper entitled “[Limiting liability with positioning to minimize negative health effects of cellular phone towers](#)” reviewed the “large and growing body of evidence that human exposure to RFR from cellular phone base stations causes negative health effects.” The authors recommend restricting antennas near home and within 500 meters of schools and hospitals to protect companies from future liability ([Pearce 2020](#)).
- An [analysis](#) of 100 studies published in Environmental Reviews found ~80% showed biological effects near towers. “As a general guideline, cell base stations should not be located less than 1500 ft from the population, and at a height of

- about 150 ft.” ([Levitt 2010](#))
- A [review](#) published in the International Journal of Occupational and Environmental Health found people living less than 500 m from base station antennas had an increased adverse neuro-behavioral symptoms and cancer in eight of the ten epidemiological studies ([Khurana 2011](#)).
- A [paper](#) by human rights experts documented the accumulating science indicating safety is not assured and considered the issue within a human rights framework to protect vulnerable populations from environmental pollution. “We conclude that, because scientific knowledge is incomplete, a precautionary approach is better suited to State obligations under international human rights law.” ([Roda and Perry 2014](#))
- A review entitled [“Evidence for a health risk by RF on humans living around mobile phone base stations: From radiofrequency sickness to cancer”](#) reviewed the existing scientific literature and found radiofrequency sickness, cancer and changes in biochemical parameters. ([Balmori 2022](#))

Cell Towers Radiofrequency Radiation and Cancer: World Health Organization International Agency for Research on Cancer

In 2011, radiofrequency radiation was [classified](#) as a Class 2B possible carcinogen by the World Health Organization’s International Agency for Research on Cancer (WHO/IARC). The WHO/IARC scientists clarified that this determination was for RFR from any source be it cell phones, wireless devices or cell towers. Since 2011, the published peer-reviewed scientific evidence associating RFR to cancer and other adverse effects has significantly increased.

In 2019, the WHO/IARC advisory committee [recommended](#) that radiofrequency radiation be re-evaluated as a “high” priority in light of the new research. The date of the re-evaluation has not been set.

Currently, several scientists conclude that the weight of current peer-reviewed evidence supports the conclusion that radiofrequency radiation is a proven human carcinogen ([Hardell and Carlberg 2017](#), [Peleg et al, 2018](#), [Miller et al 2018](#)).

Research Studies to Know

- European Parliament requested a research report [“Health Impact of 5G”](#) which was released in July 2021 and concluded that commonly used RFR frequencies (450 to 6000 MHz) are probably carcinogenic for humans and clearly affect male fertility with possible adverse effects on the development of embryos, fetuses and newborns.
- A large-scale [animal study](#) published in Environmental Research found rats exposed to cell tower emission RF levels had elevated cancers, the very same cancers also found in the US National Toxicology Program animal study of cell phone RF. [Falcioni 2018](#)
- A [study](#) published in Electromagnetic Biology and Medicine found changes in blood considered biomarkers predictive of cancer in people living closer to cell antenna arrays ([Zothansiyama 2017](#)).
- A [study](#) published in the International Journal of Environmental Research and Public Health found higher exposure to cell arrays linked to higher mortality from

- all cancer and specifically lung and breast cancer ([Rodrigues 2021](#)).
- A 10 year [study](#) published in Science of the Total Environment on cell phone antennas by the local Municipal Health Department and several universities in Brazil found a clearly elevated relative risk of cancer mortality at residential distances of 500 meters or less from cell phone towers ([Dode 2011](#)).
 - A [study](#) commissioned by the Government of Styria, Austria found a significant cancer incidence in the area around the transmitter as well as significant exposure-effect relationships between radiofrequency radiation exposure and the incidence of breast cancers and brain tumors ([Oberfeld 2008](#)).
 - A [review](#) published in Experimental Oncology found “alarming epidemiological and experimental data on possible carcinogenic effects of long term exposure to low intensity microwave (MW) radiation.” Even a year of operation of a powerful base transmitting station for mobile communication reportedly resulted in a dramatic increase of cancer incidence among the population living nearby ([Yakymenko 2011](#)).

*

Note to readers: Please click the share buttons above or below. Follow us on Instagram and Twitter and subscribe to our Telegram Channel. Feel free to repost and share widely Global Research articles.

Featured image is from Environmental Health Trust

The original source of this article is [Environmental Health Trust](#)
Copyright © [Environmental Health Trust](#), [Environmental Health Trust](#), 2022

[Comment on Global Research Articles on our Facebook page](#)

[Become a Member of Global Research](#)

Articles by: [Environmental Health Trust](#)

Disclaimer: The contents of this article are of sole responsibility of the author(s). The Centre for Research on Globalization will not be responsible for any inaccurate or incorrect statement in this article. The Centre of Research on Globalization grants permission to cross-post Global Research articles on community internet sites as long the source and copyright are acknowledged together with a hyperlink to the original Global Research article. For publication of Global Research articles in print or other forms including commercial internet sites, contact: publications@globalresearch.ca
www.globalresearch.ca contains copyrighted material the use of which has not always been specifically authorized by the copyright owner. We are making such material available to our readers under the provisions of "fair use" in an effort to advance a better understanding of political, economic and social issues. The material on this site is distributed without profit to those who have expressed a prior interest in receiving it for research and educational purposes. If you wish to use copyrighted material for purposes other than "fair use" you must request permission from the copyright owner.

For media inquiries: publications@globalresearch.ca