

# How to Reverse Global Warming: 21st Century Climate Blueprints

Perspectives from the Recent History of the Atmosphere

By [Dr. Andrew Glikson](#)

Global Research, July 26, 2009

26 July 2009

Theme: [Environment](#)

In-depth Report: [Climate Change](#)

26 July, 2009

The Earth surface temperature reflects the net balance between incoming solar (shortwave) radiation and outgoing terrestrial (long wave) radiation (Kiehl and Trenberth, 1997 [1]). The severe disturbance of the energy balance of the atmosphere ensuing from the emission of over 320 billion tons of carbon since 1750 threatens a shift in the state of the atmosphere/ocean system to ice free greenhouse Earth conditions. Based on the recent Copenhagen Synthesis Report [2], climate change trends at the top range of IPCC 2007 projections [2], and the identification of tipping points in the recent history of the atmosphere/ocean system (i.e. at 14 - 11 and 8.2 thousand years-ago [3]), the scale and pace of 21st Century climate changes [4] require re-consideration of mitigation and adaptation strategies.

1. The combined CO<sub>2</sub> and methane level in the atmosphere is fast tracking toward a level of 500 ppm, which defines the approximate onset of the East Antarctic ice sheet [5], the upper climate range which allowed the development of habitats where large mammals flourished from about 40, and in particular 34 million years ago, and hominids appeared from about 7 million years ago [6] (Figure 1). Feedbacks from the carbon cycle, including release of methane from permafrost, polar sediments and bogs, and feedbacks from ice melt/warm water interaction dynamics, accelerate this process. In view of the cumulative nature of CO<sub>2</sub> in the atmosphere, at current growth rates of about 2 ppm per-year, rising above the combined CO<sub>2</sub> + methane level of 450 ppm [7], the atmosphere/ocean system is fast tracking toward conditions similar to those of an ice-free Earth.

2. The scale of such greenhouse event may, or may not, bear an analogy to the PETM (Paleocene-Eocene Thermal Maximum) event about 55 million years ago [8], including release of large volumes of methane. Recent methane release from Siberian permafrost, lakes and shallow sediments [9].

3. Due to hysteresis (retardation of effect after cause), the effects of temperature rise, superposed ENSO (El Nino Southern Oscillation) cycles (Figure 2), melting of Greenland and the west Antarctic ice sheets [10], sea level rise [11], possible collapse of the North Atlantic Thermohaline Circulation [12], and potential tipping points (Figure 3), lag behind CO2 rise by as yet little-specified periods. A shift of the climate system through a transitional stage is occurring at present and is associated with extreme weather events [13].

4. With a mean global temperature rise of about 0.8 degrees C since 1750, plus a rise of about 0.5 degrees C masked by sulfur aerosols emitted by industry [14], plus temperature rise due to ice albedo loss and infrared absorption by water [10], in particular the Arctic Sea, global warming is potentially near 1.5 degrees C. At this rate, conditions which existed on Earth about 2.8 million years ago (mid-Pliocene +2 to 3 degrees C; Sea level rise of 25+/-12 meters) [6] could be reached within time frames of a few decades.

5. The unique nature of the "experiment" Homo sapiens is conducting with the atmosphere through the emission of 319 billion tons of carbon by 2007 [15], and the consequent extreme rise in atmospheric CO2 of about 2 ppm/year, two orders of magnitude faster than during the last glacial termination [16], counsels caution.

John Holdren, Obama's science advisor, compared global warming to *"being in a car with bad brakes driving toward a cliff in the fog."*

Should humanity choose to undertake all possible mitigation and adaptation efforts in an attempt at slowing global warming down, or even reversing it, steps need to include:

1. Urgent deep reductions in carbon emissions, on the scale of at least 5 percent of emissions per year, relative to 1990 (Anderson and Bows, 2008 [7]).

2. Global reforestation efforts in semi-arid and drought-affected regions, among other providing employment to millions of people.

3. Construction of long-range water conduits from flood-affected to drought-stricken regions (an even more important task than designing Broadband networks...).

4. Urgent development of atmospheric CO2 draw-down methods, including CO2-sequestering vegetation, soil carbon enrichment, sodium-based CO2 capture (a technology no more complex than space projects technologies and financially not more expensive than military expenditure).

5. Rapid transition to clean energy (solar-thermal, hot-rock, hydrogen, wind, tide, photovoltaic) and transport systems (electric vehicles).

It is possible that, in order to gain time, some governments may opt for geo-engineering efforts, including stratospheric injection of sulfur aerosols (simulating volcanic eruptions) [17], likely over polar regions, meant to temporarily raise the Earth albedo while other measures are undertaken.

**The alternative to urgent fast tracked mitigation efforts does not bear contemplation.**

## References

1. Kiehl, J. T. and Trenberth, K. E.: Earth's annual global mean energy budget, *B. Am. Meteorol. Soc.*, 78, 197-208, 1997.
2. Copenhagen Synthesis Report. Copenhagen Synthesis Report (<http://climatecongress.ku.dk/pdf/synthesisreport/>). Rahmstorf, S.R. et al. 2007. Recent Climate Observations Compared to Projections, *Science Express*, <http://www.sciencemag.org/cgi/content/abstract/sci;316/5825/709>)
3. Broecker W.S. 2000. Abrupt climate change: causal constraints provided by the paleoclimate record. *Earth Science Reviews* 51, 137-154; Alley, R.B., 2000. Ice-core evidence of abrupt climate changes. *Proceedings of the National Academy of Science* 97, 1331-1334; Alley, R.B. et al., 2003. Abrupt Climate Change, *Science* 299, 2005-2010; Kobashi, T., et al., 2008.  $4\pm 1.5$  °C abrupt warming 11,270 years ago identified from trapped air in Greenland ice. *Earth Planetary Science Letters*, 268, 397-407; Steffensen, J.P., et al., 2008. High-resolution Greenland ice core data show abrupt climate change happens in few years. *Science Express*, 19.6.2008; Ganopolski, A., Rahmstorf, S., 2002. Abrupt glacial climate changes due to stochastic resonance. *Physics Review Letters* 88, 038501.
4. Lenton, T.M., et al., 2008. Tipping points in the Earth system. *PNAS*, 105, 1786-1793 \_ [www.pnas.org/cgi/doi/10.1073/pnas.0705414105](http://www.pnas.org/cgi/doi/10.1073/pnas.0705414105); <http://researchpages.net/ESMG/people/tim-lenton/tipping-points/>. <http://www.pnas.org/content/105/6/1786.abstract>; Easterling and Wehner, 2009. Is the climate warming or cooling? *Geophys. Res. Lett.* 36, L08706 (<http://www.agu.org/pubs/crossref/2009/2009GL037810.shtml>); Eby, M., et al., 2009. Lifetime of Anthropogenic Climate Change: Millennial Time Scales of Potential CO<sub>2</sub> and Surface Temperature Perturbations, *J. Climate*, 22, 15 May 2009; Dakos, V., et al., 2008. Slowing down as an early warning signal for abrupt climate change. *PNAS*, 105, 14308-14312. ([www.pnas.org/cgi/doi/10.1073/pnas.0802430105](http://www.pnas.org/cgi/doi/10.1073/pnas.0802430105). Slowing down as an early warning signal for abrupt climate change ); Stipp, D., 2004. The Pentagon's Weather Nightmare: the climate could change radically, and fast. That would be the mother of all national security issues. [Http://money.cnn.com/magazines/fortune/fortune\\_archive/2004/02/09/360120/index.htm](http://money.cnn.com/magazines/fortune/fortune_archive/2004/02/09/360120/index.htm) .
5. Zachos, J.C, et al., 2008. An early Cenozoic perspective on greenhouse warming and carbon-cycle dynamics, *Nature* 451 (7176): 279-83; Royer, D. L., 2006. CO<sub>2</sub>-forced climate thresholds during the Phanerozoic. *Geochim. et Cosmochim. Acta*, 70, 5665-5675; Royer, D.L. et al., 2004. CO<sub>2</sub> as a primary driver of Phanerozoic climate. *GSA Today*, 14, 4-10; Royer, D.L., et al., 2007. Climate sensitivity constrained by CO<sub>2</sub> concentrations over the past 420 million years. *Nature*, 446. doi:10.1038/nature 05699; Beerling, D.J., Berner R.A., 2005. Feedbacks and the coevolution of plants and atmospheric CO<sub>2</sub>. *PNAS*, 102, 1302-1305; Berner, R.A. 2004. *The Phanerozoic Carbon Cycle: CO<sub>2</sub> and O<sub>2</sub>*, Oxford University Press, New York; Berner, R. A., 2006. *GEOCARBSULF: A combined model for Phanerozoic atmospheric O<sub>2</sub> and CO<sub>2</sub>*. *Geochim. et Cosmochim. Acta*, 70, 5653-5664; Berner, R.A., Vandenbrook, J.M., Ward, P.D. 2007. Oxygen and evolution. *Science* 316, 557-558.
6. de Menocal, P.B., 2004. African climate change and faunal evolution during the Pliocene-Pleistocene. *Earth Planet. Sci. Lett.*, 220, 3-24; Dowsett, H.J., et al., 2005. Middle Pliocene sea surface temperature variability. *Paleoceanography*, 20, PA2014; Haywood, A.,

- Williams, M., 2005. The climate of the future: clues from three million years ago. *Geology Today*, 21 (4), 138-143.
7. Anderson, K., Bows, A., 2008. Reframing the climate change challenge in light of post-2000 emission trends. *Phil. Trans. Roy. Soc. London*, doi:10.1098/rsta.2008.0138; Global Carbon Project (<http://www.globalcarbonproject.org/>). Hansen, J.R. et al., 2006, Global temperature change. *Proc. Nat. Acad. Sci.* 101, 16109-16114. Hansen, J.R., 2007. Climate change and trace gases. *Philosophical Transactions Royal Society London*, 365A, 1925-1954; Hansen, J., et al., 2008. Target CO<sub>2</sub>: where should humanity aim? <http://arxiv.org/abs/0804.1126>.
8. Gingerich, P. D., 2006. Environment and evolution through the Paleocene Eocene thermal maximum. *Trends Ecol. Evolution* 21, 246-253; Sluijs, A., et al., 2007 Subtropical Arctic Ocean temperatures during the Palaeocene/ Eocene thermal maximum. *Nature*, 441, 610-613.
9. Walter, K.M., Smith, L.C., Chapin, F.S., 2005. Methane bubbling from Siberian thaw lakes as a positive feedback to climate warming. *Nature*, 443, 71-75.
10. Chen, J.L., Wilson, C.R., Blankenship, D.D., Tapley, B.D., 2006. Antarctic mass rates from GRACE. *Geophysical Research Letters* 33, L11502; Frederick, T.R. E., Krabill, S. Martin, C., 2006. Progressive increase in ice loss from Greenland. *Geophysical Research Letters* 33, L10503, doi:10.1029/2006GL026075; Hanna, H., Huybrechts, P., Janssens, I., Cappelen, J., Steffen, K., Stephens A., 2005. Runoff and mass balance of the Greenland ice sheet: 1958-2003. *Journal Geophysical Research*, 110, D13108; NASA 2006. Greenland ice loss doubles in past decade, raising sea level faster, news release, 16 Feb. <http://earthobservatory.nasa.gov/Newsroom/NasaNews/2006/2006021621775.html>; National Snow and Ice Data Centre [NSIDC], 2008. <http://nsidc.org/NSIDC>, 2008, [http://nsidc.org/news/press/20080325\\_Wilkins.html](http://nsidc.org/news/press/20080325_Wilkins.html); Steffen, K., Huff R., 2002. A record maximum melt extent on the Greenland ice sheet in 2002. Cooperative Institute for Research in Environmental Sciences (CIRES), University of Colorado at Boulder, CO 80309-0216); Steffen, K., Nghiem, S.V., Huff, R., Neumann, G., 2004. The melt anomaly of 2002 on the Greenland Ice Sheet from active and passive microwave satellite observations. *Geophysical Research Letters*, 31 (20), L2040210.1029/2004GL020444; Steffen, K. and Huff, R., 2002. A record maximum melt extent on the Greenland ice sheet in 2002. Cooperative Institute for Research in Environmental Sciences (CIRES), University of Colorado at Boulder; Velicogna, I., Wahr, J. 2006. Measurements of Time-Variable Gravity Show Mass Loss in Antarctica, *Science*, 311.
11. Rahmstorf, S.R., 2006. A Semi-Empirical Approach to Projecting Future Sea-Level Rise. *Science*, 315, 368-370; Church, J.A., White, N., 2006. A 20th century acceleration in global sea-level rise. *Geophys. Res. Lett.*, 33, L01602, doi:10.1029/2005GL024826, 2006. [http://www.pol.ac.uk/psmsl/author\\_archive/church\\_white/GRL\\_Church\\_White\\_2006\\_024826.pdf](http://www.pol.ac.uk/psmsl/author_archive/church_white/GRL_Church_White_2006_024826.pdf) ;
12. Bryden, H.L., et al., 2005. Slowing of the Atlantic meridional overturning circulation at 25N. *Nature* 438, 655-657.
13. Rising natural disasters and insurance costs between 1950 and 2006: Values in \$billion. Source: [http://www.draeger-stiftung.de/HG/internet/SD/pdf/charts\\_hoeppe.pdf](http://www.draeger-stiftung.de/HG/internet/SD/pdf/charts_hoeppe.pdf) ; Webster, P.J., Holland, G.J., Curry, J.A., Chang, H.R., 2005. Changes in Tropical Cyclone Number, Duration, and Intensity in a Warming Environment, *Science*, 309, 1844-1846.
14. IPCC 2007 SPM-2. [http://ipcc-wg1.ucar.edu/wg1/Report/AR4WG1\\_Print\\_SPM.pdf](http://ipcc-wg1.ucar.edu/wg1/Report/AR4WG1_Print_SPM.pdf); <http://www.realclimate.org/index.php/archives/2008/07/aerosols-chemistry-and-climate/>;
15. Raupach et al., 2007. Global and regional drivers of accelerating CO<sub>2</sub> emissions. *PNAS* June 12, 2007 vol. 104 no. 24 10288-10293. <http://www.pnas.org/content/104/24/10288/suppl/DC1>;

16. Glikson, A.Y., 2008. Milestones in the evolution of the atmosphere with reference to climate change. Aust. Journal Australia Earth Science, 55, 125-140
17. [http://www.breitbart.com/article.php?id=d97echlg1&show\\_article=1](http://www.breitbart.com/article.php?id=d97echlg1&show_article=1)  
[http://en.wikipedia.org/wiki/Carbon\\_dioxide\\_air\\_capture](http://en.wikipedia.org/wiki/Carbon_dioxide_air_capture); Lenton, T. M., N. E. Vaughan, N.E., 2009. The radiative forcing potential of different climate geoengineering options. [http://www.atmos-chem-phys-discuss.net/9/2559\\_/2009/acpd-9-2559-2009.pdf](http://www.atmos-chem-phys-discuss.net/9/2559_/2009/acpd-9-2559-2009.pdf)

The original source of this article is Global Research  
Copyright © [Dr. Andrew Glikson](#), Global Research, 2009

---

[Comment on Global Research Articles on our Facebook page](#)

[Become a Member of Global Research](#)

Articles by: [Dr. Andrew Glikson](#)

**Disclaimer:** The contents of this article are of sole responsibility of the author(s). The Centre for Research on Globalization will not be responsible for any inaccurate or incorrect statement in this article. The Centre of Research on Globalization grants permission to cross-post Global Research articles on community internet sites as long the source and copyright are acknowledged together with a hyperlink to the original Global Research article. For publication of Global Research articles in print or other forms including commercial internet sites, contact: [publications@globalresearch.ca](mailto:publications@globalresearch.ca)

[www.globalresearch.ca](http://www.globalresearch.ca) contains copyrighted material the use of which has not always been specifically authorized by the copyright owner. We are making such material available to our readers under the provisions of "fair use" in an effort to advance a better understanding of political, economic and social issues. The material on this site is distributed without profit to those who have expressed a prior interest in receiving it for research and educational purposes. If you wish to use copyrighted material for purposes other than "fair use" you must request permission from the copyright owner.

For media inquiries: [publications@globalresearch.ca](mailto:publications@globalresearch.ca)