

Huge Amounts of Carcinogenic Chemicals Contaminate Air Near Fracking Sites

By Julie Wilson

Global Research, November 18, 2014

Natural News

It seems as though, with each day that passes, yet another health and environmental hazard is identified as being linked to hydraulic fracking, the process of injecting more than 200 chemicals at high pressure into the ground, shattering rock and releasing one America's most valued resources, natural gas.

Hydraulic fracking continues to be proven more dangerous than scientists imagined, with the latest research unmasking unthinkable health effects in residents living near a fracking site.

Only through observation have scientists begun to learn exactly which chemicals are being injected at high pressures into the earth, as the industry believes proprietary rights trump the public's right to know about which chemicals make up fracking mixtures.

Scientists have observed eight poisonous chemicals near fracking wells in Arkansas, Colorado, Pennsylvania, Ohio and Wyoming, all of which have exceeded the federal recommended limit. Benzene, a known carcinogen, as well as formaldehyde, were the most common. Hydrogen sulfide, responsible for a range of health effects including death, was also found.

High levels of benzene, formaldehyde and hydrogen sulfide detected in air samples near fracking sites

A study conducted by Dr. David Carpenter, director of the Institute for Health and the Environment at the University at Albany-State University of New York tested air samples taken by trained volunteers living near fracking wells.

The measurements were taken during "heavy industrial activity" or when the volunteers experienced symptoms such as dizziness, nausea or headaches, <u>according</u> to *U.S. News*. Other samples were taken during designated periods to monitor for formaldehyde.

Slightly less than half of the samples exceeded recommended limits, according to lab results. Samples that exceeded recommended limits did so by very high margins, with benzene levels ranging from 35 to 770,000 times greater than normal concentrations, comparable to a driver being exposed to 33 times the amount they would be while fueling their car.

Hydrogen sulfide levels were 90 to 60,000 times higher than federal standards, while formaldehyde levels reached 30 to 240 times higher than normal.

Theme: Environment

"This is a significant public health risk," said the study's lead author. "Cancer has a long latency, so you're not seeing an elevation in <u>cancer</u> in these communities. But five, 10, 15 years from now, elevation in cancer is almost certain to happen."

Benzene, one of the four chemicals in diesel, produces known health complications in people, prompting the Food and Drug Administration (FDA) to require permits for any drilling involving diesel. However, an FDA loophole known as the "Halliburton Loophole" exempts fracking companies from restrictions set by the Safe Drinking Water Act and federal Clean Water Act.

"I was amazed," said Carpenter. "Five orders of magnitude over federal limits for benzene at one site — that's just incredible. You could practically just light a match and have an explosion with that concentration."

Benzene is known to cause leukemia and cancers of other blood cells, as well as short-term effects like headaches, tremors, sleepiness and vomiting, <u>according</u> to *Cancer.org*.

<u>Hydrogen sulfide</u>, which carries a rotting egg smell, is linked to asthma, headaches, poor memory and eye irritation. Formaldehyde, also a <u>known carcinogen</u>, is linked to nasopharyngeal cancer and leukemia, among other health effects.

Residents near fracking wells report sudden asthma, cognitive difficulties and nose polyps

Deb Thomas, a Wyoming woman who helped collect air samples while living across the road from a fracking well, reported the sudden onset of asthmatic symptoms. "I had an asthmatic episode — I've never had any asthma, I don't have a history of asthma. I ended up at the hospital where they gave me breathing treatments. I've had really bad rashes."

Thomas reported similar symptoms while taking air samples from unconventional oil and gas sites across the U.S. that are affecting low-income families.

"We see a lot of cognitive difficulties. People get asthma or breathing difficulty or nose polyps or something with their eyes or their ears ring — the sorts of things that come on very subtly, but you start to notice them."

Sources:

http://www.usnews.com

http://www.usnews.com

http://www.dispatch.com

https://www.osha.gov

http://www.cancer.org

http://www.cancer.gov

http://science.naturalnews.com

Comment on Global Research Articles on our Facebook page

Become a Member of Global Research

Articles by: Julie Wilson

Disclaimer: The contents of this article are of sole responsibility of the author(s). The Centre for Research on Globalization will not be responsible for any inaccurate or incorrect statement in this article. The Centre of Research on Globalization grants permission to cross-post Global Research articles on community internet sites as long the source and copyright are acknowledged together with a hyperlink to the original Global Research article. For publication of Global Research articles in print or other forms including commercial internet sites, contact: publications@globalresearch.ca

www.globalresearch.ca contains copyrighted material the use of which has not always been specifically authorized by the copyright owner. We are making such material available to our readers under the provisions of "fair use" in an effort to advance a better understanding of political, economic and social issues. The material on this site is distributed without profit to those who have expressed a prior interest in receiving it for research and educational purposes. If you wish to use copyrighted material for purposes other than "fair use" you must request permission from the copyright owner.

For media inquiries: publications@globalresearch.ca