

Important Study: mRNA COVID Vaccines Dramatically Increase Endothelial Inflammatory Markers and Acute Coronary Syndrome (ACS) Risk as Measured by the PULS Cardiac Test: A Warning

By Steven R Gundry

Global Research, December 11, 2021

AHA Journals 8 November 2021

All Global Research articles can be read in 51 languages by activating the "Translate Website" drop down menu on the top banner of our home page (Desktop version).

Theme: Science and Medicine

To receive Global Research's Daily Newsletter (selected articles), click here.

Visit and follow us on Instagram at @crg_globalresearch.

GR Editor's Note

Some Definitions quoted in this important study

ACS: Acute coronary syndrome

Acute coronary syndrome is a term used to describe a range of conditions associated with sudden, reduced blood flow to the heart.

One such condition is a heart attack (myocardial infarction) — when cell death results in damaged or destroyed heart tissue. Even when acute coronary syndrome causes no cell death, the reduced blood flow changes how your heart works and is a sign of a high risk of heart attack. Mayo Clinic

PULS TEST: Protein unstable lesions

The PULS test (Protein Unstable Lesion Signature Test) measures the most clinicallysignificant protein biomarkers that measure the body's immune system response to arterial injury.

Seventy-five percent of heart attacks are caused by unstable cardiac lesion ruptures. Detecting the presence of these lesions can be an indicator of your overall heart health and predict your risk for having a heart attack. (Life Lab)

Abstract

Our group has been using the **PLUS Cardiac Test** (GD Biosciences, Inc, Irvine, CA) a clinically validated measurement of multiple protein biomarkers which generates a score predicting the 5 yr risk (percentage chance) of a new **Acute Coronary Syndrome (ACS)**.

The score is based on changes from the norm of multiple protein biomarkers including IL-16, a proinflammatory cytokine, soluble Fas, an inducer of apoptosis, and Hepatocyte Growth Factor (HGF)which serves as a marker for chemotaxis of T-cells into epithelium and cardiac tissue, among other markers. Elevation above the norm increases the PULS score, while decreases below the norm lowers the PULS score. The score has been measured every 3-6 months in our patient population for 8 years.

Recently, with the advent of the mRNA COVID 19 vaccines (vac) by Moderna and Pfizer, dramatic changes in the PULS score became apparent in most patients.

This report summarizes those results. A total of 566 pts, aged 28 to 97, M:F ratio 1:1 seen in a preventive cardiology practice had a new PULS test drawn from 2 to 10 weeks following the 2^{nd} COVID shot and was compared to the previous PULS score drawn 3 to 5 months previously pre- shot. Baseline IL-16 increased from 35=/-20 above the norm to 82=/-75 above the norm post-vac; sFas increased from 22+/-15 above the norm to 46=/-24 above the norm post-vac; HGF increased from 42+/-12 above the norm to 86+/-31 above the norm post-vac. These changes resulted in an increase of the PULS score from 11% 5 yr ACS risk to 25% 5 yr ACS risk. At the time of this report, these changes persist for at least 2.5 months post second dose of vac.

We conclude that the mRNA vacs dramatically increase inflammation on the endothelium and T cell infiltration of cardiac muscle and may account for the observations of increased thrombosis, cardiomyopathy, and other vascular events following vaccination.

emphasis added

*

Note to readers: Please click the share buttons above or below. Follow us on Instagram, @crg_globalresearch. Forward this article to your email lists. Crosspost on your blog site, internet forums. etc.

Featured image: A hand holding an mRNA vaccine vial. (Spencer Davis / Unsplash)

The original source of this article is <u>AHA Journals</u> Copyright © <u>Steven R Gundry</u>, <u>AHA Journals</u>, 2021

Comment on Global Research Articles on our Facebook page

Become a Member of Global Research

Articles by: **Steven R**

Gundry

Disclaimer: The contents of this article are of sole responsibility of the author(s). The Centre for Research on Globalization will not be responsible for any inaccurate or incorrect statement in this article. The Centre of Research on Globalization grants permission to cross-post Global Research articles on community internet sites as long the source and copyright are acknowledged together with a hyperlink to the original Global Research article. For publication of Global Research articles in print or other forms including commercial internet sites, contact: publications@globalresearch.ca

www.globalresearch.ca contains copyrighted material the use of which has not always been specifically authorized by the copyright owner. We are making such material available to our readers under the provisions of "fair use" in an effort to advance a better understanding of political, economic and social issues. The material on this site is distributed without profit to those who have expressed a prior interest in receiving it for research and educational purposes. If you wish to use copyrighted material for purposes other than "fair use" you must request permission from the copyright owner.

For media inquiries: publications@globalresearch.ca