

# mRNA COVID Vaccines May be Triggering ‘Turbo Cancers’ in Young People: Experts

By [Megan Redshaw](#)

Theme: [Science and Medicine](#)

Global Research, August 01, 2023

[The Epoch Times](#) 28 July 2023

All Global Research articles can be read in 51 languages by activating the Translate Website button below the author’s name.

To receive Global Research’s Daily Newsletter (selected articles), [click here](#).

Click the share button above to email/forward this article to your friends and colleagues. Follow us on [Instagram](#) and [Twitter](#) and subscribe to our [Telegram Channel](#). Feel free to repost and share widely Global Research articles.

\*\*\*

*Experts are seeing a puzzling rise in cancer in people under 50 that appears biologically different from late-onset cancers. While [some claim](#) cancer rates have been rising for decades and attribute the increase to sugary drinks, lifestyle, and sleep disruptions, others say mRNA COVID-19 vaccines have caused an emergence of “turbo cancers”—and U.S. regulatory agencies have not addressed the ever-growing problem.*

Although there is no official medical definition for what doctors are calling “turbo cancers,” the term is commonly used to define aggressive, rapid-onset cancers resistant to treatment—primarily in young, healthy individuals following COVID-19 vaccination. These cases often present in a late stage with metastasis and quickly turn fatal.

“What’s happening is these cancers we’re used to seeing, their growth patterns and their behavior are completely out of character ... So ‘turbo cancer’ is something that wasn’t there and, all of a sudden, it’s everywhere,” Dr. Ryan Cole, a pathologist and CEO of Cole Diagnostics, said in an interview on EpochTV’s [“American Thought Leaders.”](#)

Dr. Cole told The Epoch Times in a later interview that he first noticed an uptick in certain types of cancers after the vaccine rollout in December 2020 and believes researchers are starting to understand how these cancers are occurring.

“Physicians are seeing multiple types of cancers in their day-to-day practices—and in young patient cohorts where you typically don’t see cancer. Although the increase in cancer has been blamed on missed screenings, you know it isn’t due to missed screenings because young people don’t typically get screened,” Dr. Cole said.

Cancers are increasing at a rate above what’s expected, and countless doctors and clinicians around the world have confirmed this. Their patients are cancer-free for years, but

then after a booster, cancers “pop up,” he added. What’s unique about turbo cancers is that they do not respond to traditional treatment because the cells have been altered in the bone marrow, and the cells “aren’t doing what they’re supposed to.”

## Studies and Case Reports of Cancer Following COVID-19 Vaccination

Studies and case reports of various cancers following mRNA vaccination are helping experts understand the potential mechanisms that may be allowing these cancers to proliferate.

In a [recent Belgian study](#) published in *Frontiers Oncology*, researchers presented the first case of malignant lymphoma in mice. Malignant lymphoma is a rare adverse event reported following mRNA COVID-19 vaccination.

Two days after receiving a booster dose of Pfizer’s COVID-19 vaccine, one of 14 mice suffered spontaneous death. Upon examination, the 14-week-old mouse had abnormally large organs and cancerous lymphoma in the liver, kidneys, spleen, heart, and lungs. Although showing direct causality is complex, the authors said their findings add to “previous clinical reports on malignant lymphoma development following novel mRNA COVID-19 vaccination.”

In a January 2023 [paper in \*Medicina\*](#), researchers presented the case of a 66-year-old man who developed swollen lymph nodes 10 days after receiving his third dose of Pfizer. After further testing, the patient was diagnosed with stage 2 non-Hodgkin lymphoma (NHL). A literature review found eight additional cases of NHL that developed shortly after COVID-19 vaccination. Five lymphoma cases occurred after vaccination with Pfizer, one case after vaccination with AstraZeneca, one after the Johnson & Johnson shot, and one after vaccination with Moderna.

In an August 2022 [Letter to the Editor](#) in the *Journal of the European Academy of Dermatology & Venereology*, physicians described two patients diagnosed with diffuse large B-cell lymphoma that developed from swollen lymph nodes following vaccination with Pfizer’s COVID-19 vaccine.

The study’s authors found that diffuse large B-cell lymphoma “may rapidly grow” after vaccination with Pfizer’s COVID-19 vaccine and urged dermatologists to pay attention to swollen lymph nodes or masses near the injection site.

Swollen lymph nodes, or lymphadenopathy, is considered a common side effect of COVID-19 vaccination, more often observed following immunization with novel COVID-19 mRNA vaccines than other vaccines.

Lymphadenopathy is also an acknowledged “non-serious” adverse event of COVID-19 vaccination listed in the U.S. Food and Drug Administration’s (FDA) [fact sheets for health care providers](#) for both Moderna and Pfizer’s [monovalent and bivalent vaccines](#). However, pharmaceutical companies and U.S. regulatory agencies have not assessed whether there’s a link between vaccine-related lymphadenopathy and cancer.

A year after the vaccine rollout, researchers published a [case report](#) in the *Journal of the American Medical Association (JAMA)* of a healthy 39-year-old woman diagnosed with “vaccination-associated reactive lymphadenopathy” following vaccination with Pfizer’s vaccine. Six months later, she was diagnosed with invasive breast cancer in her right breast—the same side of the body where she received her vaccination and experienced

swollen lymph nodes.

## Urgent Need to Determine Underlying Causes of Turbo Cancers

The exact mechanism giving rise to turbo cancers is unknown, and it's unclear whether one or multiple mechanisms are responsible for these cancers, Dr. William Makis, an oncologist, cancer researcher, and nuclear medicine radiologist, told The Epoch Times in an email.

Dr. Makis provided the following several possible hypotheses for how mRNA COVID-19 vaccines could cause turbo cancers:

1. The current COVID-19 mRNA vaccines [contain pseudouridine-modified mRNA](#), which attenuates or alters the activity of key proteins in the innate immune system, impairing cancer surveillance.

When activated, these key proteins, called toll-like receptors, [can prevent tumors](#) from forming and growing.

2. Vaccination alters T-cell signaling that induces [profound impairment](#) in type 1 interferon and cancer surveillance.

T-cells, a type of white blood cell, help the body's immune system prevent cancer. [Studies show](#) that getting multiple shots increases the level of a particular antibody called IgG4, causing T-cell and interferon suppression, leading to an inability to keep cancer in check, Dr. Cole told The Epoch Times.

“Everyone gets atypical cells in their body every day, and having a surveillance system is important, but when the surveillance system is shut off, that allows these cells to go haywire. How long it stays suppressed, nobody knows, and these are the studies NIH (the National Institutes of Health) should have been doing,” said Dr. Cole.

3. The shift of the antibody IgG4 caused by repeated mRNA vaccination could create a tolerance for spike protein and impair the production of the antibodies IgG1 and IgG3 and cancer surveillance.

4. The spike protein produced by the body after COVID-19 mRNA vaccination may interfere with important tumor suppressor proteins—P53, BRCA 1, and two [tumor suppressor genes](#).

5. The [spike protein](#) may interfere with DNA repair mechanisms.

6. The RNA from the COVID-19 vaccines may be reverse-transcribed and [integrated into the human genome](#).

7. Pfizer and Moderna vials found to be contaminated with plasmid DNA containing SARS-CoV-2 spike protein [may integrate](#) into the human genome.

8. The presence of the [simian virus 40 \(SV40\)](#) in DNA discovered in Pfizer mRNA vaccine vials [may lead to cancers](#)—most notably, non-Hodgkin lymphoma and other lymphomas—as it did with SV40-contaminated [polio vaccines](#).

9. mRNA-based vaccines may be [triggering the release](#) of oncogenes—[oncomiRs or microRNAs](#), which can enhance or inhibit cancer development and participate in cancer

biological processes, such as proliferation, invasion metastasis, angiogenesis, chemoresistance, and immune escape.

“I believe there is an urgent need to determine the underlying mechanisms of turbo cancers because, at this time, oncologists have nothing to offer patients who have developed a turbo cancer, and conventional cancer treatments offer minimal or no benefit,” Dr. Makis told The Epoch Times.

Mr. David Wiseman, a research scientist in pharmacy, pharmacology, and experimental pathology, told The Epoch Times in an email that neither Comirnaty—Pfizer’s fully approved version of its COVID-19 vaccine—nor Spikevax by Moderna has been evaluated for its potential to cause cancer.

On March 30, 2023, Mr. Wiseman and four other experts [submitted a 27-page document](#) to the National Academies Committee, an ad hoc committee tasked with reviewing relevant adverse events associated with COVID-19 vaccines.

Using the Vaccine Adverse Event Reporting System (VAERS)—a database co-managed by the U.S. Centers for Disease Control and Prevention (CDC) and FDA used for reporting vaccine adverse events—Mr. Wiseman and his coauthors found an excess of cancer signals for COVID-19 vaccines from Dec. 14, 2020, to July 24, 2023, compared to all other vaccines for all years beginning in 1990.

A safety signal indicates a condition may be linked to a vaccine but requires further analysis to confirm an association.

The findings complemented the CDC’s [Proportional Reporting Ratio \(PRR\) analyses](#) obtained through a Freedom of Information Act (FOIA) request that assessed adverse events reported from Dec. 14, 2020, to July 29, 2022.

A PRR compares reports of specific adverse events experienced after receiving Moderna or Pfizer’s COVID-19 vaccine to those following vaccination with any other vaccine or all non-COVID-19 vaccines. The CDC’s PRR report detected cancer signals for colon cancer, metastatic breast cancer, metastasis to the liver, bones, central nervous system, lymph nodes, breast masses, chronic lymphocytic leukemia, B-cell lymphoma, and follicular lymphoma.

Mr. Wiseman said it’s clear from the FOIA documents that the CDC is aware of cancer reports and isn’t being forthcoming.

“Government agencies knew there were going to be cancers with these shots, and they were trying to cover it up, but the data is trickling out,” Dr. Cole told The Epoch Times, referring to 490 pages of communications obtained from the NIH through a FOIA request.

The CDC is supposed to report on morbidity and mortality—and when a pathologist diagnoses anything, he or she uses a diagnosis code, and it goes to the federal basis that’s reported to federal tracking agencies, Dr. Cole explained.

“All these data subsets should be easy to find if agencies would report what they have,” he said. “We could see statistical changes in diagnosis in the past two and a half years since shots were rolled out. The question is, why are other governments around the


world not doing this?"

\*

Note to readers: Please click the share button above. Follow us on Instagram and Twitter and subscribe to our Telegram Channel. Feel free to repost and share widely Global Research articles.

*Megan Redshaw is an attorney and investigative journalist with a background in political science. She is also a traditional naturopath with additional certifications in nutrition and exercise science.*

*Featured image is from Kateryna Kon/Shutterstock*



## The Worldwide Corona Crisis, Global Coup d'Etat Against Humanity

by Michel Chossudovsky

Michel Chossudovsky reviews in detail how this insidious project “destroys people’s lives”. He provides a comprehensive analysis of everything you need to know about the “pandemic” — from the medical dimensions to the economic and social repercussions, political underpinnings, and mental and psychological impacts.

*“My objective as an author is to inform people worldwide and refute the official narrative which has been used as a justification to destabilize the economic and social fabric of entire countries, followed by the imposition of the “deadly” COVID-19 “vaccine”. This crisis affects humanity in its entirety: almost 8 billion people. We stand in solidarity with our fellow human beings and our children worldwide. Truth is a powerful instrument.”*

ISBN: 978-0-9879389-3-0, Year: 2022, PDF Ebook, Pages: 164, 15 Chapters

Price: ~~\$11.50~~ FREE COPY! [Click here \(docsend\) and download.](#)

We encourage you to support the eBook project by making a donation through Global Research’s [DonorBox “Worldwide Corona Crisis” Campaign Page.](#)

The original source of this article is [The Epoch Times](#)

## [Comment on Global Research Articles on our Facebook page](#)

## [Become a Member of Global Research](#)

Articles by: [Megan Redshaw](#)

**Disclaimer:** The contents of this article are of sole responsibility of the author(s). The Centre for Research on Globalization will not be responsible for any inaccurate or incorrect statement in this article. The Centre of Research on Globalization grants permission to cross-post Global Research articles on community internet sites as long the source and copyright are acknowledged together with a hyperlink to the original Global Research article. For publication of Global Research articles in print or other forms including commercial internet sites, contact: [publications@globalresearch.ca](mailto:publications@globalresearch.ca)

[www.globalresearch.ca](http://www.globalresearch.ca) contains copyrighted material the use of which has not always been specifically authorized by the copyright owner. We are making such material available to our readers under the provisions of "fair use" in an effort to advance a better understanding of political, economic and social issues. The material on this site is distributed without profit to those who have expressed a prior interest in receiving it for research and educational purposes. If you wish to use copyrighted material for purposes other than "fair use" you must request permission from the copyright owner.

For media inquiries: [publications@globalresearch.ca](mailto:publications@globalresearch.ca)