

Nearly 1 in 3 COVID-19 Vaccine Recipients Suffered Neurological Side Effects: Study

The people included in the study suffered from headaches, tremors, muscle spasms, insomnia, sleepiness, vertigo, and difficulty in concentration.

Theme: Science and Medicine

By Naveen Athrappully

Global Research, November 02, 2023

The Epoch Times 30 October 2023

All Global Research articles can be read in 51 languages by activating the Translate Website button below the author's name.

To receive Global Research's Daily Newsletter (selected articles), click here.

Click the share button above to email/forward this article to your friends and colleagues. Follow us on <u>Instagram</u> and <u>Twitter</u> and subscribe to our <u>Telegram Channel</u>. Feel free to repost and share widely Global Research articles.

Almost a third of individuals who received a COVID-19 vaccine suffered from neurological complications including tremors, insomnia, and muscle spasms, according to a recent study published in the journal <u>Vaccines</u>.

The study analyzed 19,096 people who received COVID-19 vaccines in Italy in July 2021, out of which 15,368 had taken the Pfizer vaccine, 2,077 had taken the Moderna version, and 1,651 took the AstraZeneca version.

While both Pfizer and Moderna are mRNA vaccines, AstraZeneca, being an adenovirus vaccine, uses a different mechanism to trigger the immune response.

The study found that about 31.2 percent of vaccinated individuals developed post-vaccination neurological complications, particularly among those injected with the AstraZeneca jab. Different vaccines had a different "neurological risk profile."

The neurological risk profile of the AstraZeneca vaccine included headaches, tremors, muscle spasms, insomnia, and tinnitus, while the risk profile of the Moderna vaccine included sleepiness, vertigo, diplopia (double vision), paresthesia (a feeling of numbness or itching on the skin), taste and smell alterations, and dysphonia (hoarseness or loss of normal voice). None of the subjects were hospitalized or died.

As to Pfizer vaccines, researchers found "an increased risk" of cognitive fog or difficulty in concentration.

AstraZeneca Risks

More than 53 percent of individuals who took an AstraZeneca shot suffered from headaches, which usually lasted for one day. Over 13 percent developed tremors, which typically reverted after a day as well.

Insomnia was reported among 5.8 percent of AstraZeneca recipients. However, the study notes that researchers were unsure whether the individuals actually developed insomnia or had a "misperception of their sleep quality due to vaccination stress."

Tinnitus was reported by 2.7 percent of the people who took AstraZeneca shots. Tinnitus is a condition in which an individual hears ringing or other noises which are not caused by an external sound.

All these health complications had a higher risk of occurring after taking the first dose of the vaccine.

The study speculated that complications related to the AstraZeneca vaccine are attributable to two factors.

"Firstly, the nature of the vaccine, which is a modified adenovirus vector that results in significant and persistent systemic immune activation; secondly, individual vulnerability related to a predisposing biology."

Moderna and Pfizer Risks

Sleepiness was found in 39.7 percent of those who took Moderna jabs, with the condition usually lasting for a week. It suggested that there "could be a strict relationship between the development of sleepiness and immune responses to vaccine/infection."

The study cited a "fascinating hypothesis" which suggests that influenza vaccines may lead to "the selective immune-mediated destruction of orexin-producing neurons, which is T-cell-mediated neuronal damage, thus triggering narcolepsy."

Narcolepsy is a condition in which the brain is unable to control the ability to sleep or stay awake.

"Considering that the same can occur for COVID-19 vaccines, future investigations monitoring the new-onset hypersomnia findings in vulnerable individuals are urgently needed."

Hypersomnia is the inability to stay awake and alert during the daytime, even though the person may have had plenty of sleep during the night.

About 15.9 percent of people who received Moderna shots had vertigo, a sensation which makes the individual feel that they or their surrounding environment is moving or spinning. It typically lasted for a day.

Paresthesia—a feeling of numbness or itching on the skin for no apparent reason—was reported in 14.5 percent of Moderna vaccine recipients, which went away after a day.

Among the people who received a Moderna jab, 2.7 percent reported diplopia, also known

as double vision, which also lasted for about a day.

"Symptomatic people showed an increased risk to develop diplopia after the second dose, as if a reactivation of the immune response was necessary to trigger diplopia."

Meanwhile, about 6.4 percent of Pfizer vaccine recipients reported suffering from cognitive fog, with the condition usually reversing in a week.

"Brain fog is a type of cognitive impairment that presents as a 'foggy brain state', including a lack of intellectual clarity, difficulty with concentration, mental fatigue and anxiety," the study said.

"Hypotheses including systemic inflammation crossing the blood-brain barrier, neuroinflammation after viral infection leads and microglial activation are emerging as explanations of this phenomenon in COVID-19 patients. An alternative speculation is that symptomatic people may have a subclinical cognitive dysfunction before vaccination, and that vaccination is a trigger."

Females Highly Affected

The study found that females faced an "increased risk of developing neurological complications" following COVID-19 vaccination.

"Our findings are in line with those of a recent study that revealed that several factors, including the female sex, were associated with greater odds of adverse effects," it said.

The researchers suggested that greater female susceptibility to the vaccines' neurological complications may be due to "genetic and hormonal factors."

Females have two X chromosomes while males have one X chromosome and one Y chromosome. As the X chromosome "contains the most prominent immune-related genes in the human genome," it can also cause "stronger inflammatory immune responses," the study said.

Moreover, a primary female sex steroid called estradiol triggers a specific immunity process to produce "antibodies against infections."

The study also raised concerns about comorbidities. In medical parlance, comorbidity describes the existence of more than one disease or condition in a body at the same time, which may or may not interact with one another.

"The evidence that immune system dysfunctions (allergies/immunodeficiency disorders) are frequently reported in our symptomatic group is more than a chance occurrence," researchers said.

Comorbidities were present in 47.6 percent of the AstraZeneca vaccine recipients, 38.8 percent of those who took Moderna jabs, and 41.5 percent of individuals who received Pfizer shots, the study said.

In the AstraZeneca group, both allergies and non-neurological diseases were reported.

"A history of antitumoral and anticoagulant drugs was more frequent in this

population," the study said.

Among Moderna and Pfizer recipients, allergies were "more frequently" observed. While some people who took Moderna had a prior history of neurological diseases and transfusions as well as previous COVID-19 infection, those who received Pfizer vaccines had a history of immunodeficiency disorders.

Even though the study detailed neurological complications arising from COVID-19 vaccination, it admitted to certain limitations.

"Firstly, our results should be interpreted with caution because of a possible overestimation of neurological events resulting from the self-reported symptoms," it said.

"Secondly, we evaluated the risks associated with the first and second doses of the vaccine; however, the data concerning the second dose were limited, thus representing a potential bias in the study."

While admitting its limitations, the study concluded that

"clinicians should be aware that several neurological complications may commonly occur after COVID-19 vaccines."

"Caution should be used when administering COVID-19 vaccines to vulnerable people, such as to those who suffer from allergies," the study stated. "We strongly believe that our findings are relevant for public health regarding the safety of vaccines in a large cohort."

The Epoch Times reached out to Moderna, Pfizer, and AstraZeneca for comment.

Additional Neurological Findings

Cardiologist Dr. Peter McCullough <u>wrote about the study</u> discussing neurological effects following COVID shots in an article on Substack.

"A shocking 31.2 percent of respondents to this large dataset sustained neurologic injury after two injections with verified data in health registries," he wrote. "Most of the risk estimates indicate the safety profile is unacceptable. It is alarming that all neurological societies to date still recommend COVID-19 vaccines and none have issued safety warnings on the products."

Dr. McCullough explained that an excess risk of 20 percent or greater is considered "clinically important."

Multiple other studies have found evidence of COVID-19 vaccines being linked to neurological complications. Back in October 2021, a <u>study</u> published in the Neurological Sciences journal stated that the "most devastating neurological post-vaccination complication is cerebral venous sinus thrombosis (CVST)."

CVST occurs when a blood clot develops in the venous sinuses of the brain. This blocks the blood from draining out of the brain, eventually resulting in the blood leaking into brain

tissues and forming a hemorrhage, according to Johns Hopkins Medicine.

The study found that CVST was "frequently reported in females of childbearing age," generally among those who took an adenovector vaccine. Individuals who received mRNA vaccination were reported to have Bell's palsy, in which facial muscles weaken or enter into paralysis.

A November 2022 study in <u>Current Neurology and Neuroscience Reports</u> made similar findings, stating that there is "a greater than expected occurrence of severe neurological adverse events."

Dr. McCullough cited this study in an article the following month.

"Because the vaccines contain lipid nanoparticles loaded with genetic material that code for the damaging Spike protein, each patient faces a Russian Roulette of whether or not the nervous system will be hemodynamically showered with the damaging vaccine particles," he wrote.

Despite studies suggesting the risk of medical complications, some experts continue to advise people to get COVID-19 jabs. According to John Hopkins Medicine, both Pfizer and Moderna are "highly effective in preventing serious disease, hospitalization, and death from COVID-19."

It recommended people to get a COVID-19 shot as "we believe that their benefits outweigh their risks," Johns Hopkins Medicine said.


According to a position <u>statement</u> from the American Academy of Neurology (AAN) issued in 2021, the organization recommended COVID-19 vaccine mandates for health care employees and supported vaccinations for children under the age of 12.

*

Note to readers: Please click the share button above. Follow us on Instagram and Twitter and subscribe to our Telegram Channel. Feel free to repost and share widely Global Research articles.

Naveen Athrappully is a news reporter covering business and world events at The Epoch Times.

Featured image is from NaturalNews.com



The Worldwide Corona Crisis, Global Coup d'Etat Against

Humanity

by Michel Chossudovsky

Michel Chossudovsky reviews in detail how this insidious project "destroys people's lives". He provides a comprehensive analysis of everything you need to know about the "pandemic" — from the medical dimensions to the economic and social repercussions, political underpinnings, and mental and psychological impacts.

"My objective as an author is to inform people worldwide and refute the official narrative which has been used as a justification to destabilize the economic and social fabric of entire countries, followed by the imposition of the "deadly" COVID-19 "vaccine". This crisis affects humanity in its entirety: almost 8 billion people. We stand in solidarity with our fellow human beings and our children worldwide. Truth is a powerful instrument."

Reviews

This is an in-depth resource of great interest if it is the wider perspective you are motivated to understand a little better, the author is very knowledgeable about geopolitics and this comes out in the way Covid is contextualized. —Dr. Mike Yeadon

In this war against humanity in which we find ourselves, in this singular, irregular and massive assault against liberty and the goodness of people, Chossudovsky's book is a rock upon which to sustain our fight. –Dr. Emanuel Garcia

In fifteen concise science-based chapters, Michel traces the false covid pandemic, explaining how a PCR test, producing up to 97% proven false positives, combined with a relentless 24/7 fear campaign, was able to create a worldwide panic-laden "plandemic"; that this plandemic would never have been possible without the infamous DNA-modifying Polymerase Chain Reaction test – which to this day is being pushed on a majority of innocent people who have no clue. His conclusions are evidenced by renown scientists. —Peter Koenig

Professor Chossudovsky exposes the truth that "there is no causal relationship between the virus and economic variables." In other words, it was not COVID-19 but, rather, the deliberate implementation of the illogical, scientifically baseless lockdowns that caused the shutdown of the global economy. –David Skripac

A reading of Chossudovsky's book provides a comprehensive lesson in how there is a global coup d'état under way called "The Great Reset" that if not resisted and defeated by freedom

loving people everywhere will result in a dystopian future not yet imagined. Pass on this free gift from Professor Chossudovsky before it's too late. You will not find so much valuable information and analysis in one place. -Edward Curtin

ISBN: 978-0-9879389-3-0, Year: 2022, PDF Ebook, Pages: 164, 15 Chapters

Price: \$11.50 FREE COPY! Click here (docsend) and download.

We encourage you to support the eBook project by making a donation through Global Research's <u>DonorBox "Worldwide Corona Crisis" Campaign Page</u>.

The original source of this article is <u>The Epoch Times</u> Copyright © <u>Naveen Athrappully</u>, <u>The Epoch Times</u>, 2023

Comment on Global Research Articles on our Facebook page

Become a Member of Global Research

Articles by: Naveen
Athrappully

Disclaimer: The contents of this article are of sole responsibility of the author(s). The Centre for Research on Globalization will not be responsible for any inaccurate or incorrect statement in this article. The Centre of Research on Globalization grants permission to cross-post Global Research articles on community internet sites as long the source and copyright are acknowledged together with a hyperlink to the original Global Research article. For publication of Global Research articles in print or other forms including commercial internet sites, contact: publications@globalresearch.ca

www.globalresearch.ca contains copyrighted material the use of which has not always been specifically authorized by the copyright owner. We are making such material available to our readers under the provisions of "fair use" in an effort to advance a better understanding of political, economic and social issues. The material on this site is distributed without profit to those who have expressed a prior interest in receiving it for research and educational purposes. If you wish to use copyrighted material for purposes other than "fair use" you must request permission from the copyright owner.

For media inquiries: publications@globalresearch.ca