

Official UK Data Confirms COVID Vax Increases Risk of Death of Any Cause

By [Sara Middleton](#)

Global Research, July 13, 2022

[NaturalHealth365](#) 8 July 2022

Region: [Europe](#)

Theme: [Science and Medicine](#)

All Global Research articles can be read in 51 languages by activating the “Translate Website” drop down menu on the top banner of our home page (Desktop version).

To receive Global Research’s Daily Newsletter (selected articles), [click here](#).

Follow us on [Instagram](#) and [Twitter](#) and subscribe to our [Telegram Channel](#). Feel free to repost and share widely Global Research articles.

For months, pandemic critics have pointed out the hypocrisy of government officials suppressing early treatment for COVID-19 and promoting the disastrous public health movement of locking down the world. Health authorities coerced people (using millions of dollars in propagandized advertisements and celebrity endorsements) into taking a new gene-related therapy with the promise to prevent transmission of a highly survivable viral infection – never mind that later the jab was shown to be completely ineffective at preventing transmission after all.

The gaslit general public is now supposed to believe, of course, that these shots were “never” about stopping transmission but only about reducing the risk of severe illness and death. However, [official data](#) from the UK shows yet again that even that claim is completely unfounded.

Vaxxed individuals in the UK significantly more likely to die of all causes than unvaxxed, analysis of official data reveals

The latest figures released in May by the UK’s Office for National Statistics (ONS) suggest that people who received COVID shots are much more likely to die of any cause than vax-free individuals. Incredibly, this trend appears to hold for *all age groups*.

Here are some of the most alarming data shared by ONS:

- Approximately 70,000 individuals have died within 28 days following a COVID shot in England, and some 179,000 persons have died within 60 days post-jab
- Getting a COVID vax increases the risk of death among kids aged 10-14 by anywhere from 8,100% to 30,200% (these figures were calculated by the *Daily Expose* based on official ONS data)
- The dramatic increase in death rates from all causes is apparently showing up

within five months

To be clear, these alarming trends were not always the case. Within the first two months after COVID shots began rolling out in England starting on December 8, 2020, it was the unvaxxed individuals who appeared more likely to die of any cause other than COVID-19.

By April, however, the rates started to normalize, and from May 2021, a major flip happened, with age-standardized mortality rates showing that vaxxed folks were *more* likely to die than the [unvaxxed](#) by any cause other than COVID-19.

Interestingly, the *Daily Expose* suggests that the age-adjusted mortality rates seem to correlate with the order in which people received the COVID-19 injections, as England rolled out their COVID shot program by age, with the oldest citizens being offered the shots first.

Month after month, the ONS data suggests that younger and younger age groups (from 90+ down to 50-59) began experiencing dramatic upticks in mortality. The *Daily Expose* says of their analysis that this data could very well indicate that **“the COVID-19 injections take approximately 5 months to completely [decimate the immune system](#) to the point where a person’s chances of dying of any cause are significantly increased.”**

If this is what official data shows, one has to wonder what’s *not* being discussed

We would be remiss not to remind readers that the number of injuries, illnesses, and deaths post-jab are most likely underreported, even at this stage in the pandemic. Doctors are quick to dismiss concerned patients and caregivers, touting the tired adage that “correlation does not equal causation.”

Yes, correlation does not equal causation. But two factors can’t have a causal relationship *without* being correlated – and the growing trends in data pointing to a correlation between these mRNA shots and negative health outcomes is nearly becoming too great to ignore.

*

Note to readers: Please click the share buttons above or below. Follow us on Instagram and Twitter and subscribe to our Telegram Channel. Feel free to repost and share widely Global Research articles.

Featured image is from Zero Hedge

The original source of this article is [NaturalHealth365](#)

Copyright © [Sara Middleton](#), [NaturalHealth365](#), 2022

[Comment on Global Research Articles on our Facebook page](#)

[Become a Member of Global Research](#)

Articles by: [Sara Middleton](#)

Disclaimer: The contents of this article are of sole responsibility of the author(s). The Centre for Research on Globalization will not be responsible for any inaccurate or incorrect statement in this article. The Centre of Research on Globalization grants permission to cross-post Global Research articles on community internet sites as long the source and copyright are acknowledged together with a hyperlink to the original Global Research article. For publication of Global Research articles in print or other forms including commercial internet sites, contact: publications@globalresearch.ca

www.globalresearch.ca contains copyrighted material the use of which has not always been specifically authorized by the copyright owner. We are making such material available to our readers under the provisions of "fair use" in an effort to advance a better understanding of political, economic and social issues. The material on this site is distributed without profit to those who have expressed a prior interest in receiving it for research and educational purposes. If you wish to use copyrighted material for purposes other than "fair use" you must request permission from the copyright owner.

For media inquiries: publications@globalresearch.ca