

Pathologist Petitions FDA to Halt Pfizer Emergency Use Authorization Until Vaccine Efficacy Confirmed

The major reason for petitioning the FDA for a stay of action is that the Phase 2/3 clinical trial of the Pfizer vaccine used a presumptive RT-qPCR diagnostic test.

By [Informed Consent Action Network](#)

Global Research, December 09, 2020

[Children's Health Defense](#) 7 December 2020

Region: [USA](#)

Theme: [Science and Medicine](#)

Connecticut pathologist Dr. Sin Hang Lee and Informed Consent Action Network (ICAN) have [petitioned the U.S. Food and Drug Administration \(FDA\)](#) to require accurate counts of COVID-19 cases in the [Pfizer/BioNTech COVID-19 mRNA vaccine trial](#).

“Until an accurate count of [COVID-19](#) cases in the vaccinated and placebo groups has been determined for vaccine efficacy evaluation, we are asking the FDA to stay its decision regarding the emergency use authorization for this vaccine,” said Dr. Lee, director of [Milford Molecular Diagnostics Laboratory](#).

The major reason for petitioning the FDA for a stay of action is that the Phase 2/3 clinical trial of the [Pfizer vaccine](#) used a presumptive RT-qPCR diagnostic test. This test is acknowledged by the medical science community to generate high rates of false-positive results among qualified trial participants from the placebo group with minor symptoms such as a sore throat or a new cough. This is especially evident when a de facto unblinding among the trial participants has taken place, according to the petition.

The Pfizer/BioNTech vaccine trial primarily uses an RT-qPCR test that employs cycle thresholds possibly up to 44.9 to identify COVID-19 “cases.” Samples deemed positive that require high levels of amplification (cycle thresholds greater than 30 to 35) are usually false positives, said Dr. Lee.

A recent [review of a COVID-19 PCR test](#), which was signed by 22 international scientists, emphatically stated:

“To determine whether the amplified products are indeed SARS-CoV-2 genes, biomolecular validation of amplified PCR products is essential. For a diagnostic test, this validation is an absolute must. Validation of PCR products should be performed by either running the PCR product in a 1% agarose-EtBr gel together with a size indicator (DNA ruler or DNA ladder) so that the size of the product can be estimated. The size must correspond to the calculated size of the amplification product. But it is even better to sequence the amplification product. The latter will give 100% certainty about the identity of the amplification product. Without molecular validation one cannot be sure about the identity of the amplified PCR products...”

A recent [petition to the European Medicines Agency](#) to stay their [COVID-19 vaccine trials](#) used similar arguments regarding the inaccuracy of the PCR tests being used and the need for confirmatory sequencing.

On Dec. 1, Switzerland's medical regulator, Swissmedic, [said](#) it lacks the necessary information to approve three different coronavirus vaccines ordered by the government, including the Pfizer vaccine.

In a recent interview about the pending review of the Pfizer COVID-19 vaccine, FDA Commissioner Stephen Hahn [has promised](#), "we will make a determination regarding safety and efficacy based upon our very stringent criteria."

As stated in the petition, if Pfizer is unable to perform the needed sequencing tests on the 180 RNA samples to confirm their stated vaccine efficacy rate of 95%, Dr. Lee has offered to re-test the residues of these samples in his laboratory.

Dr. Lee said his laboratory is located only one hour's driving distance from Connecticut-based Pfizer Inc., and he will submit all the testing data to the FDA to support its vaccine evaluation based upon "very stringent criteria," as promised by the FDA Commissioner.

Dr. Lee's Sanger sequencing-based method for molecular diagnosis of SARS-CoV-2 was [published](#) in International Journal of Geriatrics and Rehabilitation.

*

Note to readers: please click the share buttons above or below. Forward this article to your email lists. Crosspost on your blog site, internet forums. etc.

Featured image is from CHD

The original source of this article is [Children's Health Defense](#)

Copyright © [Informed Consent Action Network](#), [Children's Health Defense](#), 2020

[Comment on Global Research Articles on our Facebook page](#)

[Become a Member of Global Research](#)

Articles by: [Informed Consent Action Network](#)

Disclaimer: The contents of this article are of sole responsibility of the author(s). The Centre for Research on Globalization will not be responsible for any inaccurate or incorrect statement in this article. The Centre of Research on Globalization grants permission to cross-post Global Research articles on community internet sites as long the source and copyright are acknowledged together with a hyperlink to the original Global Research article. For publication of Global Research articles in print or other forms including commercial internet sites, contact: publications@globalresearch.ca
www.globalresearch.ca contains copyrighted material the use of which has not always been specifically authorized by the copyright owner. We are making such material available to our readers under the provisions of "fair use" in an effort to advance a better understanding of political, economic and social issues. The material on this site is distributed without profit to those who have expressed a prior interest in receiving it for research and educational purposes. If you wish to use copyrighted

material for purposes other than "fair use" you must request permission from the copyright owner.

For media inquiries: publications@globalresearch.ca