

Pericarditis: The Other, Less Talked About COVID-19 mRNA Vaccine-Induced Heart Inflammation that Disables or Kills You

13 Cases Explored

By Dr. William Makis

Global Research, June 06, 2023

COVID Intel 5 June 2023

Theme: Science and Medicine

All Global Research articles can be read in 51 languages by activating the Translate Website button below the author's name.

To receive Global Research's Daily Newsletter (selected articles), click here.


Click the share button above to email/forward this article to your friends and colleagues. Follow us on <u>Instagram</u> and <u>Twitter</u> and subscribe to our <u>Telegram Channel</u>. Feel free to repost and share widely Global Research articles.

May 21, 2021 - Hartford, CT - 17 year old Gregory Hatton developed pericarditis three days after his second dose of Pfizer COVID-19 mRNA vaccine (<u>click here</u>)

"Gregory is now out of work, on medication and hooked up to a heart monitor". His mother says: "He basically has a heart conditions now".



Aug. 2021 – Australia – 24-year old journalist Georgia Clark had pericarditis after her second COVID-19 mRNA vaccine. After being hospitalized she said: "I would get the jab again". Doctors OK'd her to get booster (click here)



Aug. 2021 – 38-year old volleyball champion Francesca Marcon developed pericarditis after second Pfizer mRNA dose that took her out of competition (<u>click here</u>)



Nov. 2021 – 29-year old professional mountain bike racer Kyle Warner developed pericarditis & other injuries after second Pfizer mRNA jab. (click here)



Professional Mountain Bike Racer Describes Life-Altering Vaccine Injuries After Second Pfizer COVID Shot


Kyle Warner, a 29-year-old professional mountain bike racer, developed pericarditis, POTS and reactive arthritis following his second dose of Pfizer's COVID shot.

Story at-a-glance:

- Kyle Warner, a 29-year-old professional mountain bike racer, developed pericarditis, POTS and reactive arthritis following his second dose of Pfizer's COVID-19 shot.
- About two weeks after the shot, Warner experienced extremely elevated heart rates; an ER doctor refused to believe it was an adverse reaction to the jab and instead blamed it on a "psychotic episode."
- After visiting another hospital due to more heart trouble, Warner was referred to a cardiologist who diagnosed him with pericarditis, an inflammation of the outer lining of the heart.
- For four months now, Warner has been so ill that he hasn't been able to work or ride a bike — even mental exertion can cause him to relapse physically.
- At the Real, Not Rare rally held in Washington, D.C., Warner spoke before politicians to make a difference in the support level for vaccine-injured people — which is nonexistent in the U.S. — and voice opposition to vaccine mandates. "I believe where there is risk, there needs to be choice," he said

Kyle Warner is 29 years old and was at the peak of his career as a professional mountain bike racer when, in June, he got his second dose of Pfizer's COVID-19 shot. He suffered a reaction so severe that, as of October, he was still spending days in bed, easily overwhelmed by too

Dec. 2021 – 33-year old C.M.Boling was injured after her third Pfizer jab, with pericarditis which left her on bed rest for seven months & in wheelchair




Dec. 31, 2021 - 18-year old Runa Cody, an Italian boy who was studying in the UK, died suddenly on Dec. 31, 2021 from pericarditis one month after second COVID-19 vaccine. (click here)



Zambrano

The battle of Doina, mother courage who asks for truth for the death of her 18-yearold son, Runa Cody: « The autopsy revealed a fatal pericarditis, had made the vaccine just a month earlier ». But the Civitavecchia gip filed the report for manslaughter because at the time there was not enough scientific literature. But that's not true: « The cases were known as early as June 2021 ». « I will go all the way, I want to have the heart we have kept analyzed ».



"It should also be stressed that at the time of administration and also at present, the scientific literature on the subject was extremely scarce or absent, and that the pandemic situation was of absolute gravity. So, the responsibility of anyone on the subjective level would not be conceivable". This disconcerting sentence is found in the sentence with which the judge for the preliminary investigations of Civitavecchia Paola Petti rejects the opposition to the request to close the report for manslaughter against unknown persons on the case by Runa Cody, who died at 18 years of age from fulminant perimiocarditis one month after covid vaccination.

The sentence bears the date of March 23, but was made known in recent days by the young man's mother, Doina Marchetti, who for more than a year and a half has been fighting to obtain the truth about the unexpected death of her son.

Disconcerting, because the medical literature available on post-vaccine myocarditis not only is it ascertained "currently", but it was also "at the time of administration " of the Pfizer vaccine made by the boy in England in September and November 2021

Jan. 2022 - Toronto lawyer Adam Goodman had pericarditis and cardiac tamponade after second dose of Pfizer but insisted on getting a booster (click here)

I was hospitalized because of a COVID-19 vaccine side effect, but that didn't stop me from getting a booster

ADAM GOODMAN

CONTRIBUTED TO THE GLOBE AND MAIL PUBLISHED JANUARY 10, 2022 UPDATED JANUARY 11, 2022

Adam Goodman is a lawyer in Toronto.

After receiving my second dose of Pfizer, I developed what I thought was muscle pain that started in my neck and spread to my chest. After consulting with my personal doctor, I learned that I had developed one of the two potential significant side effects associated with the mRNA vaccines – pericarditis, an inflammation of the lining that surrounds the heart. The other side effect, myocarditis, is an inflammation of the heart itself. Other typical side effects associated with viral-vector vaccines include syndromes causing blood clots.

Because I thought I was experiencing muscle pain, I let the pericarditis go too long without treatment. As a result, I experienced a dangerous squeezing of the heart called tamponade. I spent five days in hospital recovering with the help of a crack team of cardiologists, nurses and pharmacists at Toronto's University Health Network and a heavy dose of anti-inflammatory drugs.

Furthermore, I accept my role as collateral damage of the vaccine rollout. Before the current Omicron wave, vaccines helped us get back to some degree of normality. They protect society and our public-health system. Previous generations were asked to undertake far greater risks for the protection of society, including being drafted for war. The vaccines are our civic duty.

Feb. 2022 – BC Musician "Nate Timesamillion" developed pericarditis three days after his COVID-19 mRNA booster shot & was hospitalized



Nate Timesamillion @times... · 7h ··· Hello friends. Last night I went to the ER with fever, chest pains and shortness of breath. I have Pericarditis, a swelling of the tissue surrounding the heart. The doctor says this may be a reaction to the mRNA booster I received on Saturday. I'm doing fine today, resting up.



March 2022 - 27-year old Australian 1500m record holder Stewart McSweyn was dramatically pulled out of a 5000m race and was diagnosed with pericarditis (click here)



Australia's 1500m record holder was dramatically pulled from a race in March and later diagnosed with pericarditis - inflammation around the heart - in an adverse reaction to the Covid booster shot, which his team said he administered too quickly after having the virus itself.

Speaking exclusively to NCA NewsWire following a stunning return to form on Friday, the Tokyo 1500m finalist opened up about the prospect of never returning to his record-running best.

"Eugene and Commonwealth Games in Birmingham are coming up pretty quick, so I wasn't sure whether I'd be back this season, whether I was going to be at the level I want to perform the following season, whether I would maybe even get back to my best at all," the 27-year-old said.



Dec. 22, 2022 – 26-year old Swiss Olympic Sprinter had a Pfizer mRNA booster shot on Dec. 22, 2022 and five days later developed pericarditis (<u>click here</u>)



March 20, 2023 – Japan – 14-year old girl Japanese girl died suddenly two days after third Pfizer COVID-19 mRNA vaccine dose. Cause of death: myopericarditis (<u>click here</u>)

PMCID: PMC10027302

A case of fatal multi-organ inflammation following COVID-19 vaccination

Hideyuki Nushida, a,* Asuka Ito, Hiromitsu Kurata, a,b Hitomi Umemoto, a,c Itsuo Tokunaga, Hirofumi Iseki, a,b and Akiyoshi Nishimura


► Author information ► Article notes ► Copyright and License information <u>Disclaimer</u>

Abstract Go to: >


A 14-year-old Japanese girl died unexpectedly 2 days after receiving the third dose of the BNT1262b2 mRNA COVID-19 vaccine. Autopsy findings showed congestive edema of the lungs, T-cell lymphocytic and macrophage infiltration in the lungs, pericardium, and myocardium of the left atria and left ventricle, liver, kidneys, stomach, duodenum, bladder, and diaphragm. Since there was no preceding infection, allergy, or drug toxicity exposure, the patient was diagnosed with post-vaccination pneumonia, myopericarditis, hepatitis, nephritis, gastroenteritis, cystitis, and myositis. Although neither type of inflammation is fatal by itself, arrhythmia is reported to be the most common cause of death in patients with atrial myopericarditis. In the present case, arrhythmia of atrial origin was assumed as the cause of cardiac failure and death. In sudden post-vaccination deaths, aggressive autopsy systemic search and histological examination involving extensive sectioning of the heart, including the atrium, are indispensable.

Keywords: Systemic inflammation, Myopericarditis, COVID-19, Vaccines, Sudden death, Autopsy

March 2023 – British Columbia – In his 20s, Ayden Thane, a basketball player, developed pericarditis after COVID-19 vaccine in Sep. 2021. He has not recovered. (click here)



April 2023 - Kemptville, ON - 17-year old hockey player for the U18 Kemptville Royals, Vinnie Delorme had COVID-19 vaccines in 2021 & got pericarditis in Apr. 2023 (click here)



My Take...

Pericarditis is an inflammation of the pericardium, which is a thin, protective membrane surrounding the heart.

Myocarditis (inflammation of the heart muscle) is very common after COVID-19 mRNA vaccination, as common as 1:30 per one mRNA dose. One study suggests post COVID-19 vaccine myocarditis is 2.5 times as common as pericarditis (click here).

WHO's VigiAccess database lists 28,328 reports of myocarditis and 23,173 reports of pericarditis for ALL COVID-19 vaccines (click here)

Here are some key points:


- COVID-19 vaccine pericarditis affects young men and young women;
- Pericarditis is slightly less common than myocarditis;
- Pericarditis can result in long term permanent disability;
- Those who suffer long term due to pericarditis can't find treatments;
- Pericarditis can also be fatal, as happened in 2 cases here: a 14 year old Japanese girl and an 18 year old Italian boy studying in the UK.

*

Note to readers: Please click the share button above. Follow us on Instagram and Twitter and subscribe to our Telegram Channel. Feel free to repost and share widely Global

Research articles.

Dr. William Makis is a Canadian physician with expertise in Radiology, Oncology and Immunology. Governor General's Medal, University of Toronto Scholar. Author of 100+ peer-reviewed medical publications.



The Worldwide Corona Crisis, Global Coup d'Etat Against

Humanity

by Michel Chossudovsky

Michel Chossudovsky reviews in detail how this insidious project "destroys people's lives". He provides a comprehensive analysis of everything you need to know about the "pandemic" — from the medical dimensions to the economic and social repercussions, political underpinnings, and mental and psychological impacts.

"My objective as an author is to inform people worldwide and refute the official narrative which has been used as a justification to destabilize the economic and social fabric of entire countries, followed by the imposition of the "deadly" COVID-19 "vaccine". This crisis affects humanity in its entirety: almost 8 billion people. We stand in solidarity with our fellow human beings and our children worldwide. Truth is a powerful instrument."

ISBN: 978-0-9879389-3-0, Year: 2022, PDF Ebook, Pages: 164, 15 Chapters

We encourage you to support the eBook project by making a donation through Global Research's <u>DonorBox "Worldwide Corona Crisis" Campaign Page</u>.

The original source of this article is <u>COVID Intel</u> Copyright © <u>Dr. William Makis</u>, <u>COVID Intel</u>, 2023

Comment on Global Research Articles on our Facebook page

Become a Member of Global Research

Articles by: Dr. William Makis

Disclaimer: The contents of this article are of sole responsibility of the author(s). The Centre for Research on Globalization will not be responsible for any inaccurate or incorrect statement in this article. The Centre of Research on Globalization grants permission to cross-post Global Research articles on community internet sites as long the source and copyright are acknowledged together with a hyperlink to the original Global Research article. For publication of Global Research articles in print or other forms including commercial internet sites, contact: publications@globalresearch.ca

www.globalresearch.ca contains copyrighted material the use of which has not always been specifically authorized by the copyright owner. We are making such material available to our readers under the provisions of "fair use" in an effort to advance a better understanding of political, economic and social issues. The material on this site is distributed without profit to those who have expressed a prior interest in receiving it for research and educational purposes. If you wish to use copyrighted material for purposes other than "fair use" you must request permission from the copyright owner.

For media inquiries: publications@globalresearch.ca