

Second Pathology Conference Reveals that 12 Out of 15 People Died from Vaccines

By Free West Media

Global Research, December 14, 2021

Free West Media 11 December 2021

Region: <u>Europe</u>

Theme: Science and Medicine

All Global Research articles can be read in 51 languages by activating the "Translate Website" drop down menu on the top banner of our home page (Desktop version).

To receive Global Research's Daily Newsletter (selected articles), click here.

Visit and follow us on Instagram at @crg_globalresearch.

The focus of the second pathology conference held by the Reutlingen team of specialists in Berlin on December 4, 2021 was 15 people who had died between seven days and six months after their Covid vaccination.

The press conference of German pathology professors **Arne Burkhardt and Walter Lang**, which included concerns of a doctor from Sweden, maintaining that vaccinations could lead to the turbo growth of breast cancer, was another blow to vaccine salespeople.

The 15 deaths are seven men and eight women who died between seven days and six months after their Covid vaccination. However, death did not occur in all of them – as one might suspect from media reports – in the intensive care unit or in the hospital.

Five people died at home, some on the street, one in the car, and one at work. One person came from assisted living and died there under palliative treatment. In the case of two people, the place of death is still being determined. Of the eight people who died outside of the hospital, pathologists assume that they appeared to be "in good health" at the time of vaccination and immediately before death and that death occurred suddenly.

In 12 of the 15 people, it can be assumed that vaccination contributed to death. The diagnosis of myocarditis was the most common finding with the youngest victim only 27 years old.

The reports of serious damage to health as well as death connected the current vaccinations against Covid-19 <u>have not stopped</u>. Strong evidence points to turbo-cancer tumours developing after vaccination and a significant, possibly long-term <u>suppression</u> of the natural immune system.

The first part of the pathology conference on September 20 already painted a bleak picture regarding a causal connection between serious injuries and vaccination against Covid-19.

In 7 of the cases, the pathologists determined a "very likely" connection with the vaccinations, as Prof. Burkhardt explained. Lymphocyte myocarditis was a major contributor in almost all cases. It is often claimed that heart inflammation and myocarditis are not so dangerous, but Burkhardt explained that this was not the case as many patients die within 10 years.

There are already up to 60 times more side effects as with previous vaccinations.

Some 5 percent of those vaccinated suffer terrible consequences and even death. Burkhardt said he suspected that there may be a connection between injecting the mRNA vaccines directly into the blood vessels.

The micro embolisms found by prof. Bergholz and his team are a serious indication that this was indeed the case despite claims to the contrary by the WHO. He therefore made a pathological incision of the corresponding part of the body and placed a syringe needle over it. In doing so, he clearly showed that the needle was certainly able to enter the vessel.

Mass spectrometry can be used to read which proteins were involved in mortality. This procedure is the gold standard in the delimitation of virus proteins and it is absurd that people are still relying on the useless PCR test. With mass spectroscopy, one can also differentiate between different Corona variants, explained prof. Walter Lang.

The team is awaiting Lang's results on mass spectrometry which will be available soon and show what role spike proteins played in mortality.

Prof. Lang worked as a pathologist at the Hannover Medical School from 1968-1985. Afterwards, for 25 years, he directed a private institute for pathology in Hanover, which he founded, specializing in lung pathology, transplant pathology, extragynecological cytology and thyroid tumors. He has performed in-depth consultation diagnostics for 12 major lung clinics in Europe.

*

Note to readers: Please click the share buttons above or below. Follow us on Instagram, @crg_globalresearch. Forward this article to your email lists. Crosspost on your blog site, internet forums, etc.

Featured image: Prof. Lang is one of the most renowned pathologists in Europe. Photo supplied to Free West Media

The original source of this article is <u>Free West Media</u> Copyright © <u>Free West Media</u>, <u>Free West Media</u>, 2021

Comment on Global Research Articles on our Facebook page

Become a Member of Global Research

Articles by: Free West

Media

Disclaimer: The contents of this article are of sole responsibility of the author(s). The Centre for Research on Globalization will not be responsible for any inaccurate or incorrect statement in this article. The Centre of Research on Globalization grants permission to cross-post Global Research articles on community internet sites as long the source and copyright are acknowledged together with a hyperlink to the original Global Research article. For publication of Global Research articles in print or other forms including commercial internet sites, contact: publications@globalresearch.ca

www.globalresearch.ca contains copyrighted material the use of which has not always been specifically authorized by the copyright owner. We are making such material available to our readers under the provisions of "fair use" in an effort to advance a better understanding of political, economic and social issues. The material on this site is distributed without profit to those who have expressed a prior interest in receiving it for research and educational purposes. If you wish to use copyrighted material for purposes other than "fair use" you must request permission from the copyright owner.

For media inquiries: publications@globalresearch.ca