

# Smart Meter Dangers: The Health Hazards of Wireless Electromagnetic Radiation Exposure

The Latest from Dr. David O. Carpenter

By [Dr. Ilya Sandra Perlingieri](#)

Global Research, June 28, 2014

Global Research 13 July 2012

Region: [Canada](#), [USA](#)

Theme: [Science and Medicine](#)

*This article by the late Dr. Ilya Sandra Perlingieri was first published on Global Research on July 13, 2012.*

Over the past two years, there has been mounting medical and scientific evidence of the grave biological dangers to humans from so-called “Smart” Meters exposure that are being installed by the hundreds of thousands all over North America and Europe. Scientists have been documenting the EMF/RF exposure effects for decades. However, it is only in the last two years, with the constant wireless electromagnetic radiation exposure to these new meters, that other medical evidence (down to the cellular level) has been reported. In the US, there has never been a mandate to force these utility meters on millions of unsuspecting people. There has been no Precautionary Principle used, while corporate greed has abounded. Various utility companies have not told their customers of the dangers. What they told their customers about these new meters was that it would update the grid and help them control individual usage. Customers have not been told about the serious health problems that these RF pulsing meters cause. We have been given no informed consent to this dangerous but invisible exposure.

With broken and unethical global social mores, this is considered standard business practice: to deceive customers, while gaining enormous profits. As long as a “revolving-door” policy remains between corporations and [no longer] public agencies, citizens will not have their medically validated concerns ever addressed. The corporate bottom line, profit, is what counts -not our well-being and safety. Further, the synergistic effects of various wireless technologies combined with other environmental toxins to which we all are exposed daily have not been tested.

Over the past year, I have already personally seen the damage these dangerous meters have done to numerous people and several animals I know -all across the US. Although not generally reported by mainstream media, the serious impacts on peoples’ health are already evident. A short list includes: neurological impairment, ear pain and hearing problems, breathing dysfunctions, chest pains and heart ailments, burning skin, sleep disturbances, headaches, depression, vision troubles, blood pressure changes, sterility, autism, and neurodegenerative diseases. There are numerous reports of people who are completely incapacitated from EMF exposure. Several people I know are almost constantly debilitated and housebound, due to city-wide exposure to cell towers and Wi-Fi that has become ubiquitous. Most allopathic physicians are not trained in environmental medicine, and so often symptoms are mis-diagnosed.

On July 8, Global Research published Prof. Tracy's important Smart Meter update, "Looming Health Crisis: Wireless Technology and the Toxification of America":

[www.globalresearch.ca/index.php?context=va&aid=31816](http://www.globalresearch.ca/index.php?context=va&aid=31816)

Although Dr. David O. Carpenter notes below that the "evidence of the link between long-term cell phone use and brain cancer comes primarily from Northern Europe", I know personally of two people who have died from glioma cancer. The glioma cancer originated behind the ear where the cell phone was held. This used to be a rare form of malignant brain cancer. It is now thought to be epidemic, but not reported by the media, as more than 6-billion cell phones are in use globally. Senator Ted Kennedy died of glioma cancer.

There is a very long history of "expendable" customers [we're no longer called citizens or people], while multi-national corporations continue to make tremendous profits on dangerous drugs and technologies: toxic shock syndrome; Vioxx; thalidomide, HPV vaccines. This list is very long and well documented. For example, in September 2011, the Los Angeles Time reported "that [prescription] drug deaths now outnumber traffic fatalities in US." See: <http://articles.latimes.com/2011/sep/17/local/la-me-drugs-epidemic-20110918>

What is now termed Electro-Hypersensitivity (EHS), and is recognized in Sweden as a documented debilitating illness, can actually be called poisoning, as humans and all other living organisms are being damaged by these meters' moment-to-moment RF pulsing rates. For more than 30 years, distinguished professor Olle Johansson, of the Karolinska Institute, Sweden, has been a highly visible and ardent advocate for those who have been harmed by this technology. His scientific research is ground-breaking. In Sweden, more than 248,000 people are ill from EHS. Most laws are completely outdated to address this crisis. In the US and Canada, many poisoned customers cannot opt-out. Or, if this is available to them, customers are charged high opt-out fees as well as monthly fees. It is a win-win situation financially for the various utility companies, while customers are being harmed daily. The corporate bottom line takes precedence over health and safety.

In a Canadian magazine, *La maison du 21e siècle* [the house of the 21st century], Dr. David O. Carpenter, a distinguished physician and former founding dean of the School of Public Health, State University, Albany (New York), has just published a letter called "Smart Meters: Correcting the Gross Misinformation."(\*\*) It is here reproduced in its entirety:

"We, the undersigned are a group of scientists and health professionals who together have coauthored hundreds of peer-reviewed studies.

We wish to correct some of the gross misinformation found in the letter regarding wireless "smart" meters that was published in the Montreal daily *Le Devoir* on May 24. Submitted by a group Quebec engineers, physicists and chemists, the letter in question reflects an obvious lack of understanding of the science behind the health impacts of the radiofrequency (RF)/microwave EMFs emitted by these meters.

The statement that "Thousands of studies, both epidemiological and experimental in humans, show no increase in cancer cases as a result of exposure to radio waves of low intensity..." is false(1).

In fact, only a few such studies — two dozen case-control studies of mobile phone use, certainly not thousands, have reported no elevations of cancer, and most were funded by the wireless industry. In addition, these reassuring studies contained significant experimental design flaws, mainly the fact that the populations followed were too small and were followed for a too short

period of time.

Non industry-funded studies have clearly demonstrated a significant increase in cancer cases among individuals who have suffered from prolonged exposure to low-level microwaves, transmitted notably by radio antennas. The effects were best documented in meta-analyses that have been published and that include grouped results from several different studies: these analyses consistently showed an increased risk of brain cancer among regular users of a cell phone who have been exposed to microwaves for at least ten years.

### **Brain Cancer Rates**

Furthermore, the argument that brain cancer rates do not indicate an overall increase in incidence is not evidence that cell phones are safe: the latency for brain cancer in adults after environmental exposure can be long, up to 20-30 years. Most North Americans haven't used cell phones extensively for that long. The evidence of the link between long-term cell phone use and brain cancer comes primarily from Northern Europe, where cell phones have been commonly used since the 1990s.

Children are especially at risk. In May 2012, the U.K.'s Office of National Statistics reported a 50 percent increase in incidence of frontal and temporal lobe tumors in children between 1999 and 2009. This statistic is especially disturbing since in May 2011, after reviewing the published scientific literature regarding cancers affecting cell phone users, the International Agency for Research on Cancer (IARC) classified radiofrequency radiation as a 2B, possible human carcinogen. Despite the absence of scientific consensus, the evidence is sufficiently compelling for any cautious parent to want to reduce their loved one's exposure to RF/microwave emissions as much as possible, as recommended by various countries such as Austria, Belgium, Germany, Russia and the United Kingdom.

### **Electrosensitivity**

Public fears about wireless smart meters are well-founded. They are backed by various medical authorities such as the Public Health Departments of Santa Cruz County (California) and of Salzburg State (Austria). These authorities are worried about the growing number of citizens who say they have developed electrohypersensitivity (EHS), especially since for many of them, the symptoms developed after the installation of such meters (it takes some time for most people to link the two events).

Since the turn of the millennium, people are increasingly affected by ambient microwaves due to the growing popularity of wireless devices such as cell phones and Wi-Fi Internet. Therefore, the mass deployment of smart grids could expose large chunks of the general population to alarming risk scenarios without their consent. According to seven surveys done in six European countries between 2002 and 2004, about 10% of Europeans have become electrosensitive, and experts fear that percentage could reach 50% by 2017. The most famous person to publicly reveal her electrosensitivity is Gro Harlem Brundtland, formerly Prime Minister of Norway and retired Director of the World Health Organization (WHO).

While there is no consensus on the origins and mechanisms of EHS, many physicians and other specialists around the world have become aware that EHS symptoms (neurological dermatological, acoustical, etc.) seem to be triggered by exposure to EMF levels well below current international exposure limits, which are established solely on short-term thermal effects.(2) Organizations such as the Austrian Medical Association and the American Academy of Environmental Medicine have recognized that the ideal way to treat of EHS is to reduce EMF exposure.

Therefore, caution is warranted because the growing variety of RF/microwave emissions produced by many wireless devices such as smart meters have never been tested for their potential biological effects.

### **Well-known bioeffects**

While the specific pathways to cancer are not fully understood, it is scientifically unacceptable to deny the weight of the evidence regarding the increase in cancer cases in humans that are exposed to high levels of RF/microwave radiation.

The statement that “there is no established mechanism by which a radio wave could induce an adverse effect on human tissue other than by heating” is incorrect, and reflects a lack of awareness and understanding of the scientific literature on the subject. In fact, more than a thousand studies done on low intensity, high frequency, non-ionizing radiation, going back at least fifty years, show that some biological mechanisms of effect do not involve heat. This radiation sends signals to living tissue that stimulate biochemical changes, which can generate various symptoms and may lead to diseases such as cancer.

Even though RF/microwaves don't have the energy to directly break chemical bonds, unlike ionizing radiation such as X-rays, there is scientific evidence that this energy can cause DNA damage indirectly leading to cancer by a combination of biological effects. Recent publications have documented the generation of free radicals, increased permeability of the blood brain barrier allowing potentially toxic chemicals to enter the brain, induction of genes, as well as altered electrical and metabolic activity in human brains upon application of cell phone RF/microwaves similar to those produced by smart meters.

These effects are cumulative and depend on many factors including RF/microwave levels, frequency, waveform, exposure time, bio-variability between individuals and combination with other toxic agents. Clear evidence that these microwaves are indeed bioactive has been shown by the fact that low-intensity EMFs have proven clinically useful in some circumstances. Pulsed EMFs have long been used to successfully treat bone fractures that are resistant to other forms of therapy. More recently, frequency-specific, amplitude-modulated EMFs have been found useful to treat advanced carcinoma and chronic pain.

High frequency EMFs such as the microwaves used in cell phones, smart meters, Wi-Fi and cordless “DECT” phones, appear to be the most damaging when used commonly. Most of their biological effects, including symptoms of electrohypersensitivity, can be seen in the damage done to cellular membranes by the loss of structurally-important calcium ions. Prolonged exposure to these high frequencies may eventually lead to cellular malfunction and death.

Furthermore, malfunction of the parathyroid gland, located in the neck just inches from where one holds a cell phone, may actually cause electrohypersensitivity in some people by reducing the background level of calcium ions in the blood. RF/microwave radiation is also known to decrease the production of melatonin, which protects against cancer, and to promote the growth of existing cancer cells.

### **Early warning scientists attacked**

In recommending that the Precautionary Principle be applied in EMF matters, the European Environment Agency's Director Jacqueline McGlade wrote in 2009: “We have noted from previous health hazard histories such as that of

lead in petrol, and methyl mercury, that ‘early warning’ scientists frequently suffer from discrimination, from loss of research funds, and from unduly personal attacks on their scientific integrity. It would be surprising if this is not already a feature of the present EMF controversy...” Such unfortunate consequences have indeed occurred.

The statement in the Le Devoir letter that “if we consider that a debate should take place, it should focus exclusively on the effects of cell phones on health” is basically an acknowledgement that there is at least some reason to be concerned about cell phones. However, while the immediate exposure from a cell phone is of much greater intensity than the exposure from smart meters, cell phone use is temporary.

### **Smart meters**

Wireless smart meters typically produce atypical, relatively potent and very short pulsed RF/microwaves whose biological effects have never been fully tested. They emit these millisecond-long RF bursts on average 9,600 times a day with a maximum of 190,000 daily transmissions and a peak level emission two and a half times higher than the stated safety signal [Perlingieri’s italics], as the California utility Pacific Gas & Electric recognized before that State’s Public Utilities Commission. Thus people in proximity to a smart meter are at risk of significantly greater aggregate exposure than with a cell phone, not to mention the cumulative levels of RF/microwaves that people living near several meters are exposed to.

People are exposed to cell phone microwaves primarily in the head and neck, and only when they use their device. With smart meters, the entire body is exposed to the microwaves, which increases the risk of overexposure to many organs.

In addition to these erratic bursts of modulated microwaves coming from smart meters that are transferring usage data to electric, gas and water utilities, wireless and wired smart (powerline communication) meters are also a major source of “dirty electricity” (electrical interference of high frequency voltage transients typically of kilohertz frequencies). Indeed, some scientists, such as American epidemiologist Sam Milham, believe that many of the health complaints about smart meters may also be caused by dirty electricity generated by the “switching” power supply activating all smart meters. Since the installation of filters to reduce dirty electricity circulating on house wiring has been found to relieve symptoms of EHS in some people, this method should be considered among the priorities aimed at reducing potential adverse impacts.

### **Rather be safe than sorry**

The apparent adverse health effects noted with smart meter exposure are likely to be further exacerbated if smart appliances that use wireless communications become the norm and further increase unwarranted exposure. To date, there have been few independent studies of the health effects of such sources of more continuous but lower intensity microwaves. However, we know after decades of studies of hazardous chemical substances, that chronic exposure to low concentrations of microwaves can cause equal or even greater harm than an acute exposure to high concentrations of the same microwaves.

This is why so many scientists and medical experts urgently recommend that measures following the Precautionary Principle be applied immediately — such as using wired meters — to reduce biologically inappropriate microwave exposure. We are not advocating the abolishment of RF technologies, only the use of common sense and the development and implementation of best practices in using these technologies in order to reduce exposure and risk of



health hazards.

## Notes

1. Scientific papers on EMF health effects:

[www.powerwatch.org.uk/science/studies.asp](http://www.powerwatch.org.uk/science/studies.asp)

2. Explanation and studies on electrosensitivity:

[www.powerwatch.org.uk/health/sensitivity.asp](http://www.powerwatch.org.uk/health/sensitivity.asp)

3. Governments and organizations that ban or warn against wireless technology:

[www.cellphonetaskforce.org/?page\\_id=128](http://www.cellphonetaskforce.org/?page_id=128)

[Letter signed by:]

\*David O. Carpenter, MD, Director, Institute for Health & the Environment, University at Albany, USA

\*Jennifer Armstrong, MD, Past President, Canadian Society of Environmental Medicine, Founder, Ottawa Environmental Health Clinic, Ontario, Canada

\*Pierre L. Auger, M. D., FRCPC, Occupational medicine, Multiclinique des accidentés 1464, Montreal, Quebec, Canada

\*Fiorella Belpoggi, Director, Cesare Maltoni Cancer Research Center, Ramazzini Institute, Bologna, Italy

\*Martin Blank, PhD, former President, Bioelectromagnetics Society, Special Lecturer, Department of Physiology and Cellular Biophysics, Columbia University Medical Center, New York, USA

\*Barry Breger, MD, Centre d'intégration somatosopique (orthomolecular medicine), Montreal, Quebec

\*John Cline, MD, Professor, Institute for Functional Medicine, Federal Way, WA, USA, Medical Director, Cline Medical Centre, Nanaimo, BC, Canada

\*Alvaro Augusto de Salles, PhD, Professor of Electrical Engineering, Federal University of Rio Grande do Sul, Porto Alegre, Brazil

\*Christos Georgiou, Prof. Biochemistry, Biology Department, University of Patras, Greece

\*Andrew Goldsworthy, PhD, Honorary lecturer in Biology, Imperial College, London, UK

\*Claudio Gómez-Perretta, MD, PhD, Director, Centro de Investigación, Hospital Universitario LA Fe, Valencia, Spain

\*Livio Giuliani, PhD, Senior Researcher, National Insurance Institute (INAIL), Chief of Radiation and Ultrasounds Research Unit, Rome, Italy

\*Yury Grigoriev, PhD, Chair Russian National Committee on Non-Ionizing Radiation Protection, Moscow, Russia

\*Settimio Grimaldi, PhD, Director, Institute of Translational Pharmacology (Neurobiology and molecular medicine), National Research Council, Rome, Italy

\*Magda Havas, PhD, Centre for Health Studies, Trent University, Canada

\*Lennart Hardell, MD, Professor of Oncology, University Hospital, Örebro, Sweden

\*Denis L. Henshaw, PhD, Professor of Physics, Head of The Human Radiation Effects Group, University of Bristol, UK

\*Ronald B. Herberman, MD, Chairman of Board, Environmental Health Trust, and Founding Director emeritus, University of Pittsburgh Cancer Institute, USA

\*Isaac Jamieson, PhD Environmental Science (electromagnetic phenomena in the built environment), independent architect, scientist and environmental consultant, Hertfordshire,

UK

\*Olle Johansson, PhD, Professor of Neuroscience (Experimental Dermatology Unit), Karolinska Institute, Stockholm, Sweden

\*Yury Kronn, PhD, Soviet authority on physics of nonlinear vibrations and high frequency electromagnetic vibrations, founder of Energy Tools International, Oregon, USA

\*Henry Lai, PhD, Professor of Bioengineering, University of Washington School of Medicine, Seattle, WA, USA

\*Abraham R. Liboff, PhD, Professor Emeritus, Department of Physics, Oakland University, Rochester, Michigan, USA

\*Don Maisch, PhD, Researcher on radiation exposure standards for telecommunications frequency, EMFacts Consultancy, Tasmania, Australia

\*Andrew A. Marino, MD, PhD, JD, Professor of Neurology, LSU Health Sciences Center, Shreveport, LA, USA

\*Karl Maret, MD, M.Eng., President, Dove Health Alliance, Aptos, CA, USA

\*Sam Milham, MD, former chief epidemiologist, Washington State Department of Health, USA

\*Joel M. Moskowitz, PhD, Director, Center for Family and Community Health, School of Public Health, University of California, Berkeley

\*Gerd Oberfeld, MD, Public Health Department, Salzburg State Government, Austria

\*Jerry L. Phillips, PhD, Director, Center for Excellence in Science, Department of Chemistry and Biochemistry, University of Colorado, USA

\*John Podd, PhD, Professor of Psychology (experimental neuropsychology), Massey University, New-Zeland

\*William J. Rea, MD, thoracic and cardiovascular surgeon, founder of the Environmental Health Center, Dallas, Tx, USA

\*Elihu D. Richter, MD, Professor, Hebrew University-Hadassah School of Public Health and Community Medicine, Jerusalem, Israel

\*Leif G. Salford, MD, Senior Professor of Neurosurgery, Lund University, Sweden

\*Nesrin Seyhan, MD, Founder and Chair of Biophysics, Medical Faculty of Gazi University, Turkey

\*Cyril W. Smith, PhD, lead author of "Electromagnetic Man", retired from Electronic and Electrical Engineering, University of Salford, UK

\*Morando Soffritti, MD, Scientific Director of the European Foundation for Oncology and Environmental Sciences "B. Ramazzini" in Bologna, Italy

\*Antoinette "Toni" Stein, PhD, Collaborative on Health and the Environment (CHE-EMF Working Group), Co-Coordinator, Berkeley, CA, USA

\*Stanislaw Szmigielski, MD, PhD, Professor of Pathophysiology, Consulting Expert, former director of Microwave Safety, Military Institute of Hygiene and Epidemiology, Warsaw, Poland

\*Bradford S. Weeks, MD, Director, The Weeks Clinic, Clinton, WA, USA

\*Stelios A. Zinelis, MD, Vice-President, Hellenic Cancer Society, Cefallonia, Greece

Maison Saine. 11 July, 2012. Quebec-based magazine La Maison du 21e siècle asked physician David O. Carpenter, former founding dean of the University at Albany (NY)'s School of Public Health, to comment on a letter published in the Montreal daily Le Devoir last May 24. This letter claimed wireless smart meters pose no risk to public health. Some forty international experts contributed to the following rebuttal. See, Dr. David O. Carpenter: <http://maisonsaine.ca/smart-meters-correcting-the-gross-misinformation/#comment-120283>

NOTE: This original article link (above) also has numerous medical links.

Also see:

“The Invisible Hazards of Smart Meters”:  
[www.globalresearch.ca/index.php?context=va&aid=26082](http://www.globalresearch.ca/index.php?context=va&aid=26082)

“Smart Meter Dangers Update”:  
<http://consciouslifeneeds.com/smart-meter-dangers-update-scientific-proof-hazards/1124466>

Jerry Day. “We are EMR Guinea Pigs”:  
[www.youtube.com/watch?v=xX-mdciSUC0](http://www.youtube.com/watch?v=xX-mdciSUC0)

Gunni Nordström. “The Invisible Disease. The Dangers of Environmental Illnesses caused by Electromagnetic Fields and Chemical Emissions”

“There’s a Reason Cell Rhymes with Hell.” The Electromagnetic Effects of Cell Phones and Other Wireless Devices:  
<http://archivesmb.wordpress.com/the-electromagnetic-effects-of-cell-phones>

*Educator and environmental writer **Dr. Ilya Sandra Perlingieri** is the author of the highly acclaimed book, “The Uterine Crisis.” London’s The Ecologist call this book an “inspiration”*

The original source of this article is Global Research  
Copyright © [Dr. Ilya Sandra Perlingieri](http://www.globalresearch.ca), Global Research, 2014

---

[Comment on Global Research Articles on our Facebook page](#)

[Become a Member of Global Research](#)

Articles by: [Dr. Ilya Sandra Perlingieri](#)

**Disclaimer:** The contents of this article are of sole responsibility of the author(s). The Centre for Research on Globalization will not be responsible for any inaccurate or incorrect statement in this article. The Centre of Research on Globalization grants permission to cross-post Global Research articles on community internet sites as long as the source and copyright are acknowledged together with a hyperlink to the original Global Research article. For publication of Global Research articles in print or other forms including commercial internet sites, contact: [publications@globalresearch.ca](mailto:publications@globalresearch.ca)

[www.globalresearch.ca](http://www.globalresearch.ca) contains copyrighted material the use of which has not always been specifically authorized by the copyright owner. We are making such material available to our readers under the provisions of "fair use" in an effort to advance a better understanding of political, economic and social issues. The material on this site is distributed without profit to those who have expressed a prior interest in receiving it for research and educational purposes. If you wish to use copyrighted material for purposes other than "fair use" you must request permission from the copyright owner.

For media inquiries: [publications@globalresearch.ca](mailto:publications@globalresearch.ca)