

Synthetic mRNA COVID Vaccines: A Risk-Benefit Analysis

By [Dr. Sadaf Gilani](#)

Global Research, March 24, 2021

Theme: [Media Disinformation](#), [Science and Medicine](#)

All Global Research articles **can be read in 27 languages by activating the “Translate Website”** drop down menu on the top banner of our home page (Desktop version).

First published in February 2021

With a “vaccine” based on untested technology, and safety trials still ongoing, is it safe to take the shot? And does it even work? And does a disease with an IFR of 0.2% even justify that risk?

Amidst the plethora of Covid-related issues, the Covid injections are the most imminent. Two formulations have received interim approval from the FDA, and Health Canada: Pfizer/BioNtech and Moderna.

Both these injections are employing the same technology, synthetic gene therapy (SGT), which is being dispensed to the populace for the first time in human history.

Medications are given to sick people to treat disease. Vaccines are given to healthy people to prevent an infection. Therefore consideration of risk-benefit analysis is paramount.


Covid is the umbrella label for PCR “positive” people regardless of clinical presentation. Most are “asymptomatic,” some have generic cold/flu symptoms, and a few present with moderate or severe respiratory distress. Unfortunately, the PCR assays being used for diagnosis, [are not fit for purpose](#). Most PCR assays are constructed based on the German Drosten et al. protocol.

On November 27th 2020, [22 scientists submitted a request for retraction](#) of this protocol which was published in the journal Eurosurveillance, citing a number of fatal design flaws.

It is also important to note, despite SarsCov2 virus and the syndrome labelled as Covid being used interchangeably, causation has not been proven [as per Koch’s postulates](#).

The first metric which every medical doctor must convey to a person is how deadly Covid actually is. This is context for the legal and ethical practice of informed consent.

Incidentally, all Covid death stats are inflated: [under direction of the WHO](#), deaths ‘from’ and incidentally “with” Covid are not distinguished. Death coding has changed compared to Influenza/Pneumonia. According to [one published analysis](#), this has resulted in over 16 times inflation of death stats, as supported by CDC data.



Furthermore, Infection Fatality Rate (IFR) stats based on seroprevalence antibody studies are also inflated [since T-cell immunity, is not measured in these studies](#). This may result in a 3-5X lower IFR for Covid. Regardless, the general IFR is on order of the seasonal influenza, [approx. 0.2%](#).


Covid [mortality is a reflection of increased mortality with age](#), more so than influenza/pneumonia of previous years. The median age of Covid deaths (86) exceeds average life expectancy in Canada. Tragically, [70% of the deaths in the province of Ontario took place in care homes](#). The mortality rate from Covid in Canada under 59 years of age is 0.0017%.

According to the CDC, the [survival from Covid \(with inflated stats\) is as follows](#): (under 20) 99.997%, (29-49) 99.98%, (50-69) 99.5% and (over 70), 94.6%.

The Covid synthetic gene therapy injections employ synthetic, thermostable nucleotide sequences which are wrapped in a PEG (polyethylene glycol)-lipid nanoparticles to protect from destruction in the bloodstream and facilitate entry into the cells. The claim is that the cellular machinery will engage with these synthetic sequences and produce segments which code for the SarsCov2 S1 spike protein. It is believed that the immune system will mount a sufficient antibody response.

Dr David Martin, emphasized that this technology does not meet the definition of a traditional vaccine as per the manufacturers' claims. The trials do not test for *reduction in transmission*. These therapies do not *prevent infection*, merely reduction in one or more symptoms.

Interestingly, Moderna describes its technology as the ["software of life,"](#) not a vaccine.



Media outlets, politicians, and public health officials have blurred the 95% efficacy for both formulations. To the casual observer, this would denote 95% reduction in hospitalizations or deaths. When in fact the 95% is calculated, based upon the “Primary Efficacy Endpoints.”

In the trial literature these endpoints are described by both companies as non-severe cold/flu SYMPTOMS coupled with a positive PCR.

Pfizer [has reported](#):

For the primary efficacy endpoint, the case definition for a confirmed COVID-19 case was the presence of at least one of the following symptoms and a positive SARS-CoV-2 NAAT within 4 days of the symptomatic period: Fever; New or increased cough; New or increased shortness of breath; Chills; New or increased muscle pain; New loss of taste or smell; Sore throat; Diarrhea; Vomiting.”

Moderna [reported in likeness](#):

For the primary efficacy endpoint, the case definition for a confirmed COVID-19 case was defined as: At least TWO of the following systemic symptoms: Fever ($\geq 38^{\circ}\text{C}$), chills, myalgia, headache, sore throat, new olfactory and taste disorder(s), OR At least ONE of the following respiratory signs/ symptoms: cough, shortness of breath or difficulty breathing, OR clinical or radiographical evidence of pneumonia; and NP swab, nasal swab, or saliva sample (or respiratory sample, if hospitalized) positive for SARS-CoV-2 by RT-PCR.”

To reiterate, in both trials, once one/two symptoms appeared in a participant, it was designated a “case” or “event” when coupled with a positive PCR “test”. Once 170 “cases” occurred in Pfizer/BioNtech trial, and 196 “cases” occurred in Moderna trial, this data was used to calculate efficacy. Shockingly, only under 200 cases for a novel therapy which is being deployed/subjected on millions of people around the world.

Furthermore, people are not being informed that “95%” or so efficacy, is calculated based on a useless metric of relative efficacy and is therefore very misleading.

Eg. Pfizer/BioNtech:

8 “cases” in vaccine group

162 “cases” in placebo group

$8/162 = 5\%$

$100\% - 5\% = 95\%$

Therefore, they are claiming that the synthetic gene therapy injections are 95% efficacious. What they are not factoring in is the size of the denominator. If it is large, then with 8 vs 162, the difference becomes less significant. It matters how many people were in each group, for example, whether this be 200, 2,000, or 20,000.

This is the [absolute risk reduction](#) for Pfizer/BioNtech, each group had over 18,000 people!

Injection Group: $8/18,198 = 0.04\%$

Placebo Group: $162/18,325 = 0.88\%$

Therefore, the absolute risk reduction for Primary Efficacy Endpoint is 0.84%. (ie. $0.88 - 0.04$)

This means, that someone who takes the Pfizer/BioNtech injection, has less than 1% chance of reducing at least one symptom of non-severe “Covid” for a period of 2 months. This means that someone who takes this injection has over 99% chance that it won’t work, regarding the efficacy. Over 100 people have to be injected for it to “work” in one person.

	Pfizer/BioNtech Placebo Group	Pfizer/BioNtech Injection Group	Absolute risk reduction
Non-severe “Covid”	0.88%	0.044%	0.84%
Severe “Covid”	0.04%	0.005%	0.035%

The actual efficacy of Pfizer/BioNtech Synthetic Gene Therapy

	Moderna Placebo Group	Moderna Injec- tion Group	Absolute risk reduction
Non-severe “Covid”	1.33%	0.08%	1.25%
Severe “Covid”	0.22%	0%	0.22%

The actual efficacy of Moderna Synthetic Gene Therapy

There are many issues with the trial data, and design. It must be noted that PCR tests are not fit for purpose and without Sanger sequencing we have no idea how many of these people actually had “Covid” vs another respiratory virus or something else. This is a preminent reason why [Dr Yeadon and Dr Wodarg filed a Stay of Action](#) on the vaccine trials.

As Dr Peter Doshi, Associate Editor of BMJ highlighted, [access to the raw data is required](#) to further elucidate the areas of concern:

With 20 times more suspected covid-19 than confirmed covid-19, and trials not designed to assess whether the vaccines can interrupt viral transmission, an analysis of severe disease irrespective of etiologic agent—namely, rates of hospitalizations, ICU cases, and deaths amongst trial participants—seems warranted, and is the only way to assess the vaccines’ real ability to take the edge off the pandemic.”

Approximately 5-6 symptoms listed as “side effects” are the same as Covid symptoms. Pfizer/BioNtech only started counting “cases” one week after the second dose, and Moderna, 2 weeks after the second dose. Therefore, if these side effects were labelled as “Covid” symptoms instead, even the paltry efficacy of about 1% would be relegated into the negative integers.

In others words, the injected group may have been sicker with “Covid” more than the placebo group.

There have been many critiques of the applicability of the limited data to the general populace, especially the vulnerable elderly. An important analysis of this was done [by Dr James Lyons-Weiler](#) who discovered the general population is dying at a rate 6.3 times the rate of participants in the Moderna trial (including placebo and injection groups).

If Moderna’s on-vaccine death rate is so far below the national death rate and also simultaneously more than five times greater than Pfizer’s on-vaccine death rate, then Pfizer’s study sample appears even less representative of the entire population. This, too, requires due consideration.”

An integral question as to whether Pfizer/BioNtech and Moderna recruited supermen and women for their trials, comes to mind. The incidence of “severe” Covid in Placebo groups which scrutinizing the details, wasn’t necessarily severe presentation, is so low that trials of 30,000-40,000 lacked statistical power to determine reductions in hospitalizations and deaths, according to Tal Zaks, CMO Moderna.

Zaks is correct, the incidence of severe “Covid” was only 0.04% in Pfizer/BioNtech and 0.22% in Moderna. Due to this very low attack rate of severe presentation in the population, the absolute risk reduction in severe presentation, even taking data at face value, is nominal.

Therefore, potential SGT recipients must be informed that to reduce “severe” presentation, chances are over 99.5% that these synthetic gene therapies will not work.

The British Medical Journal [has reported](#):

Hospital admissions and deaths from covid-19 are simply too uncommon in the population being studied for an effective vaccine to demonstrate statistically significant differences in a trial of 30 000 people. The same is true of its ability to save lives or prevent transmission: the trials are not designed to find out.”

To convey informed consent, the side effect profile must also be considered. Up to 80% of injected trial recipients experienced side effects, in a setting for a nebulous syndrome where 80% of people are asymptomatic.

The incidences of immediate side effects in both trials were significant and dwarfed the absolute risk reduction in both the primary efficacy endpoints, as well as for “severe” Covid.

For example, for Moderna 81.9% experienced any systemic reaction. Grade 3 reactions (considered severe) were experienced by 17.4%. This is 79X more likely than the incidence of severe Covid in the Moderna group. ($17.4/.22=79X$) Based on [preliminary reports of adverse events](#) [emphasis added]:

This is an injury rate of 1 in every 40 jabs. This means that the 150 shots necessary to avert one mild case of COVID will cause serious injury to at least three people.”

The safety data for both companies is approximately only two months before receiving emergency use authorization status. Therefore, there is no data for mid-long term side effects, as the trials are ongoing.

The estimated completion date for [Pfizer/BioNtech trials is Jan 31, 2023](#). The estimate completion date for Moderna [trials is October 27, 2022](#).

According to the data, and [elaborated by Tal Zaks \(CMO of Moderna\)](#) the trials *are not designed to demonstrate a reduction in transmission*, due to “operational realities”. It is therefore baffling how medical doctors and public health officials are proclaiming these SGTs will promote herd immunity.

The manufacturers have also made it clear that efficacy beyond 2 months or so is unknown. Therefore, the 1% absolute risk reduction in mild/moderate, cold/flu symptoms may not last more than a few months.

Tragically, there is no pervasive data-centred discourse, only excessive fear-mongering. Without addressing the data people cannot make an informed choice about experimental SGTs.

Many are not aware any SGT recipient who participates in this therapy is now a part of an unprecedented experiment. When Health Canada shockingly agreed to interim authorization of the Pfizer/BioNtech injection, [it came alongside a caveat](#): The company must submit 6 months of trial data *when it is available*.

To underscore: Health Canada approved this experimental SGT on the populace without even 6 months of trial data.

It is difficult to embark on a comprehensive risk-benefit analysis, as there is no safety data beyond a couple of months. New vaccines typically take about 7 to 20 years of research and trials before going to market. Pfizer/Moderna ran all of their trials simultaneously, including their animal trials, instead of sequentially. As retired Health Canada [research scientist Dr Qureshi elaborated](#), it is during proper animal trials that meaningful toxicology data is obtained.

The anaphylactic reactions observed in some people is also worrisome, worthy of analysis. Children's Health Defense submitted a request to the FDA to address PEG allergies, as up to 70% of the populace has antibodies to these compounds. *PEG has [never been a component in a vaccine before](#)*.

It must also be noted that according to an internal Health Human Services and Harvard study, [less than 1% of vaccine side effects are reported](#). At this juncture, based on: paltry efficacy, issues with data transparency and trial design, high level of immediate side effects, and low IFR for Covid, there is already enough reason for concern.

Yet, the more disconcerting side effects are the potential mid-long term effects.

Many doctors and researchers around the world have promulgated concerns about the well-documented phenomena referred to as [Antibody Dependent Enhancement](#) (ADE) seen in some viruses such as coronaviruses.

In previous SARS, MERS, Dengue fever and RSV virus vaccine trials the exposure of wild viruses to vaccine recipients resulted in severe disease, cytokine storms, and deaths in some animal and human trials. The phenomenon of ADE did not present initially in vaccine recipients, rather it presented after vaccine recipients were exposed to wild viruses.

This is the reason [we do not have a vaccine for the common cold, MERS and SARS](#) which is 78% homologous with SarsCov2 (based on analysis of the digital genome). [Immunology Professor Dolores Cahill warned](#) that this disease enhancement may cause many vaccine recipients to die months or years down the road. Esteemed German infectious disease specialist, [Dr Sucharit Bhakdi opined](#):

This vaccine will lead you to your doom."

Researchers in [The International Journal of Clinical Practice stated](#):

The absence of ADE evidence in COVID-19 vaccine data so far does not absolve investigators from disclosing the risk of enhanced disease to vaccine trial participants, and it remains a realistic, non-theoretical risk to the subjects. Unfortunately, [no vaccines for any of the known human CoVs have been licensed](#), although several potential SARS-CoV and MERS-CoV vaccines have advanced into human clinical trials for years, suggesting the development of effective vaccines against human CoVs has always been challenging."

Traditional vaccines involve injection of the pathogen/toxin in whole/part to elicit an immune reaction. For the first time in history, the recipients' cells will manufacture the pathogen, the S1 spike protein of SarsCov2 virus.

In a [presentation for Emergency Use Authorization to the FDA](#), Moderna reps explained that the mRNA stays in the cytoplasm of the cells, manufactures the S1 Spike Protein and then is destroyed. As Dr Sucharit Bhakdi and [others have queried](#):

Where else do these packages go?"

Also, based on a couple of months of safety data, we do not know that these mRNAs last long enough to manufacture the protein but not long enough to exert deleterious effects. This nascent technology is risky.

Firstly, the RNA sequences are synthetic. Therefore, we do not know how long they will last in the cells. Dr Judy Mikovits has expressed concerns in that they may not be degraded immediately, and perhaps linger for days, months, years.

Moderna previously [tried to use this same technology to treat Crigler-Najjar syndrome](#) and was not able to strike the balance between therapeutic dose and toxic side effects.

It's [encased in nanolipid](#) to prevent it from degrading too rapidly, but what happens if the mRNA degrades too slowly, or not at all? What happens when you turn your body into a "viral protein factory", thus keeping antibody production activated on a continual basis with no ability to shut down?

So, taking a synthetic messenger RNA and making it thermostable — making it not break down — [is problematic]. We have lots of enzymes (RNAses and DNAses) that degrade free RNA and DNA because, again, those are danger signals to your immune system. They literally drive inflammatory diseases.

Moderna boldly claims that these synthetic mRNAs will not integrate with the host cell DNA. The discovery of epigenetics has revealed that DNA expression is in flux and constantly interacts with environmental signals. [Dr Lanka explained that RNA-DNA](#) is also a two-way process, dynamic.

There is the potential for this synthetic RNA to integrate into human DNA via the enzyme, reverse transcriptase. This may lead to mutagenesis, possibly cancer. It may lead to birth defects if it integrates into the germ cells of the injected. Reassurances cannot be made based on such limited safety data.

Therefore, it is important to clearly understand the potential risks of this type of mRNA-based vaccine, which include local and systemic inflammatory responses, the biodistribution and persistence of the induced immunogen expression, possible development of autoreactive antibodies and toxic effects of any non-native nucleotides and delivery system component"

It has been discovered that [commonly transcribed mRNA sequences can integrate with DNA for form "R loop" patterns](#). Dysregulation of these sequences is implicated in different pathologies, including "*oncogenic stress*."

This finding was referred to as:

unexpected interplay between RNA modifications (the epitranscriptome) and the maintenance of genome integrity."

Clearly, we are in the nascent stages of understanding the complex field of epigenetics. The S1 SarsCov2 spike protein is highly homologous with HERV (human endogenous retrovirus) protein known as Syncytin-1. There is the potential for autoimmunity, as the Spike protein antibodies might attack Syncytin-1.

Whilst natural infections are benign and self-limiting for the vast majority of affected people, autoimmune diseases are mostly irreversible. This is even more terrifying with the mRNA treatment.

If the translation of SarsCov2 S1 spike protein persists there is potential to [cause amplification of the expression of autoimmunity](#). As the SGT recipients' cells are now producing the viral spike proteins, there is the potential for explosion of auto-immune diseases in coming years.

Syncytin-1's primary function is in the placenta as well as sperm. [Dr Wodarg and Yeadon's Stay of Action](#), included concerns that the potential for antibodies against Syncytin-1 proteins (part of the placenta) may result in permanent infertility in women and possibly men as well. The manufacturers [give the caveat](#):

It is unknown whether COVID-19 mRNA Vaccine BNT162b2 has an impact on fertility. And women of childbearing age are advised to avoid pregnancy for at least two months after their second dose."

Pregnant women were not included in either of the trials. Trial recipients were instructed to use birth control.

The PEG-lipid nanoparticle is highly lipophilic, to cross cell membranes. Renowned aluminum and neurotoxicity expert Dr Chris Shaw, [stated that these nanoparticles do cross the BBB](#) (blood-brain barrier) and cited evidence from Moderna's previous animal trials.

On social media, there have been many documented cases of bizarre neurologic symptoms in the SGT recipients. Could one mechanism be [dysregulation of Syncytin-1 in the brain?](#)

Except for the normal physiologic function of Syncytin-1 in the development of placenta, the activity and expression of Syncytin-1 increase in several diseases, such as neuropsychiatric disorders, autoimmune diseases, and cancer [...] Syncytin-1 participates in human placental morphogenesis and can activate a pro-inflammatory and autoimmune cascade [...] A growing number of studies indicate that Syncytin-1 plays an important role in MS."

Bottom line: elevated levels of Syncytin-1 = brain inflammation.

We now have a therapy that uses the body's own cells to produce unknown (perhaps continuous) levels of a protein that is almost identical to Syncytin-1. This is potential for disaster, [as Dr Mikovits elaborated](#):

Syncytin is the endogenous gammaretrovirus envelope that's encoded in the human genome...We know that if syncytin...is expressed aberrantly in the body, for instance in the brain, which these lipid nanoparticles will go into, then you've got multiple sclerosis [...] The expression of that gene alone enrages microglia, literally inflames and dysregulates the communication between the brain microglia, which are critical for clearing toxins and pathogens in the brain and the communication with astrocytes that dysregulates not only the immune system but the endocannabinoid system..."

In the longer term, she suspects we'll see a significant uptick in migraines, tics, Parkinson's disease, microvascular disorders, different cancers, including prostate cancer, severe pain syndromes like fibromyalgia and rheumatoid arthritis, bladder problems, kidney disease, psychosis, neurodegenerative diseases such as Lou Gehrig's disease (ALS) and sleep disorders, including narcolepsy. In young children, autism-like symptoms are likely to develop as well, she thinks.

Heart attacks are another documented side effect. Loved ones of the deceased have shared on social media that these deaths are not considered vaccine reactions and are therefore not recorded as such.

Cardiothoracic surgeon and researcher, Dr Hooman Noorchashm, [wrote a letter of warning to the FDA](#). His concern, the spike protein will cause inflammation, clot formation and heart attacks in SGT recipients who previously were exposed to SarsCov2:


So if a person with a recent or active COVID-19 infection is vaccinated, the highly effective and antigen specific immune response incited by the vaccine will, very likely, attack the inner lining of the blood vessel and cause damage, leading to blood clot formation. This could result in major serious problems like strokes and heart attacks, at least in some people...Additionally, if the immunological risk I am prognosticating herein is in reality material, over the next months as millions more Americans are immunized, it will become quite visible to the public..Thromboembolic complications, 10-20 days following activation of a vaccine induced antigen specific immune response, in elderly frail vasculopaths, will not register as classical "vaccine related complications."

Moderna and Pfizer reps have boasted that spike protein will result in reduction of symptoms without presenting with clinical disease, as only a portion of SarsCov2 is being produced. Dr Whelan [expressed concern](#) that the spike protein alone is sufficient to cause injury.

I am concerned about the possibility that the new vaccines aimed at creating immunity against the SARS-CoV-2 spike protein have the potential to cause microvascular injury to the brain, heart, liver and kidneys in a way that does not currently appear to be assessed in safety trials of these potential drugs."

There are many avenues of potential harm and death, many are unknown as this experiment is only a few months old.

In contemplation of risk-benefit analysis, one must also consider low-risk efficacious treatments. It is well established that vitamin D deficiency is linked to presentation of severe respiratory distress, and cytokine storm sequelae, which also includes Covid.



This is a small study, but well supported in scientific literature. All the [risk factors for Covid are also risk factors for vitamin D deficiency](#). We have a pandemic of vitamin D deficiency in many temperate climates. Over two hundred scientists [urged consideration of vitamin D supplementation](#) for prevention and treatment of Covid.

As Dr Raharusun expressed optimism after conducting his study, he felt this is a solution that is pennies on the dollar. Sadly, he met with an untimely death shortly after conducting his study.

Chinese health officials [have recommended a moratorium on these SGT Covid injections](#), after the investigations of deaths in care homes in Norway. Daily, there are a barrage of reports detailing disconcerting side effects that result in death as this great experiment on humanity unfolds.

On Feb 5th, the UK Medical Freedom Alliance [penned a letter to Boris Johnson](#), urging him to address the post-injection vaccine deaths in care homes:

We now call for an immediate and urgent audit of deaths that have occurred since the beginning of the Covid-19 vaccine rollout, to ascertain if Covid-19 vaccines (in general or any one brand in particular) are leading to an increased number of deaths (Covid-19 and non-Covid-19 related), Covid19 cases or increased risk of death in certain age groups or cohorts.”

There are now over [900 deaths in VAERS registry](#). As per Health and Human Services’ own analysis, these are likely a small percentage of actual deaths. Both companies wish to have the trials “unblinded” so that the placebo groups can acquire synthetic gene therapies. If this happens the placebo cohort will be lost which will further obfuscate deleterious side effects.

Worldwide, over [206 million doses have been dispensed](#). Pfizer has [projected a profit of 15 billion](#) for 2021. A very lucrative start for all companies benefitting from the Covid Industrial

Complex.

Sadly, people are not being informed that Phase 3 trials are ongoing. The FDA and Health Canada have not approved these injections for licensure. The injections are highly experimental. These SGTs were designed and “assessed” at a record speed of less than a year and then given interim approval based on 2 months of safety data.

Recently, the Indian government declined the Pfizer SGT, which prompted America’s Front Line Doctors to [call on Biden in addressing their concerns](#). Public Health Authorities are making claims about the SGTs that the manufacturers have not made.

ICAN [recently wrote a letter](#) to Cuomo urging retraction of fraudulent NY state advertisements that SGT injections are FDA approved and underwent rigorous safety trials.

Below is an example of the propaganda found in Government of Canada advertisement:



A family gathering for a meal is now tantamount to criminal behaviour.

Dr Peter Doshi, Associate Editor, BMJ [stated](#):

Products can be marketed without access to the data, but doctors and professional societies should publicly state that, without complete data transparency, they will refuse to endorse covid-19 products as being based on science.”

Dr Michael Yeadon, former Vice-President of Pfizer [has also stated](#)[emphasis added]:

All vaccines against the SARS-CoV-2 virus are by definition novel. If any such vaccine is approved for use under any circumstances that are not EXPLICITLY experimental, I believe that recipients are being misled to a criminal extent.”

The American Frontline Doctor’s [white paper reports](#),

An Experimental Vaccine Is Not Safer Than a Very Low IFR.”

To exercise informed consent, any recipient of this SGT must be made aware that they are now participating in a clinical trial. There is no claim about reduction of transmission. All risk-benefit analysis must be focused on the individual, as is treatment with a drug therapy.

Therefore, the potential trial recipient must understand IFR, the absolute risk reduction in symptoms, and potential side effects, including ADE as well as efficacious alternatives for treatment if the need arises.

If the potential trial subject is not relayed this information, or does not comprehend the information, it is a blatant violation of [Nuremberg code](#).

The voluntary consent of the human subject is absolutely essential...This means that the person involved should have legal capacity to give consent; should be so situated as to be able to exercise free power of choice, without the intervention of any element of force, fraud, deceit, duress, overreaching, or other ulterior form of constraint or coercion; and should have sufficient knowledge and comprehension of the elements of the subject matter involved as to enable him to make an understanding and enlightened decision.

This latter element requires that before the acceptance of an affirmative decision by the experimental subject there should be made known to him the nature, duration, and purpose of the experiment; the method and means by which it is to be conducted; all inconveniences and hazards reasonably to be expected; and the effects upon his health or person which may possibly come from his participation in the experiment.

There is a substantial body of experts around the world, warning about the potential disasters of this novel SGT. The sanctity of life is relegated to the proclamations of those substantiating and in command of the New Covid Religion.


The new normal breeds hysteria, “safe and effective” are the cacophonous mantras. Only a heretic dare analyze the actual data or initiate rational query. The unscrupulous message proclaimed from on high, Covid is extremely fatal, the injections are extremely safe and effective. Full stop.

Dr Vernon Coleman did not mince any words, [in his emotional plea](#):

Legally all those people giving “vaccinations” are war criminals...There is no doubt in my mind, this is global genocide.”

Of course, Dr Coleman’s comments were flagged as False information by Facebook.

Meanwhile, Orwellian messages such as the following abound:



*

Note to readers: please click the share buttons above or below. Forward this article to your email lists. Crosspost on your blog site, internet forums. etc.

This article was originally published on [OffGuardian](#).

Sadaf Gilani MD is a Canadian entrepreneur and activist.

All images in this article are from OffGuardian unless otherwise stated

The original source of this article is Global Research
Copyright © [Dr. Sadaf Gilani](#), Global Research, 2021

[Comment on Global Research Articles on our Facebook page](#)

[Become a Member of Global Research](#)

Articles by: [Dr. Sadaf Gilani](#)

Disclaimer: The contents of this article are of sole responsibility of the author(s). The Centre for Research on Globalization will not be responsible for any inaccurate or incorrect statement in this article. The Centre of Research on Globalization grants permission to cross-post Global Research articles on community internet sites as long the source and copyright are acknowledged together with a hyperlink to the original Global Research article. For publication of Global Research articles in print or other forms including commercial internet sites, contact: publications@globalresearch.ca

www.globalresearch.ca contains copyrighted material the use of which has not always been specifically authorized by the copyright owner. We are making such material available to our readers under the provisions of "fair use" in an effort to advance a better understanding of political, economic and social issues. The material on this site is distributed without profit to those who have expressed a prior interest in receiving it for research and educational purposes. If you wish to use copyrighted material for purposes other than "fair use" you must request permission from the copyright owner.

For media inquiries: publications@globalresearch.ca