

The Painful Truth About Last Year's Failed Flu Vaccine

By [Dr. Gary G. Kohls](#)

Global Research, April 18, 2018

Theme: [Media Disinformation](#), [Science and Medicine](#)

"There are three kinds of lies: lies, damned lies, and statistics." – Mark Twain

"...most 'flu' appears to have nothing to do with influenza. Every year, hundreds of thousands of respiratory specimens are tested across the US. Of those tested, on average 16% are found to be influenza positive." – From the British Medical Journal editor, Peter Doshi, MD

"71 people would need to be treated with the flu vaccine to prevent one case. In other words, the flu vaccine did nothing for 70 out of 71 who received it. That means this study found the flu vaccine failed 99% (70/71)." — Dr David Brownstein

"Under ideal conditions (when the vaccine actually matches the main viruses circulating that season) you need to vaccinate 33 healthy adults to avoid one set of influenza symptoms. 33 is what is called the NNV (Number Needed to Vaccinate)." – Dr Tom Jefferson of the Cochrane Collaboration ([Cochrane Database Syst. Rev. 2018. Feb. 1,2:CD001269](#))

"...influenza virus often mutates to adapt to being grown in chicken eggs, which can influence antigenicity and hence vaccine effectiveness." — Ian A. Wilson, MD, et al from: "[A Structural Explanation for the Low Effectiveness of the Seasonal Influenza H3N2 Vaccine](#)"

*"Between 33 and 100 people are needed to vaccinate to prevent one case of flu symptoms." – Alan Cassals, author of *Selling Sickness: Medical Screening and the Misguided Hunt for Disease**

"Normally, the flu vaccine is between 50 to 60 percent effective." — Dr. Tom Frieden, Director of the Centers for Disease Control and Prevention (CDC)

Last year, the well-propagandized talking heads on TV and radio repeated over and over again how important it was to be fully vaccinated with the newest untried and unproven-for-effectiveness influenza vaccine, whose ingredients had been chosen 6 months earlier (in the spring of 2017) by industry "experts" who were forced to guess which 3 or 4 influenza viruses from the southern hemisphere (out of hundreds of potential viruses) that were most likely to be circulating in the northern hemisphere by the next "flu season", ie, the fall of 2017.

Six months is the minimum amount of time that it takes multinational vaccine corporations to grow enough of the viruses in fertilized chicken eggs to fulfill the anticipated demand for flu vaccines six months later.

Such a guesswork process is actually a crapshoot and the choices made are highly unlikely to match the new viral culprits that may or may not be circulating up north next fall. I suppose the vaccine industries in the southern hemisphere look at America's flu statistics when they choose their vaccine ingredients for their next flu season.

<p>Contains:</p> <ul style="list-style-type: none">• 25 mcg of Mercury• Squalene MF59• Polysorbate 80• Egg Protein• Sodium deoxycholate• Ethanol• Formaldehyde• a-tocopheryl hydrogen succinate• Triton x100• Disodium hydrogen phosphate heptahydrate• Dog Kidney Cells <p>Like ALL vaccines...It may not "protect" all individuals & has never been tested in pregnancy.</p>	<p>Side Effects Listed on the Inserts:</p> <ul style="list-style-type: none">• Blood & Lymphatic Disorders• Gastrointestinal Disorders• Eye Disorders• Influenza-type Illness• Respiratory Infections• Metabolism & Nutrition Disorders• Musculoskeletal & Connective Tissue Disorders• Nervous System Disorders• Psychiatric Disorders• Guillain-Barre Syndrome• Death	<p>There have been reports of other neurological illnesses, including:</p> <ul style="list-style-type: none">• Facial Paralysis• Encephalitis (brain swelling)• Encephalopathy (brain damage)• Demyelinating Disease• Labyrinthitis
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Does this sound healthy to you?
Educate before you Vaccinate

For more info go to: www.AreVaccinesSafe.org

Wild Influenza Viruses can Mutate Into Ineffective Components Before they get into the Vaccines

Well, the flu season of 2017 was another bust, but you wouldn't know it from the CDC's Tom Frieden, the broadcast media and other industry promotions that tried to convince us it was a grand success and worth the risks and expense. The guesswork had failed again; and there were essentially no viral matches between the viral antigens chosen and the several flu viruses commonly circulating in the population. The H3N2 influenza virus component, for example, had apparently mutated into ineffectiveness by the time enough of them had been grown in the egg cultures. (See above Ian A. Wilson reference.)

Only about 1% of Americans that submitted to flu shots in 2017 received any benefit from the shots, but 100% of them risked suffering the many potential side effects of the vaccinations.

Most important among the adverse effects were those often unrecognized toxicity from the neurotoxic, immunotoxic and kidney toxic mercury preservative (thimerosal) that is still in the multidose vials. What happens to patients who simultaneously received their pneumovax shots (that contains aluminum, which is neurotoxic, blood-brain barrier toxic and immunotoxic) will never be investigated in the US because there is a 1986 Reagan-era federal law that forbids lawsuits to be filed against vaccine manufacturers. Hence there is no impetus to find out about such inconvenient facts.

So, since there was a vague suspicion on the part of the public about the failed flu shot campaign, the CDC and Big Pharma statisticians felt that they had to do something to convince the duped masses that they hadn't wasted their time, mind, money and health by

submitting to the vaccine. In a profit-minded nation such as the US, where the stock market is king and the public health is secondary, the highly profitable annual flu vaccination campaigns have to be perpetuated or else the share prices (and the honor) of the involved pharma and medical companies might suffer.

And so the entities that profit from America's over-vaccination agendas tried to save face by retrospectively claiming that there was a "60% effectiveness rate" for flu shot recipients.

Claiming a 60% Effectiveness Rate for Last Year's Flu Shot Qualifies as one of Mark Twain's "Damn Lies"

The big problem is that "60% effectiveness" is a relative risk reduction (RRR) statistic, which is a "damn lie". The actual "effectiveness rate" for flu shots in 2017 was closer to 1% when one calculates the absolute risk reduction (ARR)

Exposing again the truth of Twain's "lies, damn lies and statistics", last year's flu shots actually failed to protect 99% of vaccine recipients. In other words, the ARR for those who took the flu shot last year was 1%, a pretty dismal figure.

Both the CDC and Big Pharma are notorious for using deceptive statistics which drastically over-emphasize meager benefits and simultaneously under-report (or even fail to report) serious adverse effects or serious lack of effectiveness. What they are doing is bamboozlement at its most sophisticated - and diabolical.

The differences between the deceptive "60% effectiveness" (RRR) figure and the more truthful ARR can be best exposed by the following example:

If 100 unvaccinated people are exposed to the influenza virus, and, for example, of them 5 get the flu, that is an incidence of 5% among the unvaccinated. (Of course, 95% did not get the flu despite not having been vaccinated, which is very realistic.)

If another group of 100 people get the flu shot and 3 of them still get the flu that is an incidence of 3%. Following the statistical rules for RRR, one divides the 3% incidence by 5% and gets a relative effective rate of 60%.

But of course to calculate the absolute risk reduction, one divides 95% by 97% and obtains an ARR of 1%, which means that the number to treat (NNT - or number to vaccinate, NNV, which is the inverse of AAR) is 100. An NNT of 100 means that 100 people will have to be treated for one to benefit from the treatment.

A good example of the relationship between RRR, ARR and NNT comes from a [Wikipedia page](#) at :

Consider a hypothetical drug (or screening program) which reduces the the relative risk of colon cancer by 50% (the RRR) over five years. Even without the drug, colon cancer is fairly rare, maybe 1 in 3,000 in every five-year period. The rate of colon cancer for a five-year treatment with the drug is therefore 1/6,000, (the ARR) as by treating 6,000 people with the drug (the NNT), one can expect to reduce the number of colon cancer cases from 2 to 1.

One can see how easy it is to deceive readers by inflating the “success” of a drug or vaccine treatment by only mentioning the RRR of 50% when in absolute terms the “success” is actually a useless 1%. Which is a damned lie.

As usual, no calculation is applied to the side effects or adverse reactions, which may be substantial. One of the world’s experts on the risks and follies of America’s over-vaccination agenda is board-certified nephrologist Dr Suzanne Humphries. Dr Humphries personally treated three previously healthy adult patients who nearly simultaneously developed kidney failure soon after receiving their mercury-containing flu shots. Two of the three patients needed dialysis, one of them had a kidney transplant and one died.

Dr Humphries was actually ostracized and censored by her hospital’s staff leadership when she pointed out the obvious connections and soon thereafter left her nephrology practice to thoroughly research the history and (pseudo)science of the world’s increasingly over-vaccination agendas. Dr Humphries’ first and most important book on the subject is titled “*Dissolving Illusions: Disease, Vaccines, and the Forgotten History*”. Her co-author was Roman Bystrianyuk.

Dr Humphries lectures widely on the subject (check out her many informative YouTube lectures), and her testimony has been featured on many important videos, including “*VAXXED From Cover-up to Catastrophe*”; “*Bought: The Hidden Story Behind Vaccines, Big Pharma and Your Food*”; “*Trace Amounts: Mercury and the Hidden Truth*”; “*The Greater Good*”; and “*The Truth About Vaccines*”.

The following excerpts are from several other authors who have been studying the flaws in America’s over-vaccination programs for far longer than I. They likewise have been essentially ostracized and censored by authorities that tolerate no exposures of truths that might derail their Big Pharma and Big Business gravy trains.

The following excerpts come from Alan Cassals, a Canadian drug policy researcher at the University of Victoria, Canada and co-author (with Ray Moynihan) of the powerful Big Medicine/Big Pharma expose that was titled *Selling Sickness: Medical Screening and the Misguided Hunt for Disease*. Cassals confirms much of what I have written about above.

Important References

This Flu Season, Let’s Immunize Ourselves from the Annual Infection of Exaggerating Relative Risk Reductions

By Alan Cassels

Excerpts below were taken from an article that was written by Cassels. It can be accessed [here](#). Also check out the following Alan Cassels lecture [here](#).

How Effective is the Flu Shot?

That’s an important question that generates many headlines across North America every fall as the public health community starts ramping up its fall flu campaigns. Problem is, the media tends to generate a lot of noise around that 60% number, but provide very little clarity.

Influenza stories this time of year swirl around similar themes, often with the CDC taking center stage (featuring the platitudinous photo-op of the CDC director rolling up his sleeve for the shot), including the importance of the flu shot, the need for general hand hygiene and the expected effectiveness of the vaccine this year.

The number that arrives as predictably as the fall flu campaign is “60” as in the story that repeats the mantra: “Flu shots normally prevent 60% to 65% of infections serious enough for people to see a doctor.” Across North America, public health officers will stress that the flu vaccine “reduces the risk by 60%!”

Sixty sounds good, but ultimately is as meaningless as a used car salesman with big bright signs of “60% off” plastered on every car on the lot, without ever telling you what the regular prices are. Despite the potential for a huge bargain on that purchase, the reality is that you’re in for a much smaller deal than you think you are. MUCH smaller.

And so it goes with the flu shot. When people hear “60% reduction,” I believe this is what happens inside their thought bubble: “If my risk of getting the flu this winter is 100%, the shot will reduce that to 40%. So instead of 100 people getting the flu, only 40 would get it. Hmmm. This 60% reduction sounds like great odds.”

Even when the flu vaccine seems less effective, like in the story that said that “last year the flu shot, by the CDC’s own numbers, was 23% effective,” people might think it’s a good deal. 23% off that Chevy Impala in the back lot might be a great bargain. But what does the 23% or 60% really mean?

Since they are relative numbers, they demand us to ask “23% of what?” or “60% of what?” As we’ve made abundantly clear at HealthNewsReview.org, using relative numbers on their own are a statistical no-no because, to quote ourselves, “we think the relative risk number tends to inflate the impression of how much impact the drug [or vaccine] has.” (For a quick refresher on relative numbers check out our review criteria [here](#).)

I find the 60 or the 23 percent numbers irritating, not to mention epically misleading, and I’m not alone. One commentator looking at a flu study reporting a “23% risk reduction” called it Cockamamie propaganda. Colorful but true.

To get some perspective I talked to Dr. Tom Jefferson in Rome who has reviewed hundreds of flu vaccine studies as part of the Cochrane Collaboration. Dr. Jefferson gives me a quick tutorial on the 60% which he calls “CDC/Big Pharma spin of the worst kind.”

He reminded me that every flu season there are over 200 viruses that can cause influenza and influenza-like illness, all perfectly capable of making you headachy and feverish. (3 or 4 of the 200 viruses must be prematurely chosen in the spring 6 months before the winter flu season comes around so that enough vaccine product can be manufactured in time to accommodate the demand.)

Most people get through the flu just fine and, thankfully, the risk of death or serious illness in otherwise healthy people is rare. In a good year the vaccine might (or might not) protect against influenza A and B, which might make up a small percentage of all circulating viruses.

The best way to assess flu trials is to look at those that compared vaccinated people with unvaccinated people.

The All-Important NNV (Number Needed to Vaccinate)

When Jefferson and his colleagues published their February 1, 2018 review at www.cochrane.org, they found that under ideal conditions (when the vaccine actually matches [which rarely happens] the main viruses circulating that season) you need to vaccinate 33 healthy adults to avoid one set of influenza symptoms. This is what we'd call the NNV (Number Needed to Vaccinate) of 33. When the vaccine match isn't so good as it was last year, the NNV is about 100. Therefore, of 100 people vaccinated, 99 will have no benefit and one person will perhaps avoid one set of influenza symptoms. Vaccination did not seem to reduce the number of people hospitalised or who lost working days.

Almost half (15 of the 36 trials they examined) were funded by vaccine companies and four had no funding declaration. His team cautioned that even these numbers may represent an "optimistic estimate" because "company-sponsored influenza vaccine trials tend to produce results favorable to their products."

The excerpts immediately below are from Dr David Brownstein, who publishes a newsletter that is titled Dr Brownstein's Natural Way to Health. (Check it out [here](#).)

For over 20 years, I have been writing and lecturing about how the flu vaccine fails nearly all who get it. I have written about the failure of the flu vaccine in past blog posts

The Cochrane Collaboration is a global independent network of researchers in more than 130 countries who strive to produce credible, accessible health information that is free from commercial sponsorship and other conflicts of interest. They do not take Big Pharma money. Therefore, their studies deserve attention when they are released.

On February 1, 2018, the Cochrane group released its latest findings on the flu vaccine. (1) The scientists studied randomized, controlled trials comparing the flu vaccine with placebo or no intervention. They included 52 clinical trials of over 80,000 people assessing the safety and effectiveness of flu vaccines in healthy adults. The studies were conducted between 1969 and 2009.

The authors found that flu vaccines probably reduced influenzas in healthy adults from 2.3% without vaccination to 0.9% with.

That means that the difference between the vaccinated and the unvaccinated is 1.4% or 0.014. Therefore, 71 people would need to be treated with the flu vaccine to prevent one case (1/1.4%). In other words, the flu vaccine did nothing for 70 out of 71 who received it. That means this study found the flu vaccine failed 99% (70/71).

There was more bad news for the flu vaccine in this study. The flu vaccine is touted as decreasing the risk of hospitalizations from the flu. I'm not sure how that happens since the vaccine has never been shown to be very effective against preventing the flu. In this study they found the risk of hospitalization in those that received the flu vaccine declined from 14.7% to 14.1%. That is a 0.6% decline. That means the flu vaccine fails

over 99% (165/166) in preventing hospitalizations. Furthermore, the independent researchers found the flu vaccine "...may lead to little or no reduction in days off work." To make matter worse, the flu vaccine was shown to cause an increase in fever from 1.5% to 2.3%. Oy vey.

Why would anyone get a flu vaccine when it fails 99% who receive it?

Why would any physician prescribe a therapy, which is associated with serious adverse effects, that fails 99% who receive it?

Why are health care workers forced to receive a flu vaccine when it is consistently shown to fail nearly 99% who get them? And, there is not a single well-done study showing that vaccinating health care workers with the flu vaccine protects against the spread of flu.

Folks, the flu vaccine is a disaster...I cannot understand why anyone would allow themselves to be injected with a failed flu vaccine.

Note

(1) [Cochrane Database Syst. Rev. 2018. Feb. 1,2:CD001269](#)

*

This article was originally published on Duluth Reader.

Dr Kohls is a retired physician from Duluth, MN, USA. He writes a weekly column for the Duluth Reader, the area's alternative newsweekly magazine. His columns deal with the dangers of American fascism, corporatism, militarism, racism, malnutrition, Big Pharma's psychiatric drugging and over-vaccination regimens, and other movements that threaten the environment, prosperity, democracy, civility and the health and longevity of the planet and the populace. Many of his columns are archived at

<http://www.globalresearch.ca/author/gary-g-kohls;>

http://duluthreader.com/search?search_term=Duty+to+Warn&p=2; or at

<https://www.transcend.org/tms/search/?q=gary+kohls+articles>

The original source of this article is Global Research
Copyright © [Dr. Gary G. Kohls](#), Global Research, 2018

[Comment on Global Research Articles on our Facebook page](#)

[Become a Member of Global Research](#)

Articles by: [Dr. Gary G. Kohls](#)

Disclaimer: The contents of this article are of sole responsibility of the author(s). The Centre for Research on Globalization will not be responsible for any inaccurate or incorrect statement in this article. The Centre of Research on Globalization grants permission to cross-post Global Research articles on community internet sites as long the source and copyright are acknowledged together with a hyperlink to the original Global Research article. For publication of Global Research articles in print or other forms including commercial internet sites, contact: publications@globalresearch.ca

www.globalresearch.ca contains copyrighted material the use of which has not always been specifically authorized by the copyright owner. We are making such material available to our readers under the provisions of "fair use" in an effort to advance a better understanding of political, economic and social issues. The material on this site is distributed without profit to those who have expressed a prior interest in receiving it for research and educational purposes. If you wish to use copyrighted material for purposes other than "fair use" you must request permission from the copyright owner.

For media inquiries: publications@globalresearch.ca