

Treatments for Radiation Poisoning

By [Washington's Blog](#)

Theme: [Science and Medicine](#)

Global Research, July 01, 2011

[Washington's Blog](#) 28 June 2011

You've heard that potassium iodide helps protect against some types of radiation.

In fact, it only protects against iodine 131 poisoning (and, if not needed, may cause severe adverse reactions in some individuals).

But there are actually different treatments for different types of radiation.

The following chart [provided](#) by the Food and Drug Administration summarizes the treatments for exposure to various radioactive elements (click chart for better image):

TABLE 1. RADIOACTIVE CONTAMINANTS WITH MEDICAL SIGNIFICANCE AND POSSIBLE TREATMENTS¹¹

Radioactive Contaminant	Radiation Type ¹²	Target Organ	Contamination Mode [*]	Treatment
Americium-241	α, γ	Bone	I/W	Ca-DTPA, Zn-DTPA [†]
Californium-252	γ, α, η	Bone	I/W	Ca-DTPA, Zn-DTPA [†]
Cesium-137, 144	β, γ	GI, lung	I/GI	Ca-DTPA, Zn-DTPA [†]
Cesium-137	β, γ	Total body	I/S/GI	Prussian blue [‡]
Curium-244	α, γ, η	Bone	I/GI	Ca-DTPA, Zn-DTPA [†]
Iodine-131, 132, 134, 135	β, γ	Thyroid	I/GI/S	KI [§]
Plutonium-239, 238	α, γ	Bone	I/W	Ca-DTPA, Zn-DTPA [†]
Polonium-210	α	Lung	I	Dimercaprol [¶]
Strontium-89, 90	γ	Bone	I/GI	AlPO ₄ ^{**}
Tritium (³ H)	β	Total body	I/S/GI	Forced H ₂ O [‡]
Uranium-238, 235, 239	α, β, γ	Bone	I/S/W	NaHCO ₃ ^{***}

^{*} Contamination Mode: I by inhalation, GI by gastrointestinal absorption, S by skin absorption, W by wound absorption

^{**} The octadecyl aluminum phosphate in gel form used as a gastrointestinal adsorbent for radioisotopes

^{***} Sodium bicarbonate to maintain alkalinity of urine used in conjunction with diuretics

[†] Calcium- and Zinc-DTPA, metal complexes of diethylenetriaminepentaacetate. Both are currently FDA approved. The calcium form is recommended for the first decontaminating dose, followed with the zinc form for subsequent doses.

[‡] A mercury and arsenic poisoning chelation agent (very toxic)

[§] Agent blocking radioactive absorption in thyroid resulting in its dilution

[¶] Simple forced intake of water, resulting in uric acid dilution

[‡] A dye used as an ion exchanger, currently FDA approved

Prussian blue is taken to minimize damage from cesium. As FDA [notes](#):

The FDA has determined that the 500 mg Prussian blue capsules, when manufactured under the conditions of an approved New Drug Application (NDA), can be found safe and effective for the treatment of known or suspected internal contamination with radioactive cesium, radioactive thallium, or non-radioactive thallium. This decision is based on a careful review of published literature articles containing reports, data, and experiences of people who were exposed to high levels of thallium or cesium-137 and were treated effectively with Prussian blue.

Prussian blue works using a mechanism known as ion exchange. Cesium or thallium that have been absorbed into the body are removed by the liver and

passed into the intestine and are then re-absorbed into the body (entero-hepatic circulation). Prussian blue works by trapping thallium and cesium in the intestine, so that they can be passed out of the body in the stool rather than be re-absorbed. If persons are exposed to radioactive cesium, radioactive thallium, or non-radioactive thallium, taking Prussian blue may reduce the risk of death and major illness from radiation or poisoning.

And see [this](#).

DTPA is taken to reduce damage from plutonium, as well as americium and curium. FDA [reports](#):

The FDA has determined that Ca-DTPA and Zn-DTPA are safe and effective for treating internal contamination with plutonium, americium, or curium. The drugs increase the rate of elimination of these radioactive materials from the body.

Sodium bicarbonate plus diuretics (things which increase urine output) may reduce damage from uranium. FDA [notes](#):

Uranium contamination has been treated with oral sodium bicarbonate, regulated to maintain an alkaline urine pH, and accompanied by diuretics. Oral sodium bicarbonate has not been approved in the United States for this indication.

Sodium bicarbonate is [baking soda](#). While I have no idea whether it is true or not, many alternative people advocate [bathing in baking soda](#) after being exposed to uranium.

And see [this](#).

Note: I am not a medical professional and this does not constitute medical or health advice. This is for general informational purposes only. Some or all of the above-described substances may have severe side effects or - if used improperly - may cause more damage than they prevent. Don't take any of these preventatively ... only if exposed to high levels of radiation. Consult your doctor before taking any of the above medicines.

The original source of this article is [Washington's Blog](#)
Copyright © [Washington's Blog](#), [Washington's Blog](#), 2011

[Comment on Global Research Articles on our Facebook page](#)

[Become a Member of Global Research](#)

Articles by: [Washington's Blog](#)

Disclaimer: The contents of this article are of sole responsibility of the author(s). The Centre for Research on Globalization will

not be responsible for any inaccurate or incorrect statement in this article. The Centre of Research on Globalization grants permission to cross-post Global Research articles on community internet sites as long the source and copyright are acknowledged together with a hyperlink to the original Global Research article. For publication of Global Research articles in print or other forms including commercial internet sites, contact: publications@globalresearch.ca

www.globalresearch.ca contains copyrighted material the use of which has not always been specifically authorized by the copyright owner. We are making such material available to our readers under the provisions of "fair use" in an effort to advance a better understanding of political, economic and social issues. The material on this site is distributed without profit to those who have expressed a prior interest in receiving it for research and educational purposes. If you wish to use copyrighted material for purposes other than "fair use" you must request permission from the copyright owner.

For media inquiries: publications@globalresearch.ca