

Unseen Heat across Europe: Is this the ‘Climate End Game’?

By [Marc Vandepitte](#)

Global Research, August 28, 2022

Theme: [Environment](#)

In-depth Report: [Climate Change](#)

All Global Research articles can be read in 51 languages by activating the “Translate Website” drop down menu on the top banner of our home page (Desktop version).

To receive Global Research’s Daily Newsletter (selected articles), [click here](#).


Follow us on [Instagram](#) and [Twitter](#) and subscribe to our [Telegram Channel](#). Feel free to repost and share widely Global Research articles.

First published on August 23, 2022

We are experiencing a very hot and dry summer. Some people quite like it and for our governments there is nothing wrong yet. But actually, we should sound a big alarm. According to experts, if we do not change course soon, we risk ending up in the ‘climate end game’. In the meantime, the orchestra on the Titanic is continuing to play.

Worrying facts are piling up

[France](#) is in the grip of a third heatwave this summer. Temperatures exceed 40°C. The country is experiencing the worst drought in its history. In two-thirds of the departments, the water supply is in crisis.



This year, [48.000 hectares](#) of land have been burnt, which is seven times more than the usual amount. The output of the [nuclear power plants](#) on the Rhône and the Garonne has been temporarily reduced because there is not enough river water to cool the plants.

In [Canada](#), temperatures also rose above 40C. That and the sustained drought and wildfires have had a detrimental effect on food production. There are crop failures and 80-per-cent mortality rates at some commercial shellfish operations. In the province of British Columbia, 400,000 chickens have died as a result of the extreme heat.

[Italy](#) is experiencing its worst drought since 2003, when a massive heatwave killed 30,000 people and destroyed agricultural produce. A third of agricultural produce is said to be at risk this year. In Switzerland, the army is deployed to prevent cow herds from dying of thirst.

At the beginning of August, the Netherlands declared a national water shortage. In Germany, [the Rhine](#) threatens to become unnavigable. In Poland, the authorities have already imposed restrictions on river transports because of the very low water level.

Due to exceptionally dry weather, many reservoirs in [Norway](#) have reached historically low water levels. As a result, the government has decided to limit the export of electricity to


other countries until the reservoirs are replenished.

[California](#) is facing a chronic “mega-drought” in which dry years are becoming more frequent and wet years are becoming scarcer. The current drought, which started around 2000, is the second worst in the past 1200 years. This year alone, more than [140 square mile](#) have burnt in more than 5,000 fires in California’s wine region.

Within three decades a quarter of [the US](#) land area and over 107 million people will be subjected to perceived temperatures of above 52C.

The unbearable heat of being

The droughts we have experienced in recent years on the European continent were “unprecedented in the last 250 years”, according to [scientists](#). [As the climate continues to warm](#), heat waves and droughts will become more frequent, they will last longer and temperature peaks will also become higher. Moreover, heat waves and droughts are mutually reinforcing phenomena.[i]



This will be the new normal. It is possible that [within a decade](#) every summer in Western Europe will be as hot and dry as this one. In addition to those heat waves, we will also have to deal with rain bombs much more frequently, as in Germany and Belgium last year.[ii]

Since the 1980s, exposure to deadly urban heat has [tripled](#). It now affects nearly a quarter of the world’s population. Already [five million people](#) die each year from extreme weather, increasingly from heat-related causes.

According to the [French Ministry of the Environment](#), the average air temperature will rise by 1.4 to 3 degrees Celsius by 2070. Precipitation will decline by 16 to 23 percent and river flows in the south of the country will fall by 30 to 50 percent. Similar numbers may be expected in neighbouring countries.

If the current evolution continues, [agricultural yields](#) could fall by 30 percent worldwide by 2050. About 5 billion people could face water shortages for at least one month a year.

Extreme heat – defined as an annual average temperature of over 29°C – would affect [two billion people](#) by 2070. By 2060, about 1.4 billion people could be [climate refugees](#) and by 2100, a fifth of the world’s population may be displaced as a result of rising sea levels.

Endgame?

And these are only conservative predictions. In recent years, climate scientists have found that extreme weather events are [occurring faster](#) than models had predicted. Initially it was assumed that temperatures and extreme weather events would increase gradually and linearly. It is possible that we have now entered a period where extremes will occur [suddenly, more frequently and also more powerfully](#).

PNAS

PERSPECTIVE

OPEN ACCESS



Climate Endgame: Exploring catastrophic climate change scenarios

Luke Kemp^{a,b,1}, Chi Xu^c, Joanna Depledge^d, Kristie L. Ebi^e, Goodwin Gibbins^f, Timothy A. Kohler^{g,h,i}, Johan Rockström^j, Marten Scheffer^k, Hans Joachim Schellnhuber^l, Will Steffen^m, and Timothy M. Lentonⁿ

Edited by Kerry Emanuel, Massachusetts Institute of Technology, Cambridge, MA; received May 20, 2021; accepted March 25, 2022

Prudent risk management requires consideration of bad-to-worst-case scenarios. Yet, for climate change, such potential futures are poorly understood. Could anthropogenic climate change result in worldwide societal collapse or even eventual human extinction? At present, this is a dangerously underexplored topic. Yet there are ample reasons to suspect that climate change could result in a global catastrophe. Analyzing the mechanisms for these extreme consequences could help galvanize action, improve resilience, and inform policy, including emergency responses. We outline current knowledge about the likelihood of extreme climate change, discuss why understanding bad-to-worst cases is vital, articulate reasons for concern about catastrophic outcomes, define key terms, and put forward a research agenda. The proposed agenda covers four main questions: 1) What is the potential for climate change to drive mass extinction events? 2) What are the mechanisms

<https://agupubs.onlinelibrary.wiley.com/doi/full/10.1029/2022EF002876>. Research has focused on the impacts of 1.5 °C and 2 °C, and studies of how climate impacts could cascade or trigger larger crises are sparse.

A thorough risk assessment would need to consider how risks spread, interact, amplify, and are aggravated by human responses (3), but even simpler “compound hazard” analyses of interacting climate hazards and drivers are underused. Yet this is how risk unfolds in the real world. For example, a cyclone destroys electrical infrastructure, leaving a population vulnerable to an ensuing deadly heat wave (4). Recently, we have seen compound hazards emerge between climate change and the COVID-19 pandemic (5). As the IPCC notes, climate risks are becoming more complex and difficult to manage, and are cascading across regions and sectors (6).

Why the focus on lower-end warming and simple risk analyses? One reason is the benchmark of the interna-

In a [recent study](#), a group of scientists does no longer completely rule out a global societal collapse or human extinction. They call such a catastrophe the ‘climate endgame’. The probability of such a catastrophe may be small, but such scenarios cannot be ruled out, given the uncertainties in future emissions and the climate system.

A possible acceleration of warming is related to so-called [tipping points](#)[iii] and feedbacks.[iv] Certain tipping points could cause even an additional 8 °C global warming.[v]

According to those scientists “facing a future of accelerating climate change while remaining blind to worst-case scenarios is naive risk management at best and fatally foolish

at worst”.

It is worth remembering that the amount of CO₂ in the atmosphere is currently approaching the level there was [15 million years ago](#). Back then, temperatures were 3 to 4 degrees Celsius higher and the sea level was 20 metres higher.

“There are warnings from history. Climate change (either regional or global) has played a role in the collapse or transformation of numerous previous societies and in each of the five mass extinction events in Phanerozoic[vi] Earth history” according to scientists.

Much will depend on global climate efforts. The current trajectory puts the world on track for a temperature rise between 2.1 °C and 3.9 °C by 2100. If the existing pledges by countries are fully implemented, this increase will be 1.9 to 3 degrees Celsius. Provided all long-term pledges and targets were met, the warming would be 1.7 to 2.6 degrees Celsius.

“Even these optimistic assumptions lead to dangerous Earth system trajectories. Temperatures of more than 2°C above preindustrial values have not been sustained on Earth’s surface since before the Pleistocene Epoch (or more than 2.6 million years ago).”

A warming of more than 2°C is particularly alarming. Human societies are adapted to specific climatic environments. Since the emergence of large-scale, urbanised agricultural societies around 12,000 years ago, civilisations have developed within a narrow climatic framework with an average annual temperature of around 13°C.

Even today, the most economically productive centres of human activity are concentrated in such areas. According to the scientists, “the cumulative impacts of warming may overwhelm societal adaptive capacity”.

We are faced with a choice

UN Secretary-General [António Guterres](#) presents us with a choice: “We are on a catastrophic path. “We can either save our world or condemn humanity to a hellish future.”

To save the world from climate degeneration, a complete [energy transition](#) is needed that is much bigger and faster than any previous one in world history. In the next 30 to 50 years, 90 per cent or more of the world’s energy that is currently produced from fossil fuels will have to be provided by renewable energy sources, nuclear power[vii] or fossil fuel plants that bury their waste rather than emitting it.

According to [Energy Transitions Commission](#), a prestigious think tank on global warming, less than [1 per cent](#) of the world’s GDP[viii] annually is needed to become carbon neutral by the middle of this century. This is an insignificant amount to save the world from catastrophic climate change. By comparison, it is estimated that by 2020 the entirety of the stimulus packages in the rich countries in the context of the covid crisis accounted for more than [30 per cent](#) of GDP.[ix]

Avoiding a climate catastrophe is thus absolutely possible, but it will require a drastic change of course. To date, tackling global warming has largely been left to market forces: emissions trading, carbon taxes, market-based development of green technology, etc. Obviously, this is not a successful strategy.

Moreover, [one hundred multinationals](#) are responsible for 71 percent of greenhouse gas

emissions between 1988 and 2015. Another reason why green and cheap energy must become a [public service](#), just like the low-carbon infrastructure and technology needed to deliver that energy. In the past, governments created other public services such as those for defence, public health, education, scientific research, ...

We do not have much time left. We have now used up [86%](#) of the carbon budget[x] for a 50-50 chance of staying below 1.5°C, or 89% of the budget for a 2/3 chance. Or expressed in time, we still have 7 to 10 years to turn the tide. It is not without reason that Guterres warns of a '[code red](#)' for humanity.

*

Note to readers: Please click the share buttons above or below. Follow us on Instagram and Twitter and subscribe to our Telegram Channel. Feel free to repost and share widely Global Research articles.

Translation by Dirk Nimmegeers

Marc Vandepitte is a regular contributor to Global Research.

Sources

[Climate Endgame: Exploring catastrophic climate change scenarios](#), Proceedings of the National Academy of Sciences

[Climate endgame: risk of human extinction 'dangerously underexplored'](#), *The Guardian*

[Imagining a "Half-Earth" Sustainable Economy](#), *Counterpunch*

Notes

[i] The energy of the sunlight is partly used to evaporate moisture from the soil and the leaves of the trees. When the Earth is bone dry there is nothing left to evaporate and all the sun's energy goes into heating the atmosphere. This makes the Earth even drier and heats up the atmosphere even more. It is a vicious circle.

[ii] [British climate experts](#) predict that such rain storms will become 14 times more frequent by the end of the century if CO2 emissions remain high.

[iii] In climate science, a [tipping point](#) is a critical threshold at which a (relatively) small perturbation can dramatically change the state of major components of the Earth system. According to scientists, large-scale components of the Earth system may pass a tipping point in the near future, causing a change in the global climate. They have in mind, for example, the deterioration of the Amazon rainforest or the death of the boreal forests in Canada and Siberia, the melting of the polar caps or the Greenland icecap, the disruption of the monsoon on the Indian subcontinent, the degradation of coral reefs, the loss of permafrost and tundra.

[iv] A [feedback](#) means that the change in one variable has an effect on a second variable, which in turn has an effect on the first variable. This creates a chain effect.

A good example is the emission of methane from thawing permafrost in the frozen peat bogs of Siberia.

Global warming melts the permafrost and releases methane. This is a very powerful greenhouse gas that accelerates warming, causing even more permafrost to melt and releasing even more methane.

[v] For example, the abrupt loss of [stratocumulus cloud cover](#) (clouds that are lower than 2.5 km in altitude).

[vi] The [Phanerozoic](#) geological era is a period of the Earth's geological history lasting from about 540 million years to the present.

[vii] Nuclear power is not appropriate because it is too expensive, there is a risk of nuclear disasters and hazardous waste has to be stored for centuries.

[viii] GDP stands for Gross Domestic Product. That is what we all produce in terms of wealth every year.

[ix] It concerns both fiscal measures (direct state aid to companies, families, etc.) and monetary measures (central banks pumping money into the financial markets).

[x] The carbon budget is the amount of CO2 that may be added to the atmosphere in order to limit climate warming to 1.5°C.

The original source of this article is Global Research
Copyright © [Marc Vandepitte](#), Global Research, 2022

[Comment on Global Research Articles on our Facebook page](#)

[Become a Member of Global Research](#)

Articles by: [Marc Vandepitte](#)

Disclaimer: The contents of this article are of sole responsibility of the author(s). The Centre for Research on Globalization will not be responsible for any inaccurate or incorrect statement in this article. The Centre of Research on Globalization grants permission to cross-post Global Research articles on community internet sites as long the source and copyright are acknowledged together with a hyperlink to the original Global Research article. For publication of Global Research articles in print or other forms including commercial internet sites, contact: publications@globalresearch.ca

www.globalresearch.ca contains copyrighted material the use of which has not always been specifically authorized by the copyright owner. We are making such material available to our readers under the provisions of "fair use" in an effort to advance a better understanding of political, economic and social issues. The material on this site is distributed without profit to those who have expressed a prior interest in receiving it for research and educational purposes. If you wish to use copyrighted material for purposes other than "fair use" you must request permission from the copyright owner.

For media inquiries: publications@globalresearch.ca