

Why Pfizer Stopped COVID Vax Trial

By [Dr. Joseph Mercola](#)

Global Research, July 11, 2023

[Mercola](#)

Theme: [Science and Medicine](#)

All Global Research articles can be read in 51 languages by activating the Translate Website button below the author's name.

To receive Global Research's Daily Newsletter (selected articles), [click here](#).

Click the share button above to email/forward this article to your friends and colleagues. Follow us on [Instagram](#) and [Twitter](#) and subscribe to our [Telegram Channel](#). Feel free to repost and share widely Global Research articles.

In February 2021, Pfizer launched a randomized, placebo-controlled, observer-blind study to evaluate the safety of its COVID-19 shot — BNT162b2 — in healthy pregnant women

The injections were set to take place between 24 and 34 weeks' gestation, with participants randomized 1-to-1 to receive a COVID-19 shot or placebo

The study was initially set to enroll 4,000 women, but Pfizer only signed up 349, then stopped enrollment entirely

The CDC's widespread endorsement of COVID-19 shots for pregnant women before the study was completed may have negated the need for the trial

Pfizer stated that because so many pregnant women had already gone ahead and gotten the shot, due to the government's endorsement, enrollment dropped and there was no reason to move ahead with the study

*

No randomized trial data are available for use of the COVID-19 shot in pregnant women, and Pfizer cut its pregnancy trial short.¹ But this doesn't stop the U.S. Centers for Disease Control and Prevention from recommending COVID-19 injections for everyone 6 months and older, including "people who are pregnant, breastfeeding, trying to get pregnant now, or those who might become pregnant in the future."²

"Not having any good data didn't seem to bother the CDC," Dr. Martin Makary, a professor at Johns Hopkins University School of Medicine, wrote in Tablet.³ He and a team of scientists petitioned the U.S. Food and Drug Administration to add a disclaimer to the shot's label about the lack of trial data on its safety in pregnant women. The FDA declined, stating that this information wouldn't be relevant.

Pregnant women, however, do need to know about the shot's lack of testing during pregnancy — it's the foundation of informed consent. They'd also likely be interested to know why Pfizer stopped its pregnancy trial early and has yet to make the results it did find public.

Pfizer Stopped COVID Job Pregnancy Trial, Withholds Data

In February 2021, Pfizer launched a randomized, placebo-controlled, observer-blind study to evaluate the safety of its COVID-19 shot — BNT162b2 — in healthy pregnant women. The injections were set to take place between 24 and 34 weeks' gestation, with participants randomized 1-to-1 to receive a COVID-19 shot or placebo.⁴ But while the study was initially set to enroll 4,000 women,⁵ Pfizer only signed up 349, then stopped enrollment entirely.⁶

“Most concerning,” Makary explained, “the pregnancy outcomes of those who participated in the trial, and their babies, are still not public today, nearly two years later.”⁷ Pregnant and breastfeeding women were excluded from Pfizer's and Moderna's phase III clinical trials,⁸ but in April 2021, CDC director Dr. Rochelle Walensky announced, “CDC recommends that pregnant people receive the COVID-19 vaccine.”⁹

The American College of Obstetricians and Gynecologists (ACOG) and the Society for Maternal-Fetal Medicine (SMFM) soon echoed this statement, recommending pregnant women get injected, as did the UK's Royal College of Obstetricians and Gynecologists.¹⁰

So, as the months passed, hundreds of thousands of pregnant women globally rolled up their sleeves to receive the vaccine, despite the absence of any clinical trials. “The message from authorities was clear — the harm from COVID-19 infection outweighed any harms from the mRNA vaccine — but in truth, they couldn't possibly have known,” noted Maryanne Demasi, Ph.D., a former medical scientist with the University of Adelaide and former reporter for ABC News in Australia.¹¹

Animal Studies Show Fetal Loss, Skeletal Variations

Pfizer's product labeling suggested, “No vaccine-related adverse effects on female fertility, fetal development or postnatal development were reported.” But, Demasi reported, a freedom of information request from 2021 showed this was based on an animal study of just 44 rats, which showed concerning findings about fetal loss:¹²

“The study found the vaccine led to a statistically significant doubling in fetal loss (9.77% mRNA vs 4.09% saline), but Pfizer concluded that the difference between the two groups was “not biologically meaningful.”

The label also states that Pfizer's mRNA vaccine was not tested for its potential to cause carcinogenicity (ability to cause cancer), genotoxicity (ability to damage genetic information), or impairment of male fertility.”

An animal study conducted by Moderna also showed a significant number of rats were born with skeletal variations after their mothers were injected with the COVID-19 shot while pregnant. But, according to Demasi, “Moderna concluded that the “Skeletal variations are structural changes that do not impact development or function of a developing embryo” and

therefore “not considered adverse.””

Trial Stopped Because Many Pregnant Women Already Injected

Pfizer hasn't publicly explained why its trial on pregnant women was stopped short, nor why the resulting data hasn't been published. It's possible they ended the trial because of unfavorable results. It wouldn't be the first time.

However, in this case it appears the CDC's widespread endorsement of COVID-19 shots for pregnant women — before the study was completed — may have negated the need for the trial altogether, at least from Pfizer's perspective. As Makary put it:¹³

“In the case of the COVID vaccine trial in pregnant women, the trial may have been terminated not because the results were unfavorable, but because no data was needed. The medical and public health establishments had already made up their minds, declaring it safe and effective regardless of what the data was going to show. Why evaluate a product if the CDC and ACOG are already sold on the product?”

Demasi agreed. In fact, she published an email from Pfizer, in which the company admitted that enrollment for their trial significantly declined in the end of 2021, because health officials had already given the shot their seal of approval. Because so many pregnant women had already gone ahead and gotten the shot, due to the government's endorsement, there was no reason to move ahead with the study. Demasi published Pfizer's email response, which reads:¹⁴

“In the fourth quarter of 2021, enrollment was stopped in C4591015 Study (a Phase 2/3 placebo controlled randomized observer-blind study to evaluate the safety, tolerability, and immunogenicity of BNT162b2 against COVID-19 in healthy pregnant women 18 years of age and older). This study was developed prior to availability or recommendation for COVID-19 vaccination in pregnant women.

The environment changed during 2021 and by September 2021, COVID-19 vaccines were recommended by applicable recommending bodies (e.g., ACIP in the U.S.) for pregnant women in all participating/planned countries, and as a result the enrollment rate declined significantly.

With the declining enrollment, the study had insufficient sample size to assess the primary immunogenicity objective and continuation of this placebo controlled study could no longer be justified due to global recommendations. This proposal was shared with and agreed to by FDA and EMA.”

As for the lack of published data, Pfizer stated it doesn't have it:¹⁵

“Pfizer does not yet have a complete data set from the maternal immunization study, C4591015. Pfizer and BioNTech plan to complete the analysis of the clinical trial C4591015 and share it with global public health regulators and seek publication or presentation as is our standard practice.

It is important to note that relevant real-world evidence on the use of COVID-19 vaccines in pregnant women has been presented and published numerous times by

various parties in multiple journals and forums.”

Natural Immunity Is Still Being Ignored

Not only does ACOG “strongly recommend” that pregnant women get a COVID-19 shot, but they also recommend a booster dose.¹⁶ “Vaccination may occur in any trimester, and emphasis should be on vaccine receipt as soon as possible to maximize maternal and fetal health. This recommendation applies to both primary series and booster vaccination,” ACOG states.¹⁷

But missing from their information is data about natural immunity. Research by Makary and colleagues, published in JAMA,¹⁸ showed that natural immunity to COVID-19 — achieved by prior infection, not an injection — was durable for about two years, suggesting it’s longer lasting than any protection gained from a COVID-19 shot.¹⁹

A systematic review and meta-analysis published in The Lancet²⁰ also revealed natural immunity to be at least as effective as, and likely superior to, COVID-19 injections.²¹ Health officials don’t have the data from Pfizer’s randomized trial of the shots in pregnant women. But rather than erring on the side of caution — especially for those with natural immunity — they’re still recommending everyone get the shots.

Scientists Warn Pregnant Women Not to Receive COVID Shots

Not everyone’s onboard with health agencies’ push for pregnant women to get injected. “The pushing of these experimental COVID-19 vaccines globally is the greatest violation of medical ethics in the history of medicine, maybe humanity,” Dr. James Thorp, a maternal fetal medicine expert, told Tucker Carlson.²²

Thorp and colleagues published a preprint study that found striking risks to pregnant women who received the shots, along with their unborn babies.²³ The outcomes were so dire that the researchers concluded pregnant women should not receive COVID-19 shots until further research is completed.

“A worldwide moratorium on the use of COVID-19 vaccines in pregnancy is advised until randomized prospective trials document safety in pregnancy and long-term follow-up in offspring,” they explained.²⁴ Compared to the flu vaccine, COVID-19 shots were associated with a significant increase in adverse events (AE), including:²⁵

Menstrual abnormality	Miscarriage
Fetal chromosomal abnormalities	Fetal malformation
Fetal cystic hygroma	Fetal cardiac disorders
Fetal arrhythmia	Fetal cardiac arrest
Fetal vascular mal-perfusion	Fetal growth abnormalities
Fetal abnormal surveillance	Fetal placental thrombosis
Low amniotic fluid	Fetal death/stillbirth

The data also revealed a 27-fold higher risk of miscarriage and a more than twofold increased risk of adverse fetal outcomes across six different categories, according to board-certified internist and cardiologist Dr. Peter McCullough.²⁶

NIH Study Confirms Menstrual Changes Post-Jabs

Delayed menstruation has also been confirmed following COVID-19 shots, according to a study published in *Obstetrics & Gynecology* — funded by the National Institute of Child Health and Human Development (NICHD) and the National Institutes of Health (NIH) Office of Research on Women’s Health.²⁷

The study involved 3,959 individuals between the ages of 18 and 45 years. Those who had not received a COVID-19 shot noted no significant changes in cycle four during the study compared to their first three cycles. But those who received COVID-19 shots had longer menstrual cycles, typically by less than one day, when they received the shots.

The European Union, meanwhile, has recommended that “heavy menstrual bleeding” be added as a side effect to mRNA COVID-19 shots.²⁸ Makary noted:²⁹

“Here in the U.S. there’s been no such update to product labeling. This lack of humility was also evident when healthy young women were told with incredible absolutism that the COVID vaccine cannot affect fertility. The right answer should have been: We don’t think it will affect fertility but we don’t have any good data on the question.”

Officials Choose ‘Stern Paternalism’ Over Informed Consent

In the absence of data for a vulnerable population — pregnant and breastfeeding women — health officials should have urged caution. As the effectiveness of natural immunity became clear, people should have been informed of this and warned of potential risks from COVID-19 shots. This way, they could make an informed decision before consenting to an injection that could have serious reproductive effects.

The Institute for Pure and Applied Knowledge (IPAK) felt the data were compelling enough in 2021 to withdraw the shots for vulnerable populations like pregnant women,^{30,31} but health

officials chose, instead, to make them guinea pigs for an untested, experimental shot.

“In the absence of good data, organized medicine chose the path of stern paternalism. But in my experience as a physician, it’s far better to properly inform a patient rather than steamroll their questions,” said.³² If and when Pfizer does release the data, it’s possible that health agencies will have some explaining to do if the data aren’t favorable. Makary continued:³³

“It may be that Pfizer’s pregnancy trial would have been favorable to the vaccine, showing that the benefits outweigh harms, but Pfizer has not released the data. Perhaps the data was not favorable, or perhaps Pfizer realized they had convinced the medical establishment without data, so why run the risk of sharing what a placebo-controlled trial shows?”

*

Note to readers: Please click the share button above. Follow us on Instagram and Twitter and subscribe to our Telegram Channel. Feel free to repost and share widely Global Research articles.

Notes

^{1, 5, 6, 7, 21, 29, 32, 33} [Tablet June 21, 2023](#)

^{2, 3, 13} [U.S. CDC, COVID-19 Vaccines While Pregnant or Breastfeeding October 20, 2022](#)

⁴ [ClinicalTrials.gov, To Evaluate the Safety, Tolerability, and Immunogenicity of BNT162b2 Against COVID-19 in Healthy Pregnant Women 18 Years \[...\]](#)

^{8, 10, 11} [Substack, Maryanne Demasi reports February 23, 2023](#)

⁹ [CBS News April 27, 2021](#)

^{12, 14, 15} [Substack, Alexander COVID News February 25, 2023](#)

^{16, 17} [ACOG, COVID-19 Vaccines and Pregnancy: Conversation Guide](#)

¹⁸ [JAMA. 2022;327\(11\):1085-1087. doi: 10.1001/jama.2022.1393](#)

¹⁹ [Twitter, Marty Makary February 3, 2022](#)

²⁰ [The Lancet March 11, 2023](#)

²² [Rumble February 27, 2023, 1:00](#)

^{23, 24, 25} [Preprints 2022, 2022090430](#)

²⁶ [Substack, Courageous Discourse March 2, 2023](#)

²⁷ [Obstetrics & Gynecology: January 5, 2022 – Volume – Issue – 10.1097](#)

²⁸ [European Medicines Agency October 28, 2022](#)

^{30, 31} [Science, Public Health Policy, and the Law Volume 4:130-143 November 2021](#)

Featured image is from Children's Health Defense

The original source of this article is [Mercola](#)
Copyright © [Dr. Joseph Mercola](#), [Mercola](#), 2023

[Comment on Global Research Articles on our Facebook page](#)

[Become a Member of Global Research](#)

Articles by: **[Dr. Joseph Mercola](#)**

Disclaimer: The contents of this article are of sole responsibility of the author(s). The Centre for Research on Globalization will not be responsible for any inaccurate or incorrect statement in this article. The Centre of Research on Globalization grants permission to cross-post Global Research articles on community internet sites as long the source and copyright are acknowledged together with a hyperlink to the original Global Research article. For publication of Global Research articles in print or other forms including commercial internet sites, contact: publications@globalresearch.ca

www.globalresearch.ca contains copyrighted material the use of which has not always been specifically authorized by the copyright owner. We are making such material available to our readers under the provisions of "fair use" in an effort to advance a better understanding of political, economic and social issues. The material on this site is distributed without profit to those who have expressed a prior interest in receiving it for research and educational purposes. If you wish to use copyrighted material for purposes other than "fair use" you must request permission from the copyright owner.

For media inquiries: publications@globalresearch.ca