

Yellowstone Is Losing Its Snow as the Climate Warms, and that Means Widespread Problems for Water and Wildlife

By [Prof. Bryan Shuman](#)

Global Research, June 28, 2021

[The Conversation](#) 24 June 2021

Region: [USA](#)

Theme: [Environment](#)

In-depth Report: [Climate Change](#)

All Global Research articles can be read in 51 languages by activating the “Translate Website” drop down menu on the top banner of our home page (Desktop version).

Visit and follow us on Instagram at [@crg_globalresearch](#).

When you picture [Yellowstone National Park](#) and its neighbor, [Grand Teton](#), the snowcapped peaks and [Old Faithful Geyser](#) almost certainly come to mind. Climate change threatens all of these iconic scenes, and its impact reaches far beyond the parks’ borders.

A new [assessment of climate change](#) in the two national parks and surrounding forests and rangeland warns of the potential for significant changes as the region continues to heat up.

Since 1950, average temperatures in the Greater Yellowstone Area have [risen 2.3 degrees Fahrenheit](#) (1.3 C), and potentially more importantly, the region has lost a quarter of its annual snowfall. With the region [projected to warm 5-6 F by 2061-2080](#), compared with the average from 1986-2005, and by as much as 10-11 F by the end of the century, the high country around Yellowstone is poised to lose its snow altogether.

The loss of snow there has repercussions for a vast range of ecosystems and wildlife, as well as cities and farms downstream that rely on rivers that start in these mountains.

Broad impact on wildlife and ecosystems

The Greater Yellowstone Area comprises [22 million acres](#) in northwest Wyoming and portions of Montana and Idaho. In addition to geysers and hot springs, it’s home to the southernmost range of grizzly bear populations in North America and [some of the longest intact wildlife migrations](#), including the seasonal traverses of elk, pronghorn, mule deer and bison.

The area also represents the one point where the three major river basins of the western U.S. converge. The rivers of the Snake-Columbia basin, Green-Colorado basin, and Missouri River Basin all begin as snow on the Continental Divide as it weaves across Yellowstone’s peaks and plateaus.

How climate change alters the Greater Yellowstone Area is, therefore, a question with

implications far beyond the impact on [Yellowstone's declining cutthroat trout](#) population and disruptions to the [food supplies](#) critical for the region's recovering grizzly population. By altering the water supply, it also shapes the fate of major Western reservoirs and their dependent cities and farms hundreds of miles downstream.

Rising temperatures also increase the [risk of large forest fires](#) like those that [scarred Yellowstone in 1988](#) and [broke records across Colorado in 2020](#). And the effects on the national parks could harm the region's [nearly US\\$800 billion](#) in annual tourism activity across the three states.

A group of scientists led by [Cathy Whitlock](#) from Montana State University, [Steve Hostetler](#) of the U.S. Geological Survey [and myself](#) at the University of Wyoming partnered with local organizations, including the Greater Yellowstone Coalition, to [launch the climate assessment](#).

We wanted to create a common baseline for discussion among the region's many voices, from the Indigenous nations who have lived in these landscapes for over 10,000 years to the federal agencies mandated to care for the region's public lands. What information would ranchers and outfitters, skiers and energy producers need to know to begin planning for the future?



Elk in the Greater Yellowstone Area could be affected by changes in the availability and quality of plants they eat along their migration routes. Changes to the elk population would in turn have an impact on grizzlies, wolves, and other parts of the food chain. Bryan Shuman/University of Wyoming


Shifting from snow to rain

Standing at the University of Wyoming-National Park Service Research Station and looking up at the snow on the Grand Teton, over 13,000 feet above sea level, I cannot help but think that the transition away from snow is the most striking outcome that the assessment anticipates - and the most dire.

Today the average winter snowline - the level where almost all winter precipitation falls as snow - is at an elevation of about 6,000 feet. By the end of the century, warming is forecast to raise it to at least 10,000 feet, the top of [Jackson Hole's famous ski areas](#).

The climate assessment uses projections of future climates based on [a scenario](#) that assumes countries substantially reduce their greenhouse gas emissions. When we looked at scenarios in which global emissions continue at a high rate instead, the differences by the end of century compared with today became stark. Not even the highest peaks would regularly receive snow.

In interviews with people across the region, nearly everyone agreed that the challenge ahead is directly connected to water. As a member of one of the regional tribes noted, "Water is a big concern for everybody."




As temperature has risen over the past seven decades, snowfall has declined, and peak streamflow shifted earlier in the year across the Greater Yellowstone Area. [2021 Greater Yellowstone Climate Assessment, CC BY-ND](#)

Precipitation may increase slightly as the region warms, but less of it will fall as snow. More of it will fall in spring and autumn, while summers will become drier than they have been, our assessment found.

The timing of the spring runoff, when winter snow melts and feeds into streams and rivers, has already shifted ahead by about eight days since 1950. The shift means a longer, drier late summer when drought can turn the landscape brown - or black as the wildfire season becomes longer and hotter.

The outcomes will affect wildlife migrations dependent on the "[green wave](#)" of new leaves that rises up the mountain slopes each spring. Low streamflow and warm water in late summer will threaten the survival of coldwater fisheries, like the Yellowstone cutthroat trout, and Yellowstone's unique species like the [western glacier stonefly](#), which depends on the meltwater from mountain glaciers.



Temperatures are projected to rise in the Greater Yellowstone Area in the coming decades. The chart shows two potential scenarios, based on different projections of what global warming might look like in the future – RCP 8.5, if greenhouse gas emissions continue at a high rate; and RCP 4.5, if countries take substantial steps to slow climate change. The temperatures are compared with the 1900-2005 average.

[2021 Greater Yellowstone Climate Assessment](#)

Preparing for a warming future

These outcomes will vary somewhat from location to location, but no area will be untouched.

We hope the climate assessment will help communities anticipate the complex impacts ahead and start planning for the future.

As the report indicates, that future will depend on choices made now and in the coming years. Federal and state policy choices will determine whether the world will see optimistic scenarios or scenarios where adaptation becomes more difficult. The Yellowstone region, one of the coldest parts of the U.S., will face changes, but actions now can help avoid the worst. High-elevation mountain towns [like Jackson, Wyoming](#), which today rarely experience 90 F, may face a couple of weeks of such heat by the end of the century – or they may face two months of it, depending in large part on those decisions.

The assessment underscores the need for discussion. What choices do we want to make?

*

Note to readers: Please click the share buttons above or below. Follow us on Instagram, @crg_globalresearch. Forward this article to your email lists. Crosspost on your blog site, internet forums. etc.

[Bryan Shuman](#) is Professor of Paleoclimatology and Paleoecology, University of Wyoming.

Featured image: Snow melts near the Continental Divide in the Bridger Wilderness Area in Wyoming, part of the Greater Yellowstone Area. Bryan Shuman/University of Wyoming, [CC BY-ND](#)

The original source of this article is [The Conversation](#)
Copyright © [Prof. Bryan Shuman](#), [The Conversation](#), 2021

[Comment on Global Research Articles on our Facebook page](#)

[Become a Member of Global Research](#)

Articles by: **[Prof. Bryan Shuman](#)**

Disclaimer: The contents of this article are of sole responsibility of the author(s). The Centre for Research on Globalization will not be responsible for any inaccurate or incorrect statement in this article. The Centre of Research on Globalization grants permission to cross-post Global Research articles on community internet sites as long the source and copyright are acknowledged together with a hyperlink to the original Global Research article. For publication of Global Research articles in print or other forms including commercial internet sites, contact: publications@globalresearch.ca
www.globalresearch.ca contains copyrighted material the use of which has not always been specifically authorized by the copyright owner. We are making such material available to our readers under the provisions of "fair use" in an effort to advance a better understanding of political, economic and social issues. The material on this site is distributed without profit to those who have expressed a prior interest in receiving it for research and educational purposes. If you wish to use copyrighted material for purposes other than "fair use" you must request permission from the copyright owner.

For media inquiries: publications@globalresearch.ca